


LOT PX 437
Rev 2

CONTROL

 (Exp.) 2022-11-05
(YYYY - MM - DD)

PARAMETRES PARAMETERS	UNITES UNITS	Lysebio											
		CONTROL		L	TOLERANCES TOLERANCE	CONTROL		N	TOLERANCES TOLERANCE	CONTROL		H	TOLERANCES TOLERANCE
		YUMIZEN				YUMIZEN				YUMIZEN			
		H1500	H2500	H1500	H2500	H1500	H2500						
GB WBC	10 ⁹ /mm ³ ; 10 ⁹ /l	2.60	2.60	± 0.40	7.30	7.30	± 1.00	17.55	17.55	± 2.20			
GR RBC	10 ⁶ /mm ³ ; 10 ¹² /l	2.42	2.42	± 0.16	4.67	4.67	± 0.20	5.27	5.27	± 0.25			
HB HGB	g/dl	6.1	6.1	± 0.4	13.7	13.7	± 0.5	16.9	16.9	± 0.6			
	g/l	61	61	± 4	137	137	± 5	169	169	± 6			
	mmol/l	3.79	3.79	± 0.25	8.51	8.51	± 0.31	10.49	10.49	± 0.37			
HT HCT	%	18.0	18.0	± 1.5	39.9	39.9	± 2.0	50.1	50.1	± 2.5			
	l/l	0.180	0.180	± 0.015	0.399	0.399	± 0.020	0.501	0.501	± 0.025			
VGM MCV	µm ³ ; fl	74.5	74.5	± 5.0	85.5	85.5	± 5.0	95.0	95.0	± 5.0			
TGMH MCH	pg	25.2	25.2	± 2.0	29.3	29.3	± 2.0	32.1	32.1	± 2.5			
	fmol	1.57	1.57	± 0.12	1.82	1.82	± 0.12	1.99	1.99	± 0.16			
CCMH MCHC	g/dl	33.8	33.8	± 3.0	34.3	34.3	± 3.0	33.8	33.8	± 3.0			
	g/l	338	338	± 30	343	343	± 30	338	338	± 30			
	mmol/l	21.01	21.01	± 1.86	21.31	21.31	± 1.86	20.96	20.96	± 1.86			
IDR-CV RDW-CV	%	14.5	14.5	± 4.0	12.5	12.5	± 4.0	11.5	11.5	± 4.0			
PLAQ. PLTS	10 ³ /mm ³ ; 10 ⁹ /l	67	67	± 20	235	235	± 30	488	488	± 50			
VPM MPV	µm ³ ; fl	10.2	10.2	± 2.0	10.2	10.2	± 2.0	11.1	11.1	± 2.0			
NEUT	#	1.43	1.43	± 0.35	4.15	4.15	± 0.90	13.13	13.13	± 1.90			
	%	54.9	54.9	± 10.0	56.9	56.9	± 10.0	74.8	74.8	± 10.0			
LYMPHO	#	0.72	0.72	± 0.33	2.10	2.10	± 0.70	2.02	2.02	± 1.50			
	%	27.5	27.5	± 12.0	28.8	28.8	± 8.0	11.5	11.5	± 8.0			
MONO	#	0.18	0.18	± 0.18	0.39	0.39	± 0.35	0.77	0.77	± 0.69			
	%	7.1	7.1	± 7.1	5.4	5.4	± 4.9	4.4	4.4	± 4.0			
EOS	#	0.17	0.17	± 0.17	0.37	0.37	± 0.37	0.86	0.86	± 0.86			
	%	6.6	6.6	± 6.6	5.1	5.1	± 5.1	4.9	4.9	± 4.9			
BASO	#	0.10	0.10	± 0.10	0.28	0.28	± 0.19	0.77	0.77	± 0.39			
	%	3.9	3.9	± 2.5	3.8	3.8	± 3.0	4.4	4.4	± 2.5			
IDR-SD RDW-SD	fl	40.0	40.0	± 4.0	40.0	40.0	± 4.0	40.0	40.0	± 4.0			
ERB NRBC	#	0.40	0.40	± 0.13	1.23	1.23	± 0.30	0.90	0.90	± 0.25			
	%	15.2	15.2	± 4.0	16.8	16.8	± 5.0	5.1	5.1	± 1.5			
PLTS OPT	10 ³ /mm ³ ; 10 ⁹ /l	N/A	68	± 30	N/A	218	± 40	N/A	442	± 50			

1300105209
BACK / VERSO
Ref: TEMP-0821 Rev.47