


**LOT** PX 445  
Rev 1

**CONTROL**

 (Exp.) 2024-03-05  
(YYYY - MM - DD)

| PARAMETRES<br>PARAMETERS |  | UNITES<br>UNITS | Lysebio           |                   |                         |                   |                   |                         |                   |                   |                         |                         |
|--------------------------|--|-----------------|-------------------|-------------------|-------------------------|-------------------|-------------------|-------------------------|-------------------|-------------------|-------------------------|-------------------------|
|                          |  |                 | CONTROL           |                   | L                       | CONTROL           |                   | N                       | CONTROL           |                   | H                       | TOLERANCES<br>TOLERANCE |
|                          |  |                 | YUMIZEN           |                   | TOLERANCES<br>TOLERANCE | YUMIZEN           |                   | TOLERANCES<br>TOLERANCE | YUMIZEN           |                   | TOLERANCES<br>TOLERANCE |                         |
|                          |  |                 | H1500<br>HELO 1.x | H2500<br>HELO 1.x |                         | H1500<br>HELO 1.x | H2500<br>HELO 1.x |                         | H1500<br>HELO 1.x | H2500<br>HELO 1.x |                         |                         |
| GB WBC                   | 10 <sup>9</sup> /mm <sup>3</sup> ; 10 <sup>9</sup> /l  | 2.45            | 2.45              | ± 0.40            |                         | 7.40              | 7.40              |                         | ± 1.00            | 17.90             |                         |                         |
| GR RBC                   | 10 <sup>6</sup> /mm <sup>3</sup> ; 10 <sup>12</sup> /l | 2.42            | 2.42              | ± 0.16            | 4.60                    | 4.60              | ± 0.20            | 5.05                    | 5.05              | ± 0.25            |                         |                         |
| HB HGB                   | g/dl   | 6.2             | 6.2               | ± 0.4             | 13.6                    | 13.6              | ± 0.5             | 16.0                    | 16.0              | ± 0.6             |                         |                         |
|                          | g/l  | 62              | 62                | ± 4               | 136                     | 136               | ± 5               | 160                     | 160               | ± 6               |                         |                         |
| HT HCT                   | mmol/l   | 3.85            | 3.85              | ± 0.25            | 8.45                    | 8.45              | ± 0.31            | 9.94                    | 9.94              | ± 0.37            |                         |                         |
|                          | %  | 18.6            | 18.6              | ± 1.5             | 40.0                    | 40.0              | ± 2.0             | 47.5                    | 47.5              | ± 2.5             |                         |                         |
| VGM MCV                  | l/l  | 0.186           | 0.186             | ± 0.015           | 0.400                   | 0.400             | ± 0.020           | 0.475                   | 0.475             | ± 0.025           |                         |                         |
|                          | µm <sup>3</sup> ; fl                                   | 77.0            | 77.0              | ± 5.0             | 87.0                    | 87.0              | ± 5.0             | 94.0                    | 94.0              | ± 5.0             |                         |                         |
| TGMH MCH                 | pg   | 25.6            | 25.6              | ± 2.0             | 29.6                    | 29.6              | ± 2.0             | 31.7                    | 31.7              | ± 2.5             |                         |                         |
|                          | fmol   | 1.59            | 1.59              | ± 0.12            | 1.84                    | 1.84              | ± 0.12            | 1.97                    | 1.97              | ± 0.16            |                         |                         |
| CCMH MCHC                | g/dl   | 33.3            | 33.3              | ± 3.0             | 34.0                    | 34.0              | ± 3.0             | 33.7                    | 33.7              | ± 3.0             |                         |                         |
|                          | g/l  | 333             | 333               | ± 30              | 340                     | 340               | ± 30              | 337                     | 337               | ± 30              |                         |                         |
| IDR-SD RDW-SD            | mmol/l   | 20.66           | 20.66             | ± 1.86            | 21.10                   | 21.10             | ± 1.86            | 20.93                   | 20.93             | ± 1.86            |                         |                         |
| IDR-CV RDW-CV            | fl   | 43.5            | 43.5              | ± 8.0             | 41.0                    | 41.0              | ± 8.0             | 40.5                    | 40.5              | ± 8.0             |                         |                         |
| PLA PLT                  | %  | 15.0            | 15.0              | ± 4.0             | 13.0                    | 13.0              | ± 4.0             | 11.0                    | 11.0              | ± 4.0             |                         |                         |
| PLT-Ox                   | 10 <sup>9</sup> /mm <sup>3</sup> ; 10 <sup>9</sup> /l  | 72              | 72                | ± 20              | 240                     | 240               | ± 30              | 483                     | 483               | ± 50              |                         |                         |
| VMP MPV                  | 10 <sup>9</sup> /mm <sup>3</sup> ; 10 <sup>9</sup> /l  | N/A             | 75                | ± 30              | N/A                     | 235               | ± 40              | N/A                     | 462               | ± 50              |                         |                         |
| NEU                      | µm <sup>3</sup> ; fl                                   | 9.4             | 9.4               | ± 2.0             | 9.6                     | 9.6               | ± 2.0             | 10.2                    | 10.2              | ± 2.0             |                         |                         |
|                          | 10 <sup>9</sup> /mm <sup>3</sup> ; 10 <sup>9</sup> /l  | 1.24            | 1.24              | ± 0.35            | 3.97                    | 3.97              | ± 0.90            | 12.76                   | 12.76             | ± 1.90            |                         |                         |
| LYM                      | %  | 50.6            | 50.6              | ± 10.0            | 53.7                    | 53.7              | ± 10.0            | 71.3                    | 71.3              | ± 10.0            |                         |                         |
|                          | 10 <sup>9</sup> /mm <sup>3</sup> ; 10 <sup>9</sup> /l  | 0.75            | 0.75              | ± 0.33            | 2.44                    | 2.44              | ± 0.70            | 2.76                    | 2.76              | ± 1.50            |                         |                         |
| MON                      | %  | 30.8            | 30.8              | ± 12.0            | 33.0                    | 33.0              | ± 8.0             | 15.4                    | 15.4              | ± 8.0             |                         |                         |
|                          | 10 <sup>9</sup> /mm <sup>3</sup> ; 10 <sup>9</sup> /l  | 0.20            | 0.20              | ± 0.20            | 0.43                    | 0.43              | ± 0.39            | 0.77                    | 0.77              | ± 0.69            |                         |                         |
| EOS                      | %  | 8.3             | 8.3               | ± 8.30            | 5.8                     | 5.8               | ± 5.2             | 4.3                     | 4.3               | ± 3.9             |                         |                         |
|                          | 10 <sup>9</sup> /mm <sup>3</sup> ; 10 <sup>9</sup> /l  | 0.15            | 0.15              | ± 0.15            | 0.26                    | 0.26              | ± 0.26            | 0.81                    | 0.81              | ± 0.81            |                         |                         |
| BAS                      | %  | 6.1             | 6.1               | ± 6.10            | 3.5                     | 3.5               | ± 3.5             | 4.5                     | 4.5               | ± 4.5             |                         |                         |
|                          | 10 <sup>9</sup> /mm <sup>3</sup> ; 10 <sup>9</sup> /l  | 0.10            | 0.10              | ± 0.10            | 0.30                    | 0.30              | ± 0.20            | 0.81                    | 0.81              | ± 0.41            |                         |                         |
| ERB NRBC                 | %  | 4.2             | 4.2               | ± 2.5             | 4.0                     | 4.0               | ± 3.0             | 4.5                     | 4.5               | ± 2.5             |                         |                         |
|                          | 10 <sup>9</sup> /mm <sup>3</sup> ; 10 <sup>9</sup> /l  | 0.41            | 0.41              | ± 0.30            | 1.45                    | 1.45              | ± 0.45            | 1.24                    | 1.24              | ± 0.35            |                         |                         |
|                          | %  | 18.2            | 18.2              | ± 8.0             | 19.6                    | 19.6              | ± 8.0             | 6.9                     | 6.9               | ± 2.0             |                         |                         |

BACK / VERSO  
Ref: TEMP-0821 Rev.50