


LOT PX 440
Rev 2

CONTROL

 (Exp.) 2023-05-05
(YYYY - MM - DD)

PARAMETRES PARAMETERS		UNITES UNITS	Lysebio									
			CONTROL		L	CONTROL		N	CONTROL		H	TOLERANCES TOLERANCE
			YUMIZEN		TOLERANCES TOLERANCE	YUMIZEN		TOLERANCES TOLERANCE	YUMIZEN		TOLERANCES TOLERANCE	
			H1500	H2500		H1500	H2500		H1500	H2500		
GB	WBC	10 ⁹ /mm ³ ; 10 ⁹ /l	2.35	2.35	± 0.40	7.10	7.10	± 1.00	17.45	17.45	± 2.20	
GR	RBC	10 ⁶ /mm ³ ; 10 ¹² /l	2.35	2.35	± 0.16	4.52	4.52	± 0.20	5.18	5.18	± 0.25	
HB	HGB	g/dl	6.3	6.3	± 0.4	13.8	13.8	± 0.5	17.0	17.0	± 0.6	
		g/l	63	63	± 4	138	138	± 5	170	170	± 6	
		mmol/l	3.91	3.91	± 0.25	8.57	8.57	± 0.31	10.56	10.56	± 0.37	
HT	HCT	%	18.8	18.8	± 1.5	40.2	40.2	± 2.0	49.7	49.7	± 2.5	
		l/l	0.188	0.188	± 0.015	0.402	0.402	± 0.020	0.497	0.497	± 0.025	
VGM	MCV	µm ³ ; fl	80.0	80.0	± 5.0	89.0	89.0	± 5.0	96.0	96.0	± 5.0	
TGMH	MCH	pg	26.8	26.8	± 2.0	30.5	30.5	± 2.0	32.8	32.8	± 2.5	
		fmol	1.66	1.66	± 0.12	1.90	1.90	± 0.12	2.04	2.04	± 0.16	
CCMH	MCHC	g/dl	33.5	33.5	± 3.0	34.3	34.3	± 3.0	34.2	34.2	± 3.0	
		g/l	335	335	± 30	343	343	± 30	342	342	± 30	
		mmol/l	20.81	20.81	± 1.86	21.30	21.30	± 1.86	21.23	21.23	± 1.86	
IDR-CV	RDW-CV	%	13.0	13.0	± 4.0	11.5	11.5	± 4.0	11.0	11.0	± 4.0	
PLAQ.	PLTS	10 ³ /mm ³ ; 10 ⁹ /l	76	76	± 20	264	264	± 30	513	513	± 50	
VPM	MPV	µm ³ ; fl	8.7	8.7	± 2.0	8.8	8.8	± 2.0	9.8	9.8	± 2.0	
NEUT		#	1.17	1.17	± 0.35	3.79	3.79	± 0.90	12.30	12.30	± 1.90	
		%	49.9	49.9	± 10.0	53.4	53.4	± 10.0	70.5	70.5	± 10.0	
LYMPHO		#	0.72	0.72	± 0.33	2.29	2.29	± 0.70	2.69	2.69	± 1.50	
		%	30.8	30.8	± 12.0	32.2	32.2	± 8.0	15.4	15.4	± 8.0	
MONO		#	0.20	0.20	± 0.20	0.41	0.41	± 0.37	0.87	0.87	± 0.78	
		%	8.4	8.4	± 8.4	5.8	5.8	± 5.2	5.0	5.0	± 4.5	
EOS		#	0.16	0.16	± 0.16	0.34	0.34	± 0.34	0.82	0.82	± 0.82	
		%	7.0	7.0	± 7.0	4.8	4.8	± 4.8	4.7	4.7	± 4.7	
BASO		#	0.09	0.09	± 0.09	0.27	0.27	± 0.18	0.77	0.77	± 0.39	
		%	3.9	3.9	± 2.5	3.8	3.8	± 3.0	4.4	4.4	± 2.5	
IDR-SD	RDW-SD	fl	40.0	40.0	± 4.0	41.0	41.0	± 4.0	41.0	41.0	± 4.0	
ERB	NRBC	#	0.43	0.43	± 0.13	1.38	1.38	± 0.30	1.19	1.19	± 0.25	
		%	18.2	18.2	± 4.0	19.5	19.5	± 5.0	6.8	6.8	± 1.5	
PLTS	OPT	10 ³ /mm ³ ; 10 ⁹ /l	N/A	78	± 30	N/A	259	± 40	N/A	483	± 50	

1300105209
BACK / VERSO
Ref: TEMP-0821 Rev.47