

HORIBA ABX SAS
 Parc Euromédecine
 Rue du Caducée
 B.P. 7290
 34184 Montpellier Cedex 4
 FRANCE
 www.horiba.com



LOT 21032 (rev. 01)



2 1 0 3 2

SAP 1300029568



1300029568

REF : 1300023947



2022/09/30

For instruments ABX Pentra 400 – Pentra C400 – Pentra C200

| (FR) Constituant (EN) Constituent (DE) Bestandteil (ES) Componente (IT) Componente (PT) Componente (DA) Bestanddel (SV) Konstituent (EL) συστατικό (PL) Składnik (NO) Bestanddel | ABX Pentra 400 (P400) | Pentra C400 (PC400) | Pentra C200 (PC200) | Unité Unit Einheit Unidad Unità Unidade Enhed Enhet Μονάδα Jednostka Enhet | Valeur titrée Assigned value Deklarierter Wert Valor asignado Valori assegnati Valor determinado Tildelt værdi Tildelat värde Αναγραφόμενη τιμή Wartość przypisana Tildelt verd | Intervalle de confiance Confidence range Vertrauensintervalle Intervalos de confianza Livelli di fiducia Intervalo de confiança Konfidensområde Konfidensintervall Εύρος εμπιστοσύνης Zakres ufności Konfidensspekter | |
|--|-----------------------|---------------------|---------------------|--|---|---|----------------------|
| C | | | | U | \oplus | Confidence range* 1 SD | |
| AlbT2-U ABX Pentra Micro ALBUMIN 2 CP (1300032563) | ● | | | mg/L mg/dL | 63.0 6.30 | 50.4 - 75.6 5.04 - 7.56 | 6.3 0.63 |
| | | ● | | mg/L mg/dL | 63.0 6.30 | 50.4 - 75.6 5.04 - 7.56 | 6.3 0.63 |
| | | | ● | mg/L mg/dL | 61.2 6.12 | 49.0 - 73.4 4.90 - 7.34 | 6.1 0.61 |
| AMY (EPS-G7) ABX Pentra Amylase CP (A11A01628) | ● | | | U/L μkat/L | 246.0 4.108 | 196.8 - 295.2 3.286 - 4.930 | 24.6 0.411 |
| | | ● | | U/L μkat/L | 246.0 4.108 | 196.8 - 295.2 3.286 - 4.930 | 24.6 0.411 |
| | | | ● | U/L μkat/L | 238.8 3.988 | 191.0 - 286.6 3.190 - 4.786 | 23.9 0.399 |
| CA (AZ III) ABX Pentra Calcium AS CP (A11A01954) | ● | | | mmol/L mg/L mg/dL | 2.96 118.7 11.87 | 2.36 - 3.56 94.7 - 142.7 9.47 - 14.27 | 0.30 12.0 1.20 |
| | | ● | | mmol/L mg/L mg/dL | 2.96 118.7 11.87 | 2.36 - 3.56 94.7 - 142.7 9.47 - 14.27 | 0.30 12.0 1.20 |
| | | | ● | mmol/L mg/L mg/dL | 3.03 121.5 12.15 | 2.43 - 3.63 97.5 - 145.5 9.75 - 14.55 | 0.30 12.0 1.20 |
| | | | | mmol/L | 2.96 | 2.36 - 3.56 | 0.30 |
| | | | | mg/L | 118.7 | 94.7 - 142.7 | 12.0 |
| | | | | mg/dL | 11.87 | 9.47 - 14.27 | 1.20 |

* Confidence range: +/- 2 SD

For instruments ABX Pentra 400 – Pentra C400 – Pentra C200

| C | P400 | PC400 | PC200 | U | ⊕ | Confidence range* | 1 SD | | |
|---|---|--|-------|---------------------------|--|---|---|---|-----------------------|
| CREA (CREA3 / CREA4) (Jaffe/Alkaline Picrate) ABX Pentra Creatinine 120 CP (A11A01933) | ● | | | μmol/L mmol/L mg/dL | 14053 14.05 158.8 | 11243 - 16863 11.23 - 16.87 127.0 - 190.6 | 1405 1.41 15.9 | | |
| | | ● | | μmol/L mmol/L mg/dL | 14053 14.05 158.8 | 11243 - 16863 11.23 - 16.87 127.0 - 190.6 | 1405 1.41 15.9 | | |
| | | | ● | μmol/L mmol/L mg/dL | 13299 13.30 150.3 | 10639 - 15959 10.64 - 15.96 120.3 - 180.3 | 1330 1.33 15.0 | | |
| | CREA ENZ. ABX Pentra Enzymatic Creatinine CP (A11A01907) | ● | | | μmol/L mmol/L mg/dL | 14870 14.87 168.0 | 11896 - 17844 11.89 - 17.85 134.4 - 201.6 | 1487 1.49 16.8 | |
| | | | ● | | μmol/L mmol/L mg/dL | 14870 14.87 168.0 | 11896 - 17844 11.89 - 17.85 134.4 - 201.6 | 1487 1.49 16.8 | |
| | | | | ● | μmol/L mmol/L mg/dL | 14524 14.52 164.1 | 11620 - 17428 11.62 - 17.42 131.3 - 196.9 | 1452 1.45 16.4 | |
| | | GluK (HK) ABX Pentra Glucose HK CP (A11A01667) | ● | | | mmol/L g/L mg/dL | 15.65 2.817 281.7 | 12.51 - 18.79 2.251 - 3.383 225.1 - 338.3 | 1.57 0.283 28.3 |
| | | | | ● | | mmol/L g/L mg/dL | 15.65 2.817 281.7 | 12.51 - 18.79 2.251 - 3.383 225.1 - 338.3 | 1.57 0.283 28.3 |
| | | | | | ● | mmol/L g/L mg/dL | 15.75 2.835 283.5 | 12.59 - 18.91 2.267 - 3.403 226.7 - 340.3 | 1.58 0.284 28.4 |
| GluP (PAP) ABX Pentra Glucose PAP CP (A11A01668) | ● | | | mmol/L g/L mg/dL | 17.34 3.121 312.1 | 13.88 - 20.80 2.499 - 3.743 249.9 - 374.3 | 1.73 0.311 31.1 | | |
| | | ● | | mmol/L g/L mg/dL | 17.34 3.121 312.1 | 13.88 - 20.80 2.499 - 3.743 249.9 - 374.3 | 1.73 0.311 31.1 | | |
| | | | ● | mmol/L g/L mg/dL | 16.51 2.972 297.2 | 13.21 - 19.81 2.378 - 3.566 237.8 - 356.6 | 1.65 0.297 29.7 | | |
| | PHOS (Ammonium Molybdate UV) ABX Pentra Phosphorus CP (A11A01665) | ● | | | mmol/L mg/L mg/dL | 13.98 433 43.3 | 11.18 - 16.78 347 - 519 34.7 - 51.9 | 1.40 43 4.3 | |
| | | | ● | | mmol/L mg/L mg/dL | 13.98 433 43.3 | 11.18 - 16.78 347 - 519 34.7 - 51.9 | 1.40 43 4.3 | |
| | | | | ● | mmol/L mg/L mg/dL | 14.28 443 44.3 | 11.42 - 17.14 355 - 531 35.5 - 53.1 | 1.43 44 4.4 | |

* Confidence range: +/- 2 SD

For instruments ABX Pentra 400 – Pentra C400 – Pentra C200

| C | P400 | PC400 | PC200 | U | ⊕ | Confidence range* | 1 SD |
|---|------|-------|-------|--------|--------------|-------------------|-------|
| TPU (Pyrogallol red) ABX Pentra Urinary Proteins CP (A11A01642) | ● | | | g/L | 0.620 | 0.496 - 0.744 | 0.062 |
| | | ● | | mg/L | 620 | 496 - 744 | 62 |
| | | | | mg/dL | 62.0 | 49.6 - 74.4 | 6.2 |
| | | | ● | g/L | 0.620 | 0.496 - 0.744 | 0.062 |
| | | ● | | mg/L | 620 | 496 - 744 | 62 |
| | | | | mg/dL | 62.0 | 49.6 - 74.4 | 6.2 |
| UREA (GLDH) ABX Pentra Urea CP (A11A01641) | | | ● | g/L | 0.604 | 0.484 - 0.724 | 0.060 |
| | | | | mg/L | 604 | 484 - 724 | 60 |
| | | | | mg/dL | 60.4 | 48.4 - 72.4 | 6.0 |
| | ● | | | mmol/L | 268 | 214 - 322 | 27 |
| | | ● | | mg/L | 16080 | 12840 - 19320 | 1620 |
| | | | | mg/dL | 1608 | 1284 - 1932 | 162 |
| BUN (GLDH) ABX Pentra Urea CP (A11A01641) | | | ● | mmol/L | 268 | 214 - 322 | 27 |
| | | ● | | mg/L | 16080 | 12840 - 19320 | 1620 |
| | | | | mg/dL | 1608 | 1284 - 1932 | 162 |
| | | | ● | mmol/L | 259 | 207 - 311 | 26 |
| | | | | mg/L | 15540 | 12420 - 18660 | 1560 |
| | | | | mg/dL | 1554 | 1242 - 1866 | 156 |
| UA (Uricase/Peroxidase) ABX Pentra Uric Acid CP (A11A01670) | ● | | | mmol/L | 268 | 214 - 322 | 27 |
| | | ● | | mg/dL | 753 | 601 - 905 | 76 |
| | | | ● | mmol/L | 268 | 214 - 322 | 27 |
| | | ● | | mg/dL | 753 | 601 - 905 | 76 |
| | | | | mmol/L | 259 | 207 - 311 | 26 |
| | | | | mg/dL | 727 | 581 - 873 | 73 |
| UA (Uricase/Peroxidase) ABX Pentra Uric Acid CP (A11A01670) | ● | | | μmol/L | 868 | 694 - 1042 | 87 |
| | | | | mmol/L | 0.87 | 0.69 - 1.05 | 0.09 |
| | | | | mg/dL | 14.58 | 11.66 - 17.50 | 1.46 |
| | | ● | | μmol/L | 868 | 694 - 1042 | 87 |
| | | | | mmol/L | 0.87 | 0.69 - 1.05 | 0.09 |
| | | | | mg/dL | 14.58 | 11.66 - 17.50 | 1.46 |
| UA (Uricase/Peroxidase) ABX Pentra Uric Acid CP (A11A01670) | | | ● | μmol/L | 870 | 696 - 1044 | 87 |
| | | | | mmol/L | 0.87 | 0.69 - 1.05 | 0.09 |
| | | | | mg/dL | 14.62 | 11.70 - 17.54 | 1.46 |

* Confidence range: +/- 2 SD