



ABX Minotrol 16



LOT MX 070 L

CONTROL L



(Exp.) 2010-10-05

(YYYY - MM - DD)

Rev 1

| PARAMETRES PARAMETERS | UNITES UNITS | ABX VETPACK | | | | | | | | TOLERANCES TOLERANCE |
|--------------------------|--|--------------|-----------------------------|--------|--|--|--|--|--|-------------------------|
| | | MICROS | | MICROS | | | | | | |
| | | Scil Vet ABC | Scil Vet ABC Plus ESV 60 | | | | | | | |
| GB WBC | 10 ⁹ /mm ³ ; 10 ⁹ /l | 1.9 | 2.1 | | | | | | | ± 0.4 |
| GR RBC | 10 ⁹ /mm ³ ; 10 ¹² /l | 2.39 | 2.44 | | | | | | | ± 0.15 |
| HB HGB | g/dl | 6.0 | 6.2 | | | | | | | ± 0.4 |
| | g/l | 60 | 62 | | | | | | | ± 4 |
| | mmol/l | 3.73 | 3.83 | | | | | | | ± 0.25 |
| HT HCT | % | 16.7 | 17.0 | | | | | | | ± 2.0 |
| | l/l | 0.167 | 0.170 | | | | | | | ± 0.020 |
| VGM MCV | µm ³ ; fl | 70 | 70 | | | | | | | ± 4 |
| TGMH MCH | pg | 25.1 | 25.2 | | | | | | | ± 2.0 |
| | fmol | 1.56 | 1.57 | | | | | | | ± 0.12 |
| CCMH MCHC | g/dl | 35.9 | 36.3 | | | | | | | ± 3.0 |
| | g/l | 359 | 363 | | | | | | | ± 30 |
| | mmol/l | 22.27 | 22.53 | | | | | | | ± 1.86 |
| IDR RDW | % | N/A | 14.0 | | | | | | | ± 3.0 |
| PLAQ. PLTS | 10 ⁹ /mm ³ ; 10 ⁹ /l | 75 | 91 | | | | | | | ± 20 |
| VPM MPV | µm ³ ; fl | N/A | 7.7 | | | | | | | ± 2.0 |
| LYMPHO | # | N/A | 1.04 | | | | | | | ± 0.40 |
| | % | N/A | 50.2 | | | | | | | ± 7.0 |
| MONO | # | N/A | 0.32 | | | | | | | ± 0.20 |
| | % | N/A | 15.6 | | | | | | | ± 6.0 |
| GRANULO | # | N/A | 0.71 | | | | | | | ± 0.40 |
| | % | N/A | 34.3 | | | | | | | ± 7.0 |

Ref: FORM-0830 Rev.14 9930041-E



ABX Minotrol 16



LOT MX 070 N

CONTROL N

(Exp.) 2010-10-05
 (YYYY - MM - DD)

Rev 1

| PARAMETRES PARAMETERS | UNITES UNITS | ABX VETPACK | | | | | | | | TOLERANCES TOLERANCE |
|--------------------------|--|--------------|-----------------------------|--------|--|--|--|--|--|-------------------------|
| | | MICROS | | MICROS | | | | | | |
| | | Scil Vet ABC | Scil Vet ABC Plus ESV 60 | | | | | | | |
| GB WBC | 10 ⁹ /mm ³ ; 10 ⁹ /l | 7.3 | 7.6 | | | | | | | ± 0.8 |
| GR RBC | 10 ⁶ /mm ³ ; 10 ¹² /l | 4.65 | 4.65 | | | | | | | ± 0.18 |
| HB HGB | g/dl | 13.4 | 13.2 | | | | | | | ± 0.5 |
| | g/l | 134 | 132 | | | | | | | ± 5 |
| | mmol/l | 8.32 | 8.22 | | | | | | | ± 0.31 |
| HT HCT | % | 38.1 | 37.3 | | | | | | | ± 2.5 |
| | l/l | 0.381 | 0.373 | | | | | | | ± 0.025 |
| VGM MCV | µm ³ ; fl | 82 | 80 | | | | | | | ± 4 |
| TGMH MCH | pg | 28.8 | 28.5 | | | | | | | ± 2.0 |
| | fmol | 1.79 | 1.77 | | | | | | | ± 0.12 |
| CCMH MCHC | g/dl | 35.1 | 35.4 | | | | | | | ± 3.0 |
| | g/l | 351 | 354 | | | | | | | ± 30 |
| | mmol/l | 21.82 | 22.01 | | | | | | | ± 1.86 |
| IDR RDW | % | N/A | 13.3 | | | | | | | ± 3.0 |
| PLAQ. PLTS | 10 ⁹ /mm ³ ; 10 ⁹ /l | 260 | 257 | | | | | | | ± 40 |
| VPM MPV | µm ³ ; fl | N/A | 7.5 | | | | | | | ± 2.0 |
| LYMPHO | # | N/A | 2.04 | | | | | | | ± 0.50 |
| | % | N/A | 26.8 | | | | | | | ± 6.0 |
| MONO | # | N/A | 0.67 | | | | | | | ± 0.40 |
| | % | N/A | 8.8 | | | | | | | ± 5.0 |
| GRANULO | # | N/A | 4.90 | | | | | | | ± 0.60 |
| | % | N/A | 64.3 | | | | | | | ± 7.0 |

Ref: FORM-0630 Rev.14 9930042-E



ABX Minotrol 16



LOT MX 070 H
 Rev 1

CONTROL H

(Exp.) 2010-10-05
 (YYYY - MM - DD)

| PARAMETRES PARAMETERS | UNITES UNITS | ABX VETPACK | | | | | | | | TOLERANCES TOLERANCE |
|--------------------------|--|--------------|-----------------------------|--------|--|--|--|--|--|-------------------------|
| | | MICROS | | MICROS | | | | | | |
| | | Scil Vet ABC | Scil Vet ABC Plus ESV 60 | | | | | | | |
| GB WBC | 10 ⁹ /mm ³ ; 10 ⁹ /l | 19.6 | 21.0 | | | | | | | ± 1.6 |
| GR RBC | 10 ⁹ /mm ³ ; 10 ¹² /l | 5.60 | 5.67 | | | | | | | ± 0.20 |
| HB HGB | g/dl | 17.6 | 17.8 | | | | | | | ± 0.6 |
| | g/l | 176 | 178 | | | | | | | ± 6 |
| | mmol/l | 10.93 | 11.05 | | | | | | | ± 0.37 |
| HT HCT | % | 49.8 | 50.0 | | | | | | | ± 3.0 |
| | l/l | 0.498 | 0.500 | | | | | | | ± 0.030 |
| VGM MCV | µm ³ ; fl | 89 | 88 | | | | | | | ± 4 |
| TGMH MCH | pg | 31.4 | 31.4 | | | | | | | ± 2.0 |
| | fmol | 1.95 | 1.95 | | | | | | | ± 0.12 |
| CCMH MCHC | g/dl | 35.3 | 35.6 | | | | | | | ± 3.0 |
| | g/l | 353 | 356 | | | | | | | ± 30 |
| | mmol/l | 21.93 | 22.12 | | | | | | | ± 1.86 |
| IDR RDW | % | N/A | 12.1 | | | | | | | ± 3.0 |
| PLAQ. PLTS | 10 ⁹ /mm ³ ; 10 ⁹ /l | 510 | 500 | | | | | | | ± 45 |
| VPM MPV | µm ³ ; fl | N/A | 7.9 | | | | | | | ± 2.0 |
| LYMPHO | # | N/A | 2.38 | | | | | | | ± 1.10 |
| | % | N/A | 11.3 | | | | | | | ± 5.0 |
| MONO | # | N/A | 0.98 | | | | | | | ± 0.80 |
| | % | N/A | 4.7 | | | | | | | ± 4.0 |
| GRANULO | # | N/A | 17.65 | | | | | | | ± 1.40 |
| | % | N/A | 84.0 | | | | | | | ± 7.0 |

Ref: FORM-0630 Rev.14 9930043-E