



| LOT | | MX 430 | L | CONTROL | | L | (Exp.) | | | | 2021-10-05 (YYYY - MM - DD) | |
|--------------------------|--|---------------|-----------------------------|----------------|--|----------|--------|--|--|--|---------------------------------------|--|
| | | Rev 1 | | LyseVet | | | | | | | | |
| PARAMETRES PARAMETERS | UNITES UNITS | MICROS | | | | | | | | | TOLERANCES TOLERANCE | |
| | | Scil Vet ABC | Scil Vet ABC Plus ESV 60 | | | | | | | | | |
| GB WBC | 10 ⁹ /mm ³ ; 10 ⁹ /l | 1.7 | 1.8 | | | | | | | | ± 0.4 | |
| GR RBC | 10 ⁶ /mm ³ ; 10 ¹² /l | 2.38 | 2.35 | | | | | | | | ± 0.15 | |
| HB HGB | g/dl | 5.9 | 5.9 | | | | | | | | ± 0.4 | |
| | g/l | 59 | 59 | | | | | | | | ± 4 | |
| | mmol/l | 3.66 | 3.66 | | | | | | | | ± 0.25 | |
| HT HCT | % | 16.4 | 16.2 | | | | | | | | ± 2.0 | |
| | l/l | 0.164 | 0.162 | | | | | | | | ± 0.020 | |
| VGM MCV | µm ³ ; fl | 69 | 69 | | | | | | | | ± 4 | |
| TGMH MCH | pg | 24.8 | 25.1 | | | | | | | | ± 2.0 | |
| | fmol | 1.54 | 1.56 | | | | | | | | ± 0.12 | |
| CCMH MCHC | g/dl | 35.9 | 36.4 | | | | | | | | ± 3.0 | |
| | g/l | 359 | 364 | | | | | | | | ± 30 | |
| | mmol/l | 22.31 | 22.60 | | | | | | | | ± 1.86 | |
| IDR RDW | % | N/A | 15.5 | | | | | | | | ± 3.0 | |
| PLAQ. PLTS | 10 ³ /mm ³ ; 10 ⁹ /l | 67 | 70 | | | | | | | | ± 20 | |
| VPM MPV | µm ³ ; fl | N/A | 9.6 | | | | | | | | ± 2.0 | |
| LYMPHO | # | N/A | 1.08 | | | | | | | | ± 0.40 | |
| | % | N/A | 60.0 | | | | | | | | ± 8.0 | |
| MONO | # | N/A | 0.20 | | | | | | | | ± 0.20 | |
| | % | N/A | 9.0 | | | | | | | | ± 6.0 | |
| GRANULO | # | N/A | 0.56 | | | | | | | | ± 0.40 | |
| | % | N/A | 31.0 | | | | | | | | ± 7.0 | |

| | | | | | | | | | | | |
|--------------------------|--|-----------------|-----------------------------|--|--|--|--|--|--|--|-----------------------------------|
| LOT | | MX 430 N | CONTROL N | | | | | | |  (Exp.) | 2021-10-05 (YYYY-MM-DD) |
| | | Rev 1 | LyseVet | | | | | | | | |
| PARAMETRES PARAMETERS | UNITES UNITS | MICROS | | | | | | | | TOLERANCES TOLERANCE | |
| | | Soil Vet ABC | Soil Vet ABC Plus ESV 60 | | | | | | | | |
| GB WBC | 10 ⁹ /mm ³ ; 10 ⁹ /l | 7.2 | 7.4 | | | | | | | ± 0.8 | |
| GR RBC | 10 ⁶ /mm ³ ; 10 ¹² /l | 4.62 | 4.61 | | | | | | | ± 0.18 | |
| HB HGB | g/dl | 13.5 | 13.5 | | | | | | | ± 0.5 | |
| | g/l | 135 | 135 | | | | | | | ± 5 | |
| | mmol/l | 8.38 | 8.38 | | | | | | | ± 0.31 | |
| HT HCT | % | 37.4 | 37.3 | | | | | | | ± 2.5 | |
| | l/l | 0.374 | 0.373 | | | | | | | ± 0.025 | |
| VGM MCV | µm ³ ; fl | 81 | 81 | | | | | | | ± 4 | |
| TGMH MCH | pg | 29.2 | 29.3 | | | | | | | ± 2.0 | |
| | fmol | 1.81 | 1.82 | | | | | | | ± 0.12 | |
| CCMH MCHC | g/dl | 36.1 | 36.2 | | | | | | | ± 3.0 | |
| | g/l | 361 | 362 | | | | | | | ± 30 | |
| | mmol/l | 22.40 | 22.45 | | | | | | | ± 1.86 | |
| IDR RDW | % | N/A | 15.0 | | | | | | | ± 3.0 | |
| PLAQ. PLTS | 10 ³ /mm ³ ; 10 ⁹ /l | 245 | 255 | | | | | | | ± 40 | |
| VPM MPV | µm ³ ; fl | N/A | 9.2 | | | | | | | ± 2.0 | |
| LYMPHO | # | N/A | 2.22 | | | | | | | ± 0.40 | |
| | % | N/A | 30.0 | | | | | | | ± 5.0 | |
| MONO | # | N/A | 0.59 | | | | | | | ± 0.30 | |
| | % | N/A | 8.0 | | | | | | | ± 4.0 | |
| GRANULO | # | N/A | 4.59 | | | | | | | ± 0.60 | |
| | % | N/A | 62.0 | | | | | | | ± 6.0 | |

Ref: TEMP-0830 Rev.41 - BACK / VERSO 1300060626

| LOT | | MX 430 H | CONTROL H | | | | | | |  (Exp.) | 2021-10-05 (YYYY - MM - DD) |
|--------------------------|--|-----------------|-----------------------------|--|--|--|--|--|--|--|---------------------------------------|
| | | Rev 1 | LyseVet | | | | | | | | |
| PARAMETRES PARAMETERS | UNITES UNITS | MICROS | | | | | | | | | TOLERANCES TOLERANCE |
| | | Scil Vet ABC | Scil Vet ABC Plus ESV 60 | | | | | | | | |
| GB WBC | 10 ⁹ /mm ³ ; 10 ⁹ /l | 19.7 | 20.1 | | | | | | | | ± 1.6 |
| GR RBC | 10 ⁶ /mm ³ ; 10 ¹² /l | 5.58 | 5.60 | | | | | | | | ± 0.20 |
| HB HGB | g/dl | 17.9 | 18.0 | | | | | | | | ± 0.6 |
| | g/l | 179 | 180 | | | | | | | | ± 6 |
| | mmol/l | 11.12 | 11.18 | | | | | | | | ± 0.37 |
| HT HCT | % | 49.7 | 49.8 | | | | | | | | ± 3.0 |
| | l/l | 0.497 | 0.498 | | | | | | | | ± 0.030 |
| VGM MCV | µm ³ ; fl | 89 | 89 | | | | | | | | ± 4 |
| TGMH MCH | pg | 32.1 | 32.1 | | | | | | | | ± 2.0 |
| | fmol | 1.99 | 2.00 | | | | | | | | ± 0.12 |
| CCMH MCHC | g/dl | 36.0 | 36.1 | | | | | | | | ± 3.0 |
| | g/l | 360 | 361 | | | | | | | | ± 30 |
| | mmol/l | 22.38 | 22.43 | | | | | | | | ± 1.86 |
| IDR RDW | % | N/A | 13.5 | | | | | | | | ± 3.0 |
| PLAQ. PLTS | 10 ³ /mm ³ ; 10 ⁹ /l | 490 | 490 | | | | | | | | ± 45 |
| VPM MPV | µm ³ ; fl | N/A | 8.9 | | | | | | | | ± 2.0 |
| LYMPHO | # | N/A | 2.41 | | | | | | | | ± 1.00 |
| | % | N/A | 12.0 | | | | | | | | ± 5.0 |
| MONO | # | N/A | 0.90 | | | | | | | | ± 0.80 |
| | % | N/A | 4.5 | | | | | | | | ± 4.0 |
| GRANULO | # | N/A | 16.78 | | | | | | | | ± 1.40 |
| | % | N/A | 83.5 | | | | | | | | ± 7.0 |