

# ABX Minotrol CRP



**LOT**

**MC 403**

**CONTROL**



**(Exp.) 2017-07-05**  
(YYYY - MM - DD)

Rev 1

| PARAMETRES<br>PARAMETERS |      | UNITES<br>UNITS                                       |       | Minilysebio |                 |         |                         |         |                 |         |                         |         |                 |         |                         | TOLERANCES<br>TOLERANCE |  |
|--------------------------|------|---|-------|-------------|-----------------|---------|-------------------------|---------|-----------------|---------|-------------------------|---------|-----------------|---------|-------------------------|-------------------------|--|
|                          |      |   |       | CONTROL     |                 |         | 1                       | CONTROL |                 |         | 2                       | CONTROL |                 |         | 3                       |                         |  |
|                          |      |   |       | MICROS      |                 |         | TOLERANCES<br>TOLERANCE | MICROS  |                 |         | TOLERANCES<br>TOLERANCE | MICROS  |                 |         | TOLERANCES<br>TOLERANCE |                         |  |
|                          |      |   |       | CRP 200     | 60 8P<br>60 18P |         |                         | CRP 200 | 60 8P<br>60 18P |         |                         | CRP 200 | 60 8P<br>60 18P |         |                         |                         |  |
| GB                       | WBC  | 10 <sup>3</sup> /mm <sup>3</sup> ;10 <sup>9</sup> /l  | 2.0   | 2.0         |                 | ± 0.4   | 7.7                     | 7.8     |                 | ± 1.0   | 19.9                    | 21.0    |                 | ± 2.2   |                         |                         |  |
| GR                       | RBC  | 10 <sup>6</sup> /mm <sup>3</sup> ;10 <sup>12</sup> /l | 2.25  | 2.27        |                 | ± 0.15  | 4.68                    | 4.70    |                 | ± 0.18  | 5.70                    | 5.78    |                 | ± 0.25  |                         |                         |  |
| HB                       | HGB  | g/dl  | 5.6   | 5.6         |                 | ± 0.4   | 13.2                    | 13.5    |                 | ± 0.5   | 17.8                    | 18.2    |                 | ± 0.7   |                         |                         |  |
|                          |      | g/l   | 56    | 56          |                 | ± 4     | 132                     | 135     |                 | ± 5     | 178                     | 182     |                 | ± 7     |                         |                         |  |
| HT                       | HCT  | mmol/l  | 3.48  | 3.48        |                 | ± 0.25  | 8.22                    | 8.38    |                 | ± 0.31  | 11.05                   | 11.30   |                 | ± 0.44  |                         |                         |  |
|                          |      | %   | 16.0  | 15.9        |                 | ± 2.0   | 37.9                    | 37.6    |                 | ± 2.5   | 50.7                    | 50.9    |                 | ± 3.0   |                         |                         |  |
|                          |      | l/l   | 0.160 | 0.159       |                 | ± 0.020 | 0.379                   | 0.376   |                 | ± 0.025 | 0.507                   | 0.509   |                 | ± 0.030 |                         |                         |  |
| VGM                      | MCV  | µm <sup>3</sup> ; fl                                  | 71    | 70          |                 | ± 4     | 81                      | 80      |                 | ± 4     | 89                      | 88      |                 | ± 4     |                         |                         |  |
| TGMH                     | MCH  | pg  | 24.9  | 24.7        |                 | ± 2.4   | 28.3                    | 28.7    |                 | ± 2.4   | 31.2                    | 31.5    |                 | ± 2.8   |                         |                         |  |
|                          |      | fmol  | 1.55  | 1.53        |                 | ± 0.15  | 1.76                    | 1.78    |                 | ± 0.15  | 1.94                    | 1.96    |                 | ± 0.18  |                         |                         |  |
| CCMH                     | MCHC | g/dl  | 35.1  | 35.2        |                 | ± 3.0   | 34.9                    | 35.9    |                 | ± 3.0   | 35.1                    | 35.8    |                 | ± 3.0   |                         |                         |  |
|                          |      | g/l   | 351   | 352         |                 | ± 30    | 349                     | 359     |                 | ± 30    | 351                     | 358     |                 | ± 30    |                         |                         |  |
|                          |      | mmol/l  | 21.79 | 21.89       |                 | ± 1.86  | 21.67                   | 22.30   |                 | ± 1.86  | 21.79                   | 22.22   |                 | ± 1.86  |                         |                         |  |
| IDR                      | RDW  | %   | 14.0  | 13.2        |                 | ± 3.0   | 14.0                    | 13.5    |                 | ± 3.0   | 13.5                    | 12.8    |                 | ± 3.0   |                         |                         |  |
| PLAQ.                    | PLTS | 10 <sup>3</sup> /mm <sup>3</sup> ;10 <sup>9</sup> /l  | 75    | 75          |                 | ± 20    | 265                     | 266     |                 | ± 40    | 515                     | 520     |                 | ± 60    |                         |                         |  |
| VPM                      | MPV  | µm <sup>3</sup> ; fl                                  | 9.2   | 8.7         |                 | ± 2.0   | 8.7                     | 8.3     |                 | ± 2.0   | 8.4                     | 7.9     |                 | ± 2.0   |                         |                         |  |
| LYMPHO                   |      | #   | 1.3   | 1.3         |                 | ± 0.3   | 2.8                     | 2.9     |                 | ± 0.6   | 3.4                     | 3.8     |                 | ± 1.3   |                         |                         |  |
|                          |      | %   | 65.0  | 63.0        |                 | ± 7.0   | 36.2                    | 37.0    |                 | ± 6.0   | 17.1                    | 18.0    |                 | ± 6.0   |                         |                         |  |
| MONO                     |      | #   | 0.2   | 0.2         |                 | ± 0.2   | 0.6                     | 0.5     |                 | ± 0.5   | 1.2                     | 1.1     |                 | ± 1.1   |                         |                         |  |
|                          |      | %   | 7.6   | 9.0         |                 | ± 6.0   | 8.1                     | 7.0     |                 | ± 5.0   | 6.0                     | 5.0     |                 | ± 5.0   |                         |                         |  |
| GRANULO                  |      | #   | 0.5   | 0.6         |                 | ± 0.3   | 4.3                     | 4.4     |                 | ± 0.6   | 15.4                    | 16.2    |                 | ± 1.5   |                         |                         |  |
|                          |      | %   | 27.4  | 28.0        |                 | ± 8.0   | 55.9                    | 56.0    |                 | ± 6.0   | 77.2                    | 77.0    |                 | ± 7.0   |                         |                         |  |
| CRP                      |      | mg/dl   | 0.76  | N/A         |                 | ± 0.30  | 2.49                    | N/A     |                 | ± 0.70  | 3.94                    | N/A     |                 | ± 1.00  |                         |                         |  |
|                          |      | mg/l  | 7.6   | N/A         |                 | ± 3.0   | 24.9                    | N/A     |                 | ± 7.0   | 39.4                    | N/A     |                 | ± 10.0  |                         |                         |  |

Ref: TEMP-1070 Rev.37 1300027267-A