

# ABX Minotrol CRP



**LOT**

**MC 404**  
Rev 2

**CONTROL**

(Exp.) 2017-10-05  
(YYYY - MM - DD)

| PARAMETRES<br>PARAMETERS | UNITES<br>UNITS                                       | ABX Lyse |         |                 |  |                         |         |         |                 |  |                         |                         |         |                 |  |         |                         |                         |
|--------------------------|---|----------|---------|-----------------|--|-------------------------|---------|---------|-----------------|--|-------------------------|-------------------------|---------|-----------------|--|---------|-------------------------|-------------------------|
|                          |   | CONTROL  |         |                 |  | 1                       | CONTROL |         |                 |  | 2                       | TOLERANCES<br>TOLERANCE | CONTROL |                 |  |         | 3                       | TOLERANCES<br>TOLERANCE |
|                          |   | MICROS   |         |                 |  | TOLERANCES<br>TOLERANCE | MICROS  |         |                 |  | TOLERANCES<br>TOLERANCE |                         | MICROS  |                 |  |         | TOLERANCES<br>TOLERANCE |                         |
|                          |   | CRP      | CRP 200 | 60 8P<br>60 18P |  |                         | CRP     | CRP 200 | 60 8P<br>60 18P |  |                         | CRP                     | CRP 200 | 60 8P<br>60 18P |  |         |                         |                         |
| GB WBC                   | 10 <sup>3</sup> /mm <sup>3</sup> ;10 <sup>9</sup> /l  | 2.0      | 2.0     | 2.0             |  | ± 0.4                   | 7.4     | 7.4     | 7.5             |  | ± 1.0                   | 19.8                    | 19.8    | 20.0            |  | ± 2.2   |                         |                         |
| GR RBC                   | 10 <sup>6</sup> /mm <sup>3</sup> ;10 <sup>12</sup> /l | 2.43     | 2.43    | 2.44            |  | ± 0.15                  | 4.77    | 4.77    | 4.76            |  | ± 0.18                  | 5.76                    | 5.76    | 5.79            |  | ± 0.25  |                         |                         |
| HB HGB                   | g/dl  | 6.2      | 6.2     | 6.3             |  | ± 0.4                   | 13.4    | 13.4    | 13.5            |  | ± 0.5                   | 17.9                    | 17.9    | 18.0            |  | ± 0.7   |                         |                         |
|                          | g/l   | 62       | 62      | 63              |  | ± 4                     | 134     | 134     | 135             |  | ± 5                     | 179                     | 179     | 180             |  | ± 7     |                         |                         |
| HT HCT                   | mmol/l  | 3.85     | 3.85    | 3.91            |  | ± 0.25                  | 8.32    | 8.32    | 8.38            |  | ± 0.31                  | 11.12                   | 11.12   | 11.18           |  | ± 0.44  |                         |                         |
|                          | %   | 17.0     | 17.0    | 17.1            |  | ± 2.0                   | 38.2    | 38.2    | 38.1            |  | ± 2.5                   | 51.3                    | 51.3    | 51.5            |  | ± 3.0   |                         |                         |
| VGM MCV                  | l/l   | 0.170    | 0.170   | 0.171           |  | ± 0.020                 | 0.382   | 0.382   | 0.381           |  | ± 0.025                 | 0.513                   | 0.513   | 0.515           |  | ± 0.030 |                         |                         |
|                          | μm <sup>3</sup> ; fl                                  | 70       | 70      | 70              |  | ± 4                     | 80      | 80      | 80              |  | ± 4                     | 89                      | 89      | 89              |  | ± 4     |                         |                         |
| TGMH MCH                 | pg  | 25.5     | 25.5    | 25.8            |  | ± 2.4                   | 28.1    | 28.1    | 28.4            |  | ± 2.4                   | 31.1                    | 31.1    | 31.1            |  | ± 2.8   |                         |                         |
|                          | fmol  | 1.58     | 1.58    | 1.60            |  | ± 0.15                  | 1.74    | 1.74    | 1.76            |  | ± 0.15                  | 1.93                    | 1.93    | 1.93            |  | ± 0.18  |                         |                         |
| CCMH MCHC                | g/dl  | 36.4     | 36.4    | 36.9            |  | ± 3.0                   | 35.1    | 35.1    | 35.5            |  | ± 3.0                   | 34.9                    | 34.9    | 34.9            |  | ± 3.0   |                         |                         |
|                          | g/l   | 364      | 364     | 369             |  | ± 30                    | 351     | 351     | 355             |  | ± 30                    | 349                     | 349     | 349             |  | ± 30    |                         |                         |
| IDR RDW                  | mmol/l  | 22.63    | 22.63   | 22.91           |  | ± 1.86                  | 21.81   | 21.81   | 22.02           |  | ± 1.86                  | 21.68                   | 21.68   | 21.69           |  | ± 1.86  |                         |                         |
|                          | %   | 14.0     | 14.0    | 12.6            |  | ± 3.0                   | 14.5    | 14.5    | 13.4            |  | ± 3.0                   | 13.5                    | 13.5    | 12.0            |  | ± 3.0   |                         |                         |
| PLAQ. PLTS               | 10 <sup>3</sup> /mm <sup>3</sup> ;10 <sup>9</sup> /l  | 75       | 75      | 76              |  | ± 20                    | 250     | 250     | 252             |  | ± 40                    | 485                     | 485     | 490             |  | ± 60    |                         |                         |
| VPM MPV                  | μm <sup>3</sup> ; fl                                  | 9.0      | 9.0     | 7.8             |  | ± 2.0                   | 8.3     | 8.3     | 7.5             |  | ± 2.0                   | 7.6                     | 7.6     | 6.8             |  | ± 2.0   |                         |                         |
| LYMPHO                   | #   | 1.3      | 1.3     | 1.3             |  | ± 0.2                   | 2.5     | 2.5     | 2.6             |  | ± 0.5                   | 3.1                     | 3.1     | 3.2             |  | ± 1.2   |                         |                         |
|                          | %   | 65.5     | 65.5    | 64.0            |  | ± 7.0                   | 33.5    | 33.5    | 34.0            |  | ± 6.0                   | 15.5                    | 15.5    | 16.0            |  | ± 6.0   |                         |                         |
| MONO                     | #   | 0.2      | 0.2     | 0.2             |  | ± 0.2                   | 0.6     | 0.6     | 0.5             |  | ± 0.4                   | 1.1                     | 1.1     | 0.9             |  | ± 0.9   |                         |                         |
|                          | %   | 8.5      | 8.5     | 8.5             |  | ± 6.0                   | 8.5     | 8.5     | 7.0             |  | ± 5.0                   | 5.5                     | 5.5     | 4.5             |  | ± 4.5   |                         |                         |
| GRANULO                  | #   | 0.5      | 0.5     | 0.6             |  | ± 0.2                   | 4.3     | 4.3     | 4.4             |  | ± 0.5                   | 15.6                    | 15.6    | 15.9            |  | ± 1.4   |                         |                         |
|                          | %   | 26.0     | 26.0    | 27.5            |  | ± 8.0                   | 58.0    | 58.0    | 59.0            |  | ± 6.0                   | 79.0                    | 79.0    | 79.5            |  | ± 7.0   |                         |                         |
| CRP                      | mg/dl   | 0.76     | 0.54    | N/A             |  | ± 0.30                  | 2.70    | 2.32    | N/A             |  | ± 0.70                  | 4.99                    | 4.78    | N/A             |  | ± 1.00  |                         |                         |
|                          | mg/l  | 7.6      | 5.4     | N/A             |  | ± 3.0                   | 27.0    | 23.2    | N/A             |  | ± 7.0                   | 49.9                    | 47.8    | N/A             |  | ± 10.0  |                         |                         |

Ref: TEMP-1070 Rev.37 FRONT/RECTO 9930089-A