


LOT PX 429
Rev 2

CONTROL

 (Exp.) 2021-07-05
(YYYY - MM - DD)

PARAMETRES PARAMETERS	UNITES UNITS	Lysebio											
		CONTROL		L	TOLERANCES TOLERANCE	CONTROL		N	TOLERANCES TOLERANCE	CONTROL		H	TOLERANCES TOLERANCE
		YUMIZEN				YUMIZEN				YUMIZEN			
		H1500	H2500	H1500	H2500	H1500	H2500						
GB WBC	10 ⁹ /mm ³ ; 10 ⁹ /l	2.40	2.40	± 0.40	6.70	6.70	± 1.00	17.40	17.40	± 2.20			
GR RBC	10 ⁶ /mm ³ ; 10 ¹² /l	2.24	2.24	± 0.16	4.66	4.66	± 0.20	5.26	5.26	± 0.25			
HB HGB	g/dl	6.1	6.1	± 0.4	14.0	14.0	± 0.5	16.8	16.8	± 0.6			
	g/l	61	61	± 4	140	140	± 5	168	168	± 6			
	mmol/l	3.79	3.79	± 0.25	8.69	8.69	± 0.31	10.43	10.43	± 0.37			
HT HCT	%	17.9	17.9	± 1.5	39.1	39.1	± 2.0	47.1	47.1	± 2.5			
	l/l	0.179	0.179	± 0.015	0.391	0.391	± 0.020	0.471	0.471	± 0.025			
VGM MCV	µm ³ ; fl	80.0	80.0	± 5.0	84.0	84.0	± 5.0	89.5	89.5	± 5.0			
TGMH MCH	pg	27.2	27.2	± 2.0	30.0	30.0	± 2.0	31.9	31.9	± 2.5			
	fmol	1.69	1.69	± 0.12	1.87	1.87	± 0.12	1.98	1.98	± 0.16			
CCMH MCHC	g/dl	34.0	34.0	± 3.0	35.8	35.8	± 3.0	35.7	35.7	± 3.0			
	g/l	340	340	± 30	358	358	± 30	357	357	± 30			
	mmol/l	21.14	21.14	± 1.86	22.21	22.21	± 1.86	22.16	22.16	± 1.86			
IDR-CV RDW-CV	%	13.0	13.0	± 4.0	13.0	13.0	± 4.0	12.0	12.0	± 4.0			
PLAQ. PLTS	10 ³ /mm ³ ; 10 ⁹ /l	72	72	± 20	251	251	± 30	510	510	± 50			
VPM MPV	µm ³ ; fl	10.6	10.6	± 2.0	10.5	10.5	± 2.0	10.2	10.2	± 2.0			
NEUT	#	1.34	1.34	± 0.35	3.56	3.56	± 0.90	11.75	11.75	± 1.90			
	%	55.8	55.8	± 10.0	53.1	53.1	± 10.0	67.5	67.5	± 10.0			
LYMPHO	#	0.55	0.55	± 0.33	1.86	1.86	± 0.70	2.00	2.00	± 1.50			
	%	23.0	23.0	± 12.0	27.7	27.7	± 8.0	11.5	11.5	± 8.0			
MONO	#	0.13	0.13	± 0.13	0.70	0.70	± 0.63	1.91	1.91	± 1.72			
	%	5.5	5.5	± 5.5	10.5	10.5	± 9.5	11.0	11.0	± 9.9			
EOS	#	0.27	0.27	± 0.27	0.27	0.27	± 0.27	0.92	0.92	± 0.92			
	%	11.2	11.2	± 11.2	4.1	4.1	± 4.1	5.3	5.3	± 5.3			
BASO	#	0.11	0.11	± 0.11	0.31	0.31	± 0.31	0.82	0.82	± 0.82			
	%	4.5	4.5	± 4.5	4.6	4.6	± 4.6	4.7	4.7	± 4.7			
IDR-SD RDW-SD	fl	38.0	38.0	± 4.0	40.0	40.0	± 4.0	39.0	39.0	± 4.0			
ERB NRBC	#	0.32	0.32	± 0.13	1.01	1.01	± 0.30	0.97	0.97	± 0.25			
	%	13.4	13.4	± 4.0	15.1	15.1	± 5.0	5.6	5.6	± 1.5			
PLTS OPT	10 ³ /mm ³ ; 10 ⁹ /l	N/A	80	± 30	N/A	250	± 40	N/A	504	± 50			

1300074625
BACK / VERSO
Ref: TEMP-0821 Rev.44