


LOT PX 426
Rev 2

CONTROL

 (Exp.) 2021-01-05
(YYYY - MM - DD)

PARAMETRES PARAMETERS		UNITES UNITS	Lysebio									
			CONTROL		L	CONTROL		N	CONTROL		H	TOLERANCES TOLERANCE
			YUMIZEN		TOLERANCES TOLERANCE	YUMIZEN		TOLERANCES TOLERANCE	YUMIZEN		TOLERANCES TOLERANCE	
			H1500	H2500		H1500	H2500		H1500	H2500		
GB	WBC	10 ⁹ /mm ³ ; 10 ⁹ /l	2.41	2.41	± 0.40	7.00	7.00	± 1.00	17.45	17.45	± 2.20	
GR	RBC	10 ⁶ /mm ³ ; 10 ¹² /l	2.33	2.33	± 0.16	4.52	4.52	± 0.20	5.05	5.05	± 0.25	
HB	HGB	g/dl	6.4	6.4	± 0.4	13.7	13.7	± 0.5	16.2	16.2	± 0.6	
		g/l	64	64	± 4	137	137	± 5	162	162	± 6	
		mmol/l	3.97	3.97	± 0.25	8.51	8.51	± 0.31	10.06	10.06	± 0.37	
HT	HCT	%	18.8	18.8	± 1.5	38.0	38.0	± 2.0	45.5	45.5	± 2.5	
		l/l	0.188	0.188	± 0.015	0.380	0.380	± 0.020	0.455	0.455	± 0.025	
VGM	MCV	µm ³ ; fl	80.5	80.5	± 5.0	84.0	84.0	± 5.0	90.0	90.0	± 5.0	
TGMH	MCH	pg	27.5	27.5	± 2.0	30.3	30.3	± 2.0	32.1	32.1	± 2.5	
		fmol	1.71	1.71	± 0.12	1.88	1.88	± 0.12	1.99	1.99	± 0.16	
CCMH	MCHC	g/dl	34.1	34.1	± 3.0	36.1	36.1	± 3.0	35.6	35.6	± 3.0	
		g/l	341	341	± 30	361	361	± 30	356	356	± 30	
		mmol/l	21.19	21.19	± 1.86	22.41	22.41	± 1.86	22.13	22.13	± 1.86	
IDR-CV	RDW-CV	%	13.5	13.5	± 4.0	11.5	11.5	± 4.0	11.7	11.7	± 4.0	
PLAQ.	PLTS	10 ⁹ /mm ³ ; 10 ⁹ /l	65	65	± 20	250	250	± 30	490	490	± 50	
VPM	MPV	µm ³ ; fl	10.0	10.0	± 2.0	9.5	9.5	± 2.0	9.4	9.4	± 2.0	
NEUT		#	1.30	1.30	± 0.35	3.72	3.72	± 0.90	10.84	10.84	± 1.90	
		%	53.9	53.9	± 10.0	53.1	53.1	± 10.0	62.1	62.1	± 10.0	
LYMPHO		#	0.59	0.59	± 0.33	1.51	1.51	± 0.70	1.76	1.76	± 1.50	
		%	24.4	24.4	± 12.0	21.5	21.5	± 8.0	10.1	10.1	± 8.0	
MONO		#	0.19	0.19	± 0.19	1.05	1.05	± 0.95	2.88	2.88	± 2.59	
		%	7.9	7.9	± 7.9	15.0	15.0	± 13.5	16.5	16.5	± 14.9	
EOS		#	0.22	0.22	± 0.22	0.41	0.41	± 0.41	1.13	1.13	± 1.13	
		%	9.0	9.0	± 9.0	5.9	5.9	± 5.9	6.5	6.5	± 6.5	
BASO		#	0.12	0.12	± 0.12	0.32	0.32	± 0.32	0.84	0.84	± 0.84	
		%	4.8	4.8	± 4.8	4.5	4.5	± 4.5	4.8	4.8	± 4.8	
IDR-SD	RDW-SD	fl	38.0	38.0	± 4.0	37.0	37.0	± 4.0	39.0	39.0	± 4.0	
ERB	NRBC	#	0.31	0.31	± 0.13	0.89	0.89	± 0.30	0.79	0.79	± 0.25	
		%	12.9	12.9	± 4.0	12.7	12.7	± 5.0	4.5	4.5	± 1.5	
PLTS	OPT	10 ⁹ /mm ³ ; 10 ⁹ /l	N/A	74	± 30	N/A	250	± 40	N/A	510	± 50	

1300074625
BACK / VERSO
Ref. TEMP-0821 Rev.44