


**LOT** PX 404  
Rev 1

**CONTROL**

 (Exp.) 2017-05-05  
(YYYY - MM - DD)

PARAMETRES PARAMETERS		UNITES UNITS	Lysebio								TOLERANCES TOLERANCE	
			CONTROL		L	CONTROL		N	CONTROL			H
			YUMIZEN			YUMIZEN			YUMIZEN			
			H1500	H2500	H1500	H2500	H1500	H2500				
GB	WBC	10 <sup>9</sup> /mm <sup>3</sup> ; 10 <sup>9</sup> /l	2.3	2.3	± 0.4	6.8	6.8	± 1.0	16.7	16.7	± 2.2	
GR	RBC	10 <sup>6</sup> /mm <sup>3</sup> ; 10 <sup>12</sup> /l	2.38	2.38	± 0.16	4.70	4.70	± 0.20	5.30	5.30	± 0.25	
HB	HGB	g/dl	6.7	6.7	± 0.4	13.7	13.7	± 0.5	16.5	16.5	± 0.6	
		g/l	67	67	± 4	137	137	± 5	165	165	± 6	
		mmol/l	4.16	4.16	± 0.25	8.51	8.51	± 0.31	10.25	10.25	± 0.37	
HT	HCT	%	19.5	19.5	± 1.5	39.0	39.0	± 2.0	46.6	46.6	± 2.5	
		l/l	0.195	0.195	± 0.015	0.390	0.390	± 0.020	0.466	0.466	± 0.025	
VGM	MCV	µm <sup>3</sup> ; fl	82	82	± 5	83	83	± 5	88	88	± 5	
TGMH	MCH	pg	28.2	28.2	± 2.0	29.1	29.1	± 2.0	31.1	31.1	± 2.5	
		fmol	1.75	1.75	± 0.12	1.81	1.81	± 0.12	1.93	1.93	± 0.16	
CCMH	MCHC	g/dl	34.3	34.3	± 3.0	35.1	35.1	± 3.0	35.4	35.4	± 3.0	
		g/l	343	343	± 30	351	351	± 30	354	354	± 30	
		mmol/l	21.32	21.32	± 1.86	21.81	21.81	± 1.86	21.97	21.97	± 1.86	
IDR-CV	RDW-CV	%	15.6	15.6	± 4.0	14.7	14.7	± 4.0	15.0	15.0	± 4.0	
PLAQ.	PLTS	10 <sup>3</sup> /mm <sup>3</sup> ; 10 <sup>9</sup> /l	73	73	± 20	266	266	± 30	511	511	± 50	
VPM	MPV	µm <sup>3</sup> ; fl	9.8	9.8	± 2.0	10.4	10.4	± 2.0	9.9	9.9	± 2.0	
NEUT		#	1.28	1.28	± 0.35	3.54	3.54	± 0.90	11.16	11.16	± 1.90	
		%	55.7	55.7	± 10.0	52.1	52.1	± 10.0	66.8	66.8	± 10.0	
LYMPHO		#	0.56	0.56	± 0.33	1.78	1.78	± 0.70	2.12	2.12	± 1.50	
		%	24.4	24.4	± 12.0	26.2	26.2	± 8.0	12.7	12.7	± 8.0	
MONO		#	0.20	0.20	± 0.13	0.81	0.81	± 0.54	1.95	1.95	± 1.30	
		%	8.8	8.8	± 5.9	11.9	11.9	± 7.9	11.7	11.7	± 7.8	
EOS		#	0.15	0.15	± 0.15	0.36	0.36	± 0.36	0.68	0.68	± 0.68	
		%	6.4	6.4	± 6.4	5.3	5.3	± 5.3	4.1	4.1	± 4.1	
BASO		#	0.11	0.11	± 0.11	0.31	0.31	± 0.21	0.78	0.78	± 0.39	
		%	4.7	4.7	± 2.5	4.5	4.5	± 3.0	4.7	4.7	± 2.5	
IDR-SD	RDW-SD	fl	42.7	42.7	± 4.0	40.9	40.9	± 4.0	44.9	44.9	± 4.0	
ERB	NRBC	#	0.19	0.19	± 0.10	0.72	0.72	± 0.30	0.75	0.75	± 0.25	
		%	8.1	8.1	± 4.0	10.6	10.6	± 5.0	4.5	4.5	± 1.5	
PLTS	OPT	10 <sup>3</sup> /mm <sup>3</sup> ; 10 <sup>9</sup> /l	N/A	N/A	± 30	N/A	N/A	± 40	N/A	N/A	± 50	

1300032514-A  
Ref: TEMP-0821 Rev.40