


LOT PX 431
Rev 2

CONTROL

 (Exp.) 2021-11-05
(YYYY - MM - DD)

PARAMETRES PARAMETERS		UNITES UNITS	Lysebio									
			CONTROL		L	CONTROL		N	CONTROL		H	TOLERANCES TOLERANCE
			YUMIZEN		TOLERANCES TOLERANCE	YUMIZEN		TOLERANCES TOLERANCE	YUMIZEN		TOLERANCES TOLERANCE	
			H1500	H2500		H1500	H2500		H1500	H2500		
GB	WBC	10 ⁹ /mm ³ ; 10 ⁹ /l	2.01	2.01	± 0.40	6.85	6.85	± 1.00	17.15	17.15	± 2.20	
GR	RBC	10 ⁶ /mm ³ ; 10 ¹² /l	2.37	2.37	± 0.16	4.56	4.56	± 0.20	5.19	5.19	± 0.25	
HB	HGB	g/dl	6.6	6.6	± 0.4	13.6	13.6	± 0.5	16.3	16.3	± 0.6	
		g/l	66	66	± 4	136	136	± 5	163	163	± 6	
		mmol/l	4.10	4.10	± 0.25	8.45	8.45	± 0.31	10.12	10.12	± 0.37	
HT	HCT	%	19.2	19.2	± 1.5	38.3	38.3	± 2.0	46.2	46.2	± 2.5	
		l/l	0.192	0.192	± 0.015	0.383	0.383	± 0.020	0.462	0.462	± 0.025	
VGM	MCV	µm ³ ; fl	81.0	81.0	± 5.0	84.0	84.0	± 5.0	89.0	89.0	± 5.0	
TGMH	MCH	pg	27.8	27.8	± 2.0	29.8	29.8	± 2.0	31.4	31.4	± 2.5	
		fmol	1.73	1.73	± 0.12	1.85	1.85	± 0.12	1.95	1.95	± 0.16	
CCMH	MCHC	g/dl	34.4	34.4	± 3.0	35.5	35.5	± 3.0	35.3	35.3	± 3.0	
		g/l	344	344	± 30	355	355	± 30	353	353	± 30	
		mmol/l	21.35	21.35	± 1.86	22.05	22.05	± 1.86	21.91	21.91	± 1.86	
IDR-CV	RDW-CV	%	13.5	13.5	± 4.0	12.5	12.5	± 4.0	13.0	13.0	± 4.0	
PLAQ.	PLTS	10 ³ /mm ³ ; 10 ⁹ /l	69	69	± 20	253	253	± 30	492	492	± 50	
VPM	MPV	µm ³ ; fl	10.0	10.0	± 2.0	9.9	9.9	± 2.0	9.5	9.5	± 2.0	
NEUT		#	1.19	1.19	± 0.21	3.90	3.90	± 0.90	11.50	11.50	± 1.72	
		%	59.1	59.1	± 10.0	57.0	57.0	± 10.0	67.1	67.1	± 10.0	
LYMPHO		#	0.46	0.46	± 0.25	1.63	1.63	± 0.70	1.78	1.78	± 1.37	
		%	22.8	22.8	± 12.0	23.8	23.8	± 8.0	10.4	10.4	± 8.0	
MONO		#	0.13	0.13	± 0.13	0.67	0.67	± 0.60	2.05	2.05	± 1.85	
		%	6.3	6.3	± 6.3	9.8	9.8	± 8.8	12.0	12.0	± 10.8	
EOS		#	0.14	0.14	± 0.14	0.33	0.33	± 0.33	1.02	1.02	± 1.02	
		%	7.1	7.1	± 7.1	4.8	4.8	± 4.8	5.9	5.9	± 5.9	
BASO		#	0.09	0.09	± 0.09	0.32	0.32	± 0.32	0.79	0.79	± 0.79	
		%	4.7	4.7	± 4.7	4.6	4.6	± 4.6	4.6	4.6	± 4.6	
IDR-SD	RDW-SD	fl	37.0	37.0	± 4.0	38.0	38.0	± 4.0	40.0	40.0	± 4.0	
ERB	NRBC	#	0.25	0.25	± 0.10	0.88	0.88	± 0.30	0.80	0.80	± 0.26	
		%	12.5	12.5	± 5.0	12.8	12.8	± 5.0	4.7	4.7	± 1.5	
PLTS	OPT	10 ³ /mm ³ ; 10 ⁹ /l	N/A	71	± 30	N/A	275	± 40	N/A	509	± 50	

1300074625
BACK / VERSO
Ref. TEMP-0821 Rev.45