


LOT PX 419
Rev 1

CONTROL

 (Exp.) 2019-11-05
(YYYY - MM - DD)

PARAMETRES PARAMETERS		UNITES UNITS	Lysebio									
			CONTROL		L	CONTROL		N	CONTROL		H	TOLERANCES TOLERANCE
			YUMIZEN		TOLERANCES TOLERANCE	YUMIZEN		TOLERANCES TOLERANCE	YUMIZEN		TOLERANCES TOLERANCE	
			H1500	H2500		H1500	H2500		H1500	H2500		
GB	WBC	10 ⁹ /mm ³ ; 10 ⁹ /l	2.05	2.05	± 0.40	6.55	6.55	± 1.00	16.95	16.95	± 2.20	
GR	RBC	10 ⁶ /mm ³ ; 10 ¹² /l	2.45	2.45	± 0.16	4.63	4.63	± 0.20	5.24	5.24	± 0.25	
HB	HGB	g/dl	6.8	6.8	± 0.4	13.9	13.9	± 0.5	16.9	16.9	± 0.6	
		g/l	68	68	± 4	139	139	± 5	169	169	± 6	
		mmol/l	4.22	4.22	± 0.25	8.63	8.63	± 0.31	10.49	10.49	± 0.37	
HT	HCT	%	19.6	19.6	± 1.5	38.7	38.7	± 2.0	47.7	47.7	± 2.5	
		l/l	0.196	0.196	± 0.015	0.387	0.387	± 0.020	0.477	0.477	± 0.025	
VGM	MCV	µm ³ ; fl	80.0	80.0	± 5.0	83.5	83.5	± 5.0	91.0	91.0	± 5.0	
TGMH	MCH	pg	27.8	27.8	± 2.0	30.0	30.0	± 2.0	32.3	32.3	± 2.5	
		fmol	1.72	1.72	± 0.12	1.86	1.86	± 0.12	2.00	2.00	± 0.16	
CCMH	MCHC	g/dl	34.7	34.7	± 3.0	36.0	36.0	± 3.0	35.4	35.4	± 3.0	
		g/l	347	347	± 30	360	360	± 30	354	354	± 30	
		mmol/l	21.54	21.54	± 1.86	22.33	22.33	± 1.86	22.01	22.01	± 1.86	
IDR-CV	RDW-CV	%	11.0	11.0	± 4.0	11.5	11.5	± 4.0	12.0	12.0	± 4.0	
PLAQ.	PLTS	10 ³ /mm ³ ; 10 ⁹ /l	71	71	± 20	260	260	± 30	520	520	± 50	
VPM	MPV	µm ³ ; fl	11.0	11.0	± 2.0	10.8	10.8	± 2.0	12.0	12.0	± 2.0	
NEUT		#	1.28	1.30	± 0.35	4.02	4.02	± 0.90	12.24	12.24	± 1.90	
		%	63.3	63.3	± 10.0	61.3	61.3	± 10.0	72.2	72.2	± 10.0	
LYMPHO		#	0.44	0.44	± 0.33	1.60	1.60	± 0.70	1.81	1.81	± 1.50	
		%	21.5	21.5	± 12.0	24.4	24.4	± 8.0	10.7	10.7	± 8.0	
MONO		#	0.07	0.07	± 0.07	0.39	0.39	± 0.35	1.29	1.29	± 1.16	
		%	3.6	3.6	± 3.6	5.9	5.9	± 5.3	7.6	7.6	± 6.8	
EOS		#	0.14	0.14	± 0.14	0.25	0.25	± 0.25	0.80	0.80	± 0.80	
		%	6.9	6.9	± 6.9	3.8	3.8	± 3.8	4.7	4.7	± 4.7	
BASO		#	0.10	0.10	± 0.10	0.30	0.30	± 0.30	0.81	0.81	± 0.81	
		%	4.7	4.7	± 4.7	4.6	4.6	± 4.6	4.8	4.8	± 4.8	
IDR-SD	RDW-SD	fl	37.0	37.0	± 4.0	38.5	38.5	± 4.0	42.0	42.0	± 4.0	
ERB	NRBC	#	0.24	0.24	± 0.13	0.92	0.92	± 0.30	0.83	0.83	± 0.25	
		%	11.8	11.8	± 4.0	14.0	14.0	± 5.0	4.9	4.9	± 1.5	
PLTS	OPT	10 ³ /mm ³ ; 10 ⁹ /l	N/A	75	± 30	N/A	248	± 40	N/A	495	± 50	

1300060883
BACK / VERSO
Ref: TEMP-0821 Rev.43