


LOT PX 421
Rev 1

CONTROL

 (Exp.) 2020-03-05
(YYYY - MM - DD)

PARAMETRES PARAMETERS		UNITES UNITS	Lysebio									
			CONTROL		L	CONTROL		N	CONTROL		H	TOLERANCES TOLERANCE
			YUMIZEN		TOLERANCES TOLERANCE	YUMIZEN		TOLERANCES TOLERANCE	YUMIZEN		TOLERANCES TOLERANCE	
			H1500	H2500		H1500	H2500		H1500	H2500		
GB	WBC	10 ⁹ /mm ³ ; 10 ⁹ /l	2.20	2.20	± 0.40	6.80	6.80	± 1.00	17.40	17.40	± 2.20	
GR	RBC	10 ⁶ /mm ³ ; 10 ¹² /l	2.47	2.47	± 0.16	4.49	4.49	± 0.20	5.17	5.17	± 0.25	
HB	HGB	g/dl	7.0	7.0	± 0.4	13.3	13.3	± 0.5	16.6	16.6	± 0.6	
		g/l	70	70	± 4	133	133	± 5	166	166	± 6	
		mmol/l	4.35	4.35	± 0.25	8.26	8.26	± 0.31	10.31	10.31	± 0.37	
HT	HCT	%	20.3	20.3	± 1.5	36.8	36.8	± 2.0	45.8	45.8	± 2.5	
		l/l	0.203	0.203	± 0.015	0.368	0.368	± 0.020	0.458	0.458	± 0.025	
VGM	MCV	µm ³ ; fl	82.0	82.0	± 5.0	82.0	82.0	± 5.0	88.5	88.5	± 5.0	
TGMH	MCH	pg	28.3	28.3	± 2.0	29.6	29.6	± 2.0	32.1	32.1	± 2.5	
		fmol	1.76	1.76	± 0.12	1.84	1.84	± 0.12	1.99	1.99	± 0.16	
CCMH	MCHC	g/dl	34.6	34.6	± 3.0	36.1	36.1	± 3.0	36.3	36.3	± 3.0	
		g/l	346	346	± 30	361	361	± 30	363	363	± 30	
		mmol/l	21.46	21.46	± 1.86	22.43	22.43	± 1.86	22.53	22.53	± 1.86	
IDR-CV	RDW-CV	%	12.3	12.3	± 4.0	12.7	12.7	± 4.0	11.7	11.7	± 4.0	
PLAQ.	PLTS	10 ³ /mm ³ ; 10 ⁹ /l	72	72	± 20	246	246	± 30	515	515	± 50	
VPM	MPV	µm ³ ; fl	10.7	10.7	± 2.0	10.4	10.4	± 2.0	9.9	9.9	± 2.0	
NEUT		#	1.28	1.28	± 0.35	4.16	4.16	± 0.90	12.16	12.16	± 1.90	
		%	58.4	58.4	± 10.0	61.2	61.2	± 10.0	69.9	69.9	± 10.0	
LYMPHO		#	0.48	0.48	± 0.33	1.52	1.52	± 0.70	1.91	1.91	± 1.50	
		%	21.6	21.6	± 12.0	22.4	22.4	± 8.0	11.0	11.0	± 8.0	
MONO		#	0.14	0.14	± 0.14	0.46	0.46	± 0.41	1.37	1.37	± 1.23	
		%	6.3	6.3	± 6.3	6.7	6.7	± 6.0	7.9	7.9	± 7.1	
EOS		#	0.20	0.20	± 0.20	0.34	0.34	± 0.34	1.11	1.11	± 1.11	
		%	8.9	8.9	± 8.9	5.0	5.0	± 5.0	6.4	6.4	± 6.4	
BASO		#	0.11	0.11	± 0.11	0.32	0.32	± 0.32	0.84	0.84	± 0.84	
		%	4.8	4.8	± 4.8	4.7	4.7	± 4.7	4.8	4.8	± 4.8	
IDR-SD	RDW-SD	fl	35.4	35.4	± 4.0	36.5	36.5	± 4.0	39.0	39.0	± 4.0	
ERB	NRBC	#	0.26	0.26	± 0.13	0.82	0.82	± 0.30	0.87	0.87	± 0.25	
		%	11.7	11.7	± 4.0	12.0	12.0	± 5.0	5.0	5.0	± 1.5	
PLTS	OPT	10 ³ /mm ³ ; 10 ⁹ /l	N/A	80	± 30	N/A	255	± 40	N/A	520	± 50	

1300060883
BACK / VERSO
Ref: TEMP-0821 Rev.43