

ABX Minocal



LOT

CX 475

CAL

 (Exp.) **2022-11-05**
(YYYY - MM - DD)

Rev **1**

| PARAMETRES PARAMETERS | UNITES UNITS | Minilysebio | | | | | | | | TOLERANCES TOLERANCE | |
|--------------------------|---|--------------|--------------|--------|--------|-----------------|--------|--------|--------|-------------------------|---------|
| | | MICROS | MICROS | MICROS | MICROS | MICROS | PENTRA | PENTRA | PENTRA | | PENTRA |
| | | ES60 | CRP 200 | | | 60 8P 60 18P | | | | | |
| GB WBC | 10 ⁹ /mm ³ ;10 ⁹ /l | 9.2 | 9.2 | | | 9.4 | | | | | ± 0.2 |
| GR RBC | 10 ⁶ /mm ³ ;10 ¹² /l | 4.55 | 4.59 | | | 4.49 | | | | | ± 0.06 |
| HB HGB | g/dl | 13.5 | 13.3 | | | 13.6 | | | | | ± 0.2 |
| | g/l | 135 | 133 | | | 136 | | | | | ± 2 |
| HT HCT | mmol/l | 8.38 | 8.28 | | | 8.45 | | | | | ± 0.12 |
| | % | 38.0 | 38.6 | | | 38.6 | | | | | ± 1.0 |
| PLA PLT | l/l | 0.380 | 0.386 | | | 0.386 | | | | | ± 0.010 |
| | 10 ⁹ /mm ³ ;10 ⁹ /l | 233 | 245 | | | 240 | | | | | ± 10 |

ABX Minocal



| | | | | | | | | | | | |
|---------|----------------------|------------|------------|--|--|------------|--|--|--|--|-----------|
| VMP MPV | μm^3 ; fl | 8.2 | 8.3 | | | 8.6 | | | | | ± 0.5 |
|---------|----------------------|------------|------------|--|--|------------|--|--|--|--|-----------|

LOT CX 475 **CAL** (Exp.) 2022-11-05
Rev 1 (YYYY - MM - DD)

| PARAMETRES PARAMETERS | UNITES UNITS | LyseVet | | | | | | | | TOLERANCES TOLERANCE |
|--------------------------|-------------------------------|--------------|-----------------------------|--------|--|--|--|--|--|-------------------------|
| | | MICROS | | MICROS | | | | | | |
| | | Scil Vet ABC | Scil Vet ABC Plus ESV 60 | | | | | | | |
| GB WBC | $10^3/\text{mm}^3; 10^9/l$ | 9.1 | 9.1 | | | | | | | ± 0.2 |
| GR RBC | $10^6/\text{mm}^3; 10^{12}/l$ | 4.51 | 4.53 | | | | | | | ± 0.06 |
| HB HGB | g/dl | 13.2 | 13.2 | | | | | | | ± 0.2 |
| | g/l | 132 | 132 | | | | | | | ± 2 |
| | mmol/l | 8.20 | 8.20 | | | | | | | ± 0.12 |
| HT HCT | % | 37.7 | 38.1 | | | | | | | ± 1.0 |
| | l/l | 0.377 | 0.381 | | | | | | | ± 0.010 |

48 FRONT / RECTO 1300105208

ABX Minocal



| | | | | | | | | | | | | |
|---------|--|------------|------------|--|--|--|--|--|--|--|--|-------|
| PLA PLT | 10 ⁹ /mm ³ ;10 ⁹ /l | 218 | 240 | | | | | | | | | ± 10 |
| VMP MPV | µm ³ ; fl | N/A | 8.6 | | | | | | | | | ± 0.5 |

Ref: TEMP-0387 Rev.