


LOT		MX 437 L		CONTROL		L		 (Exp.)		2022-12-05 (YYYY - MM - DD)			
		Rev 1		ABX Lysebio									
PARAMETRES PARAMETERS	UNITES UNITS	MICROS										TOLERANCES TOLERANCE	
		EMI CRP											
GB WBC	10 ⁹ /mm ³ ; 10 ⁹ /l											± 0.4	
GR RBC	10 ⁶ /mm ³ ; 10 ¹² /l											± 0.15	
HB HGB	g/dl											± 0.4	
	g/l											± 4	
	mmol/l											± 0.25	
HT HCT	%											± 2.0	
	l/l											± 0.020	
VGM MCV	µm ³ ; fl											± 4	
TGMH MCH	pg											± 2.0	
	fmol											± 0.12	
CCMH MCHC	g/dl											± 3.0	
	g/l											± 30	
	mmol/l											± 1.86	
IDR RDW	%											± 3.0	
PLAQ. PLTS	10 ³ /mm ³ ; 10 ⁹ /l											± 20	
VPM MPV	µm ³ ; fl											± 2.0	
LYMPHO	#											± 0.40	
	%											± 8.0	
MONO	#											± 0.20	
	%											± 6.0	
GRANULO	#											± 0.40	
	%											± 7.0	

LOT MX 437 N
Rev 1

CONTROL N

 (Exp.)

2022-12-05
(YYYY-MM-DD)

PARAMETRES PARAMETERS	UNITES UNITS	ABX Lysebio								TOLERANCES TOLERANCE
		MICROS								
				EMI CRP						
GB WBC	10 ⁹ /mm ³ ; 10 ⁹ /l			7.9						± 0.8
GR RBC	10 ⁶ /mm ³ ; 10 ¹² /l			4.54						± 0.18
HB HGB	g/dl			13.5						± 0.5
	g/l			135						± 5
	mmol/l			8.38						± 0.31
HT HCT	%			36.8						± 2.5
	l/l			0.368						± 0.025
VGM MCV	µm ³ ; fl			81						± 4
TGMH MCH	pg			29.7						± 2.0
	fmol			1.85						± 0.12
CCMH MCHC	g/dl			36.7						± 3.0
	g/l			367						± 30
	mmol/l			22.80						± 1.86
IDR RDW	%			13.5						± 3.0
PLAQ. PLTS	10 ³ /mm ³ ; 10 ⁹ /l			259						± 40
VPM MPV	µm ³ ; fl			8.2						± 2.0
LYMPHO	#			2.77						± 0.40
	%			35.0						± 5.0
MONO	#			0.59						± 0.30
	%			7.5						± 4.0
GRANULO	#			4.54						± 0.60
	%			57.5						± 6.0

Ret: TEMP-0830 Rev.42 BACK / VERSO 1300104144

LOT MX 437 H
Rev 1

CONTROL H

 (Exp.)

2022-12-05
(YYYY-MM-DD)

PARAMETRES PARAMETERS	UNITES UNITS	ABX Lysebio								TOLERANCES TOLERANCE
				MICROS EMI CRP						
GB WBC	10 ⁹ /mm ³ ; 10 ⁹ /l			20.8						± 1.6
GR RBC	10 ⁶ /mm ³ ; 10 ¹² /l			5.63						± 0.20
HB HGB	g/dl			18.1						± 0.6
	g/l			181						± 6
	mmol/l			11.24						± 0.37
HT HCT	%			50.1						± 3.0
	l/l			0.501						± 0.030
VGM MCV	µm ³ ; fl			89						± 4
TGMH MCH	pg			32.1						± 2.0
	fmol			2.00						± 0.12
CCMH MCHC	g/dl			36.1						± 3.0
	g/l			361						± 30
	mmol/l			22.43						± 1.86
IDR RDW	%			13.0						± 3.0
PLAQ. PLTS	10 ³ /mm ³ ; 10 ⁹ /l			541						± 45
VPM MPV	µm ³ ; fl			8.1						± 2.0
LYMPHO	#			3.74						± 1.00
	%			18.0						± 5.0
MONO	#			1.14						± 0.80
	%			5.5						± 4.0
GRANULO	#			15.91						± 1.40
	%			76.5						± 7.0