

# ABX Minocal



**LOT**

**CX 478**

**CAL**



**(Exp.) 2023-02-05**

Rev **2**

(YYYY - MM - DD)

PARAMETRES PARAMETERS	UNITES UNITS	WHITEDIFF								TOLERANCES TOLERANCE
		YUMIZEN V1.0 to V2.x				YUMIZEN since V3				
		H550	H500 OT H500 CT			H500 OT	H500 CT H550			
GB WBC	10 <sup>3</sup> /mm <sup>3</sup> ;10 <sup>9</sup> /l	<b>8.80</b>	<b>8.80</b>			<b>8.75</b>	<b>8.75</b>			± 0.20
GR RBC	10 <sup>6</sup> /mm <sup>3</sup> ;10 <sup>12</sup> /l	<b>4.59</b>	<b>4.59</b>			<b>4.50</b>	<b>4.50</b>			± 0.06
HB HGB	g/dl	<b>13.1</b>	<b>13.1</b>			<b>13.0</b>	<b>13.3</b>			± 0.2
	g/l	<b>131</b>	<b>131</b>			<b>130</b>	<b>133</b>			± 2
	mmol/l	<b>8.14</b>	<b>8.14</b>			<b>8.07</b>	<b>8.26</b>			± 0.12
HT HCT	%	<b>38.3</b>	<b>38.3</b>			<b>35.3</b>	<b>35.7</b>			± 1.0
	l/l	<b>0.383</b>	<b>0.383</b>			<b>0.353</b>	<b>0.357</b>			± 0.010
PLA PLT	10 <sup>3</sup> /mm <sup>3</sup> ;10 <sup>9</sup> /l	<b>249</b>	<b>249</b>			<b>264</b>	<b>274</b>			± 10
VMP MPV	µm <sup>3</sup> ; fl	<b>11.0</b>	<b>11.0</b>			<b>9.2</b>	<b>9.2</b>			± 0.5

Ref: TEMP-0387 Rev.48 BACK / VERSO 1300105208