


LOT PX 444
Rev 1

CONTROL

 (Exp.) 2024-01-05
(YYYY - MM - DD)

| PARAMETRES PARAMETERS | UNITES UNITS | Whitediff | | | | | | | | | | | | TOLERANCES TOLERANCE | | | |
|--------------------------|--|----------------------|--------------------|--------------------|-----------------------------|-------------------------|----------------------|--------------------|--------------------|-----------------------------|-------------------------|----------------------|--------------------|-------------------------|--------------------|-------------------------|-----------------------------|
| | | CONTROL | | | | TOLERANCES TOLERANCE | CONTROL | | | | TOLERANCES TOLERANCE | CONTROL | | | | TOLERANCES TOLERANCE | |
| | | YUMIZEN | | | | | YUMIZEN | | | | | YUMIZEN | | | | | |
| | | H550 V1.0 to V2.x | H500 OT H500 CT | H500 OT H500 CT | H500 CT H550 Since V3 | | H550 V1.0 to V2.x | H500 OT H500 CT | H500 OT H500 CT | H500 CT H550 Since V3 | | H550 V1.0 to V2.x | H500 OT H500 CT | | H500 OT H500 CT | | H500 CT H550 Since V3 |
| GB WBC | 10 ⁹ /mm ³ ; 10 ⁹ /l | 3.00 | 3.00 | 3.00 | 3.00 | ± 0.40 | 8.45 | 8.45 | 8.45 | 8.45 | ± 1.00 | 18.55 | 18.55 | 18.55 | 18.55 | ± 2.20 | |
| GR RBC | 10 ⁶ /mm ³ ; 10 ¹² /l | 2.31 | 2.31 | 2.29 | 2.29 | ± 0.16 | 4.67 | 4.67 | 4.62 | 4.62 | ± 0.20 | 5.21 | 5.21 | 5.09 | 5.09 | ± 0.25 | |
| HB HGB | g/dl | 6.1 | 6.1 | 6.2 | 6.2 | ± 0.4 | 13.2 | 13.2 | 13.3 | 13.3 | ± 0.5 | 15.7 | 15.7 | 15.8 | 15.8 | ± 0.6 | |
| | g/l | 61 | 61 | 62 | 62 | ± 4 | 132 | 132 | 133 | 133 | ± 5 | 157 | 157 | 158 | 158 | ± 6 | |
| | mmol/l | 3.79 | 3.79 | 3.85 | 3.85 | ± 0.25 | 8.20 | 8.20 | 8.26 | 8.26 | ± 0.31 | 9.75 | 9.75 | 9.81 | 9.81 | ± 0.37 | |
| HT HCT | % | 18.6 | 18.6 | 17.5 | 17.2 | ± 1.5 | 40.2 | 40.2 | 38.3 | 37.5 | ± 2.0 | 47.9 | 47.9 | 45.3 | 44.5 | ± 2.5 | |
| | l/l | 0.186 | 0.186 | 0.175 | 0.172 | ± 0.015 | 0.402 | 0.402 | 0.383 | 0.375 | ± 0.020 | 0.479 | 0.479 | 0.453 | 0.445 | ± 0.025 | |
| VGM MCV | µm ³ ; fl | 80.5 | 80.5 | 76.3 | 74.9 | ± 5.0 | 86.0 | 86.0 | 82.9 | 81.3 | ± 5.0 | 92.0 | 92.0 | 89.1 | 87.5 | ± 5.0 | |
| TGMH MCH | pg | 26.4 | 26.4 | 27.1 | 27.1 | ± 2.0 | 28.3 | 28.3 | 28.8 | 28.8 | ± 2.0 | 30.1 | 30.1 | 31.0 | 31.0 | ± 2.5 | |
| | fmol | 1.64 | 1.64 | 1.68 | 1.68 | ± 0.12 | 1.76 | 1.76 | 1.79 | 1.79 | ± 0.12 | 1.87 | 1.87 | 1.93 | 1.93 | ± 0.16 | |
| CCMH MCHC | g/dl | 32.8 | 32.8 | 35.5 | 36.1 | ± 3.0 | 32.9 | 32.9 | 34.7 | 35.4 | ± 3.0 | 32.8 | 32.8 | 34.8 | 35.5 | ± 3.0 | |
| | g/l | 328 | 328 | 355 | 361 | ± 30 | 329 | 329 | 347 | 354 | ± 30 | 328 | 328 | 348 | 355 | ± 30 | |
| | mmol/l | 20.37 | 20.37 | 22.05 | 22.42 | ± 1.86 | 20.43 | 20.43 | 21.55 | 21.98 | ± 1.86 | 20.37 | 20.37 | 21.61 | 22.05 | ± 1.86 | |
| IDR-SD RDW-SD | fl | 48.5 | 48.5 | 40.8 | 40.8 | ± 8.0 | 44.5 | 44.5 | 40.0 | 40.0 | ± 8.0 | 46.0 | 46.0 | 38.6 | 38.6 | ± 8.0 | |
| IDR-CV RDW-CV | % | 17.0 | 17.0 | 18.0 | 18.0 | ± 4.0 | 14.5 | 14.5 | 16.2 | 16.2 | ± 4.0 | 14.0 | 14.0 | 14.2 | 14.2 | ± 4.0 | |
| PLA. PLT | 10 ⁹ /mm ³ ; 10 ⁹ /l | 70 | 70 | 85 | 89 | ± 20 | 228 | 228 | 249 | 253 | ± 30 | 485 | 485 | 500 | 529 | ± 50 | |
| VMP MPV | µm ³ ; fl | 9.1 | 9.1 | 10.7 | 10.7 | ± 2.0 | 9.1 | 9.1 | 9.6 | 9.6 | ± 2.0 | 10.0 | 10.0 | 10.0 | 10.0 | ± 2.0 | |
| NEU | 10 ⁹ /mm ³ ; 10 ⁹ /l | 1.35 | 1.35 | 1.33 | 1.33 | ± 0.35 | 4.07 | 4.07 | 4.04 | 4.04 | ± 0.90 | 12.73 | 12.73 | 12.60 | 12.60 | ± 1.90 | |
| | % | 45.1 | 45.1 | 44.3 | 44.3 | ± 10.0 | 48.2 | 48.2 | 47.8 | 47.8 | ± 10.0 | 68.6 | 68.6 | 67.9 | 67.9 | ± 10.0 | |
| LYM | 10 ⁹ /mm ³ ; 10 ⁹ /l | 1.12 | 1.12 | 1.13 | 1.13 | ± 0.33 | 3.40 | 3.40 | 3.40 | 3.40 | ± 0.70 | 3.82 | 3.82 | 3.90 | 3.90 | ± 1.50 | |
| | % | 37.3 | 37.3 | 37.5 | 37.5 | ± 12.0 | 40.2 | 40.2 | 40.2 | 40.2 | ± 8.0 | 20.6 | 20.6 | 21.0 | 21.0 | ± 8.0 | |
| MON | 10 ⁹ /mm ³ ; 10 ⁹ /l | 0.19 | 0.19 | 0.21 | 0.21 | ± 0.19 | 0.42 | 0.42 | 0.46 | 0.46 | ± 0.42 | 0.43 | 0.43 | 0.48 | 0.48 | ± 0.43 | |
| | % | 6.4 | 6.4 | 7.0 | 7.0 | ± 6.4 | 5.0 | 5.0 | 5.4 | 5.4 | ± 5.0 | 2.3 | 2.3 | 2.6 | 2.6 | ± 2.3 | |
| EOS | 10 ⁹ /mm ³ ; 10 ⁹ /l | 0.22 | 0.22 | 0.22 | 0.22 | ± 0.22 | 0.35 | 0.35 | 0.35 | 0.35 | ± 0.35 | 0.91 | 0.91 | 0.91 | 0.91 | ± 0.91 | |
| | % | 7.3 | 7.3 | 7.3 | 7.3 | ± 7.3 | 4.1 | 4.1 | 4.1 | 4.1 | ± 4.1 | 4.9 | 4.9 | 4.9 | 4.9 | ± 4.9 | |
| BAS | 10 ⁹ /mm ³ ; 10 ⁹ /l | 0.12 | 0.12 | 0.12 | 0.12 | ± 0.12 | 0.21 | 0.21 | 0.21 | 0.21 | ± 0.21 | 0.67 | 0.67 | 0.67 | 0.67 | ± 0.67 | |
| | % | 3.9 | 3.9 | 3.9 | 3.9 | ± 3.9 | 2.5 | 2.5 | 2.5 | 2.5 | ± 2.5 | 3.6 | 3.6 | 3.6 | 3.6 | ± 3.6 | |
| IMG | 10 ⁹ /mm ³ ; 10 ⁹ /l | N/A | N/A | 0.18 | 0.18 | ± 0.18 | N/A | N/A | 0.35 | 0.35 | ± 0.35 | N/A | N/A | 1.13 | 1.13 | ± 1.13 | |
| | % | N/A | N/A | 6.1 | 6.1 | ± 6.1 | N/A | N/A | 4.1 | 4.1 | ± 4.1 | N/A | N/A | 6.1 | 6.1 | ± 6.1 | |

Ref: TEMP-0821 Rev.49 FRONT / RECTO