

Safety Data Sheet

According to Regulation (EC) No. 1272/2008 (CLP), as amended by Commission Regulation (EU) 2019/521 and Commission Delegated Regulation (EU) 2020/217, and (EC) No. 1907/2006 (REACH), as amended by Commission Regulation (EU) 2020/878.

Initial preparation date: 2023-11-09

Page 1 of 24

Glucose Oxidase Liquid

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product Name: Glucose Oxidase Liquid

Product code: G7521

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: For the quantitative determination of Glucose in serum.

Uses advised against: Not determined or not applicable.

Reasons why uses advised against: Not determined or not applicable.

1.3 Details of the manufacturer/supplier of the safety data sheet

Manufacturer:

United States

HORIBA Instruments Incorporated
5449 Research Drive
Canton, MI 48188
734-487-8300
horiba.com

1.4 Emergency telephone number:

United States

HORIBA Instruments Incorporated
1-800-445-9853 (24 hours per day)

France

Organisme de conseil/centre antipoison national
+33 1 45 42 59 59 (24 hours per day)

Portugal

Órgão consultor nacional/Centro Antivenenos
+351 800 250 250 (24 hours per day)

Spain

Centro de información toxicológica/organismo asesor nacional
+34 91 562 04 20 (24 hours per day)

Czech Republic

Národní poradní orgán/toxikologické středisko
+420 224 919 293 (24 hours per day)

Greece

Εθνικό συμβουλευτικό όργανο/Κέντρο Δηλητηριάσεων
+30 210 779 3777 (24 hours per day)

Italy

Organismo ufficiale di consultazione nazionale/Centro antiveleni
+39 06 305 4343 (24 hours per day)

Safety Data Sheet

According to Regulation (EC) No. 1272/2008 (CLP), as amended by Commission Regulation (EU) 2019/521 and Commission Delegated Regulation (EU) 2020/217, and (EC) No. 1907/2006 (REACH), as amended by Commission Regulation (EU) 2020/878.

Initial preparation date: 2023-11-09

Page 2 of 24

Glucose Oxidase Liquid

Romania

Organism consultativ național/Centru pentru otrăviri
+40 21 3183606 (24 hours per day)

Poland

Krajowa instytucja doradczą/Ośrodek zatruc
+48 22 619 66 54 (24 hours per day)

SECTION 2: Hazard(s) identification

2.1 Classification of the substance or mixture:

Classification according to Regulation (EC) No. 1272/2008 (CLP):

Reproductive toxicity, category 2

Specific target organ toxicity - single exposure, category 3, respiratory tract irritation

Hazard-determining components of labeling:

Chloramphenicol

Methanol

Sodium cholate

Phenol

Tetrapotassium pyrophosphate

4-amino-2,3-dimethyl-1-phenyl-3-pyrazolin-5-one

Additional Information: None

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP)

Hazard pictograms:



Signal Word: Warning

Hazard statements:

H335 May cause respiratory irritation

H361 Suspected of damaging fertility or the unborn child.

Precautionary statements:

P261 Avoid breathing dust/fume/gas/mist/vapours/spray

P271 Use only in a well-ventilated area

P202 Do not handle until all safety precautions have been read and understood

P280 Wear protective gloves, protective clothing, eye protection and face protection.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing

P312 Call a POISON CENTER or doctor/physician if you feel unwell.

P308+P313 If exposed or concerned: Get medical advice/attention.

P403+P233 Store in a well-ventilated place. Keep container tightly closed

P405 Store locked up

P501 Dispose of contents to an approved waste disposal plant.

2.3 Other hazards: None known

SECTION 3: Composition/information on ingredients

3.1 Substance: Not applicable.

3.2 Mixture:

Safety Data Sheet

According to Regulation (EC) No. 1272/2008 (CLP), as amended by Commission Regulation (EU) 2019/521 and Commission Delegated Regulation (EU) 2020/217, and (EC) No. 1907/2006 (REACH), as amended by Commission Regulation (EU) 2020/878.

Initial preparation date: 2023-11-09

Page 3 of 24

Glucose Oxidase Liquid

Identification	EU REACH Registration No.	Name	Classification according to Regulation (EC) No. 1272/2008 (CLP)	Weight %
CAS number: 7320-34-5 EC number: 230-785-7	-	Tetrapotassium pyrophosphate	Eye Irrit. 2; H319	0.99
CAS number: 361-09-1 EC number: 206-643-5	-	Sodium cholate	Eye Irrit. 2; H319 Skin Irrit. 2; H315 Aquatic Chronic 3; H412 STOT SE 3 (RI); H335	0.35
CAS number: 67-56-1 EC number: 200-659-6	-	Methanol	Flam. Liq. 2; H225 Acute Tox. 3 (Oral); H301 Acute Tox. 3 (Dermal); H311 Acute Tox. 3 (Inh); H331 STOT SE 1; H370 Specific concentration limit(s): STOT SE 1; H370: C ≥10% STOT RE 2; H373: 3% ≤ C <10% Acute Toxicity Estimate: Oral ATE: 100 mg/kg Dermal ATE: 300 mg/kg Inhalation ATE: 3 mg/L	0.17

Safety Data Sheet

According to Regulation (EC) No. 1272/2008 (CLP), as amended by Commission Regulation (EU) 2019/521 and Commission Delegated Regulation (EU) 2020/217, and (EC) No. 1907/2006 (REACH), as amended by Commission Regulation (EU) 2020/878.

Initial preparation date: 2023-11-09

Page 4 of 24

Glucose Oxidase Liquid

CAS number: 108-95-2 EC number: 203-632-7	-	Phenol	Acute Tox. 3 (Oral); H301 Acute Tox. 3 (Dermal); H311 Acute Tox. 3 (Inh); H331 Skin Corr. 1B; H314 STOT RE 2; H373 Muta. 2; H341 Eye Dam. 1; H318 Specific concentration limit(s): Skin Corr. 1B; H314: C ≥3% Skin Irrit. 2; H315: 1% ≤ C <3% Eye Irrit. 2; H319: 1% ≤ C <3%	0.1
CAS number: 56-75-7 EC number: 200-287-4	-	Chloramphenicol	Eye Dam. 1; H318 Carc. 2; H351 Repr. 2; H361	0.05
CAS number: 83-07-8 EC number: 201-452-3	-	4-amino-2,3-dimethyl-1-phenyl-3-pyrazolin-5-one	Acute Tox. 4 (Oral); H302 Skin Irrit. 2; H315 STOT SE 3 (RI); H335 Eye Irrit. 2; H319	0.01

Additional information: None

Full Text of H and EUH statements: See section 16

SECTION 4: First aid measures

4.1 Description of first aid measures

General notes:

Show this Safety Data Sheet to the doctor in attendance.

Following inhalation:

If inhaled, remove person to fresh air and place in a position comfortable for breathing. Keep person at rest. If breathing is difficult, administer oxygen. If breathing has stopped, provide artificial respiration. If experiencing respiratory symptoms, seek medical advice/attention.

If inhaled, remove person to fresh air and place in a position comfortable for breathing. Keep person at rest. If breathing is difficult, administer oxygen. If breathing has stopped, provide artificial respiration. If symptoms develop or persist, seek medical advice/attention.

Following skin contact:

Remove contaminated clothing and shoes. Rinse skin with copious amounts of water [shower] for several minutes. Launder contaminated clothing before reuse. If symptoms develop or persist, seek medical advice/attention.

Following eye contact:

Rinse eyes with plenty of water for several minutes. Remove contact lenses if present and easy to do so. Protect unexposed eye. If symptoms develop or persist, seek medical advice/attention.

Safety Data Sheet

According to Regulation (EC) No. 1272/2008 (CLP), as amended by Commission Regulation (EU) 2019/521 and Commission Delegated Regulation (EU) 2020/217, and (EC) No. 1907/2006 (REACH), as amended by Commission Regulation (EU) 2020/878.

Initial preparation date: 2023-11-09

Page 5 of 24

Glucose Oxidase Liquid

Following ingestion:

If swallowed, DO NOT induce vomiting unless told to do so by a physician or poison control center. Rinse mouth with water. Never give anything by mouth to an unconscious person. If spontaneous vomiting occurs, place on the left side with head down to prevent aspiration of liquid into the lungs. If symptoms develop or persist, seek medical advice/attention.

Self-Protection of the first aider:

Not determined or not available.

4.2 Most important symptoms and effects, both acute and delayed

Acute symptoms and effects:

Inhalation may have adverse effects on the respiratory tract. Symptoms may include cough, breathing difficulties, sore throat and inflammation of the mucous membrane lining the respiratory tract.

Delayed symptoms and effects:

Long term exposure may affect fertility. Symptoms include, but are not limited to: menstrual problems, altered sexual behavior/fertility/ and pregnancy outcome. Long term exposure may also affect development of the unborn child. Symptoms include, but are not limited to: intrauterine growth retardation, pre-term birth, birth defects and postnatal death.

4.3 Indication of any immediate medical attention and special treatment needed

Specific treatment:

If respiratory symptoms persist, seek medical attention.

Notes for the doctor:

Treat symptomatically.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media:

Water mist/fog, carbon dioxide, dry chemical or alcohol resistant foam.

Unsuitable extinguishing media:

Do not use water jet.

5.2 Special hazards arising from the substance or mixture:

Thermal decomposition may produce irritating/toxic fumes/gases.

5.3 Advice for firefighters

Personal protection equipment:

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full-face piece operated in positive pressure mode.

Special precautions:

Avoid contact with skin, eyes, hair and clothing. Do not breathe fumes/gas/mists/aerosols/vapors/dusts. Move containers from fire area if safe to do so. Use water spray/fog for cooling fire exposed containers. Avoid unnecessary run-off of extinguishing media which may cause pollution.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures:

Evacuate unnecessary personnel. Ventilate area. Extinguish any sources of ignition. Wear recommended personal protective equipment (see Section 8). Avoid contact with skin, eyes and clothing. Avoid breathing mist, vapor, dust, fume and spray. Do not walk through spilled material. Wash thoroughly after handling.

6.2 Environmental precautions:

Prevent further leakage or spillage if safe to do so. Prevent from reaching drains, sewers and waterways. Discharge into the environment must be avoided.

Safety Data Sheet

According to Regulation (EC) No. 1272/2008 (CLP), as amended by Commission Regulation (EU) 2019/521 and Commission Delegated Regulation (EU) 2020/217, and (EC) No. 1907/2006 (REACH), as amended by Commission Regulation (EU) 2020/878.

Initial preparation date: 2023-11-09

Page 6 of 24

Glucose Oxidase Liquid

6.3 Methods and material for containment and cleaning up:

Do not touch damaged containers or spilled material unless wearing appropriate personal protective clothing. Stop leak if you can do it without risk. Contain and collect spillage and place in suitable container for future disposal. Dispose of in accordance with all applicable regulations (see Section 13).

6.4 Reference to other sections:

For personal protective equipment see Section 8. For disposal see Section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling:

Use appropriate personal protective equipment (see Section 8). Use only with adequate ventilation. Avoid breathing mist/vapor/spray/dust. Do not eat, drink, smoke, or use personal products when handling chemical substances. Avoid contact with skin, eyes and clothing. Wash affected areas thoroughly after handling. Keep away from incompatible materials (See Section 10). Keep containers tightly closed when not in use.

7.2 Conditions for safe storage, including any incompatibilities:

Store in cool, dry, well-ventilated location out of direct sunlight. Keep away from food and beverages. Protect from freezing and physical damage. Store away from heat, open flames and other sources of ignition. Keep container tightly sealed. Store away from incompatible materials (See Section 10). Store between 2-8 °C

7.3 Specific end use(s):

Refer to Section 1 (Recommended Use).

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Only those substances with limit values have been included below.

Occupational Exposure limit values:

Country (Legal Basis)	Substance	Identifier	Permissible concentration
Bulgaria	Chloramphenicol	56-75-7	TWA: 1 mg/m ³
	Methanol	67-56-1	TWA: 260 mg/m ³ (200 ppm)
	Phenol	108-95-2	TWA: 8 mg/m ³ (2 ppm)
	Phenol	108-95-2	15-Minute STEL: 16 mg/m ³ (4 ppm)
Latvia	Chloramphenicol	56-75-7	8-Hour TWA: 1 mg/m ³
	Methanol	67-56-1	8-Hour TWA: 260 mg/m ³ (200 ppm)
	Phenol	108-95-2	8-Hour TWA: 8 mg/m ³ (2 ppm)
	Phenol	108-95-2	15-Minute STEL: 16 mg/m ³ (4 ppm)
Czech Republic	Methanol	67-56-1	8-Hour TWA: 250 mg/m ³
	Methanol	67-56-1	Ceiling Limit: 1000 mg/m ³
	Phenol	108-95-2	8-Hour TWA: 7.5 mg/m ³
	Phenol	108-95-2	Ceiling Limit: 15 mg/m ³
Estonia	Methanol	67-56-1	8-Hour TWA: 250 mg/m ³ (200 ppm)
	Methanol	67-56-1	15-Minute STEL: 350 mg/m ³ (250 ppm)

Safety Data Sheet

According to Regulation (EC) No. 1272/2008 (CLP), as amended by Commission Regulation (EU) 2019/521 and Commission Delegated Regulation (EU) 2020/217, and (EC) No. 1907/2006 (REACH), as amended by Commission Regulation (EU) 2020/878.

Initial preparation date: 2023-11-09

Page 7 of 24

Glucose Oxidase Liquid

Country (Legal Basis)	Substance	Identifier	Permissible concentration
	Phenol	108-95-2	8-Hour TWA: 8 mg/m ³ (2 ppm)
	Phenol	108-95-2	15-Minute STEL: 16 mg/m ³ (4 ppm)
Hungary	Methanol	67-56-1	8-Hour TWA: 260 mg/m ³
	Phenol	108-95-2	8-Hour TWA: 8 mg/m ³
	Phenol	108-95-2	15-Minute STEL: 16 mg/m ³
Poland	Methanol	67-56-1	8-Hour TWA: 100 mg/m ³
	Methanol	67-56-1	15-Minute STEL: 300 mg/m ³
	Phenol	108-95-2	8-Hour TWA: 7.8 mg/m ³
	Phenol	108-95-2	15-Minute STEL: 16 mg/m ³ (NDSch)
Slovakia	Methanol	67-56-1	8-Hour TWA: 260 mg/m ³ (200 ppm)
	Phenol	108-95-2	8-Hour TWA: 8 mg/m ³ (2 ppm)
	Phenol	108-95-2	15-Minute STEL: 16 mg/m ³ (4 ppm)
Slovenia	Methanol	67-56-1	8-Hour TWA: 260 mg/m ³ (200 ppm)
	Methanol	67-56-1	15-Minute STEL: 1040 mg/m ³ (800 PPM)
	Phenol	108-95-2	8-Hour TWA: 8 mg/m ³ (2 ppm)
	Phenol	108-95-2	15-Minute STEL: 16 mg/m ³ (4 ppm)
Austria	Methanol	67-56-1	8-Hour TWA: 262 mg/m ³ (200 ppm)
	Methanol	67-56-1	STEL: 1040 mg/m ³ (800 ppm [4 x 15 min])
	Phenol	108-95-2	8-Hour TWA: 8 mg/m ³ (2 ppm)
	Phenol	108-95-2	STEL: 16 mg/m ³ (4 ppm [4 x 15 min])
Belgium	Methanol	67-56-1	8-Hour TWA: 266 mg/m ³ (200 ppm)
	Methanol	67-56-1	15-Minute STEL: 333 mg/m ³ (250 ppm)
	Phenol	108-95-2	8-Hour TWA: 8 mg/m ³ (2 ppm)
	Phenol	108-95-2	15-Minute STEL: 16 mg/m ³ (4 ppm)
Denmark	Methanol	67-56-1	8-Hour TWA: 260 mg/m ³ (200 ppm)
	Methanol	67-56-1	15-Minute STEL: 520 mg/m ³ (400 ppm)
	Phenol	108-95-2	8-Hour TWA: 4 mg/m ³ (1 ppm)
	Phenol	108-95-2	15-Minute STEL: 8 mg/m ³ (2 ppm)
Finland	Methanol	67-56-1	8-Hour TWA: 270 mg/m ³ (200 ppm)

Safety Data Sheet

According to Regulation (EC) No. 1272/2008 (CLP), as amended by Commission Regulation (EU) 2019/521 and Commission Delegated Regulation (EU) 2020/217, and (EC) No. 1907/2006 (REACH), as amended by Commission Regulation (EU) 2020/878.

Initial preparation date: 2023-11-09

Page 8 of 24

Glucose Oxidase Liquid

Country (Legal Basis)	Substance	Identifier	Permissible concentration
	Methanol	67-56-1	15-Minute STEL: 330 mg/m ³ (250 ppm)
	Phenol	108-95-2	8-Hour TWA: 8 mg/m ³ (2 ppm)
	Phenol	108-95-2	15-Minute STEL: 16 mg/m ³ (4 ppm)
France	Methanol	67-56-1	8-Hour TWA: 260 mg/m ³ (200 ppm)
	Phenol	108-95-2	8-Hour TWA: 7.8 mg/m ³ (2 ppm)
	Phenol	108-95-2	15-Minute STEL: 15.6 mg/m ³ (4 ppm)
Germany (MAK)	Methanol	67-56-1	8-Hour TWA: 130 mg/m ³ (100 ppm)
	Methanol	67-56-1	15-Minute STEL: 260 mg/m ³ (200 ppm)
Greece	Methanol	67-56-1	8-Hour TWA: 260 mg/m ³ (200 ppm)
	Methanol	67-56-1	15-Minute STEL: 325 mg/m ³ (250 ppm)
	Phenol	108-95-2	8-Hour TWA: 8 mg/m ³ (2 ppm)
	Phenol	108-95-2	15-Minute STEL: 16 mg/m ³ (4 ppm)
The Netherlands	Methanol	67-56-1	8-Hour TWA: 133 mg/m ³
	Phenol	108-95-2	8-Hour TWA: 8 mg/m ³
Portugal	Methanol	67-56-1	STEL: 250 ppm
	Methanol	67-56-1	8-Hour TWA: 260 mg/m ³ (200 ppm)
	Methanol	67-56-1	STEL: 250 ppm
	Phenol	108-95-2	8-Hour TWA: 8 mg/m ³ (2 ppm)
	Phenol	108-95-2	15-Minute STEL: 16 mg/m ³ (4 ppm)
Sweden	Methanol	67-56-1	15-Minute STEL: 350 mg/m ³ (250 ppm)
	Methanol	67-56-1	8-Hour TWA: 250 mg/m ³ (200 ppm)
	Phenol	108-95-2	8-Hour TWA: 4 mg/m ³ (1 ppm)
	Phenol	108-95-2	Ceiling Limit: 16 mg/m ³ (4 ppm)
Croatia	Methanol	67-56-1	8-Hour TWA: 260 mg/m ³ (200 ppm)
	Phenol	108-95-2	TWA: 8 mg/m ³ (2 ppm)
	Phenol	108-95-2	15-Minute STEL: 6 mg/m ³ (4 ppm)
European Union	Methanol	67-56-1	8-Hour TWA: 260 mg/m ³ (200 ppm; [IOEL])
	Phenol	108-95-2	15-Minute STEL: 16 mg/m ³ (4 ppm)

Safety Data Sheet

According to Regulation (EC) No. 1272/2008 (CLP), as amended by Commission Regulation (EU) 2019/521 and Commission Delegated Regulation (EU) 2020/217, and (EC) No. 1907/2006 (REACH), as amended by Commission Regulation (EU) 2020/878.

Initial preparation date: 2023-11-09

Page 9 of 24

Glucose Oxidase Liquid

Country (Legal Basis)	Substance	Identifier	Permissible concentration
	Phenol	108-95-2	8-Hour TWA: 8 mg/m ³ (2 ppm)
Germany (TRGS 900)	Methanol	67-56-1	15-Minute STEL: 260 mg/m ³ (200 ppm)
	Methanol	67-56-1	8-Hour TWA: 130 mg/m ³ (100 ppm)
	Phenol	108-95-2	8-Hour TWA: 8 mg/m ³ (2 ppm)
	Phenol	108-95-2	15-Minute STEL: 16 mg/m ³ (4 ppm)
Ireland	Methanol	67-56-1	8-Hour TWA: 260 mg/m ³ (200 ppm)
	Phenol	108-95-2	15-Minute STEL: 16 mg/m ³ (4 ppm)
	Phenol	108-95-2	8-Hour TWA: 8 mg/m ³ (2 ppm)
	Phenol	108-95-2	15-Minute STEL: 16 mg/m ³ (4 ppm)
	Phenol	108-95-2	TWA: 8 mg/m ³ (2 ppm)
Italy	Methanol	67-56-1	8-Hour TWA: 260 mg/m ³ (200 ppm)
	Phenol	108-95-2	8-Hour TWA: 8 mg/m ³ (2 ppm)
	Phenol	108-95-2	15-Minute STEL: 16 mg/m ³ (4 ppm)
Lithuania	Methanol	67-56-1	8-Hour TWA: 260 mg/m ³ (200 ppm)
	Phenol	108-95-2	8-Hour TWA: 8 mg/m ³ (2 ppm)
	Phenol	108-95-2	15-Minute STEL: 16 mg/m ³ (4 ppm)
Luxembourg	Methanol	67-56-1	TWA: 260 mg/m ³ (200 ppm)
	Phenol	108-95-2	TWA: 8 mg/m ³ (2 ppm)
	Phenol	108-95-2	15-Minute STEL: 16 mg/m ³ (4 ppm)
Malta	Methanol	67-56-1	TWA: 260 mg/m ³ (200 ppm)
	Phenol	108-95-2	TWA: 8 mg/m ³ (2 ppm)
	Phenol	108-95-2	15-Minute STEL: 16 mg/m ³ (4 ppm)
Romania	Methanol	67-56-1	8-Hour TWA: 260 mg/m ³ (200 ppm)
	Phenol	108-95-2	8-Hour TWA: 8 mg/m ³ (2 ppm)
	Phenol	108-95-2	15-Minute STEL: 16 mg/m ³ (4 ppm)
Spain	Methanol	67-56-1	8-Hour TWA: 266 mg/m ³ (200 ppm)
	Methanol	67-56-1	STEL: 333 mg/m ³ (250 ppm)
	Phenol	108-95-2	8-Hour TWA: 8 mg/m ³ (2 ppm)
	Phenol	108-95-2	15-Minute STEL: 16 mg/m ³ (4 ppm)

Safety Data Sheet

According to Regulation (EC) No. 1272/2008 (CLP), as amended by Commission Regulation (EU) 2019/521 and Commission Delegated Regulation (EU) 2020/217, and (EC) No. 1907/2006 (REACH), as amended by Commission Regulation (EU) 2020/878.

Initial preparation date: 2023-11-09

Page 10 of 24

Glucose Oxidase Liquid

Country (Legal Basis)	Substance	Identifier	Permissible concentration
United Kingdom	Methanol	67-56-1	15-Minute STEL: 333 mg/m ³ (250 ppm)
	Methanol	67-56-1	8-Hour TWA: 266 mg/m ³ (200 ppm)
	Phenol	108-95-2	8-Hour TWA: 7.8 mg/m ³ (2 ppm)
	Phenol	108-95-2	15-Minute STEL: 16 mg/m ³ (4 ppm)
Cyprus	Methanol	67-56-1	8-Hour TWA: 260 mg/m ³ (200 ppm)
	Phenol	108-95-2	8-Hour TWA: 8 mg/m ³ (2 ppm)
	Phenol	108-95-2	STEL: 16 mg/m ³ (4 ppm)

Biological limit values:

Country (Legal Basis)	Substance	Identifier	Determinant	Specimen	Sampling time	Permissible limits
Spain	Methanol	67-56-1	Methanol	Urine	End of shift	15 mg/L
	Phenol	108-95-2	Phenol with hydrolysis	Creatinine in urine	End of shift	120 mg/g
Italy	Methanol	67-56-1	Methanol	Urine	End of shift	15 mg/L
	Phenol	108-95-2	Phenol with hydrolysis	Creatinine in urine	End of shift	250 mg/g
Portugal	Methanol	67-56-1	Methanol	Urine	End of shift	15 mg/L
	Phenol	108-95-2	Phenol with hydrolysis	Creatinine in urine	End of shift	250 mg/g
Slovakia	Methanol	67-56-1	Methanol	Urine	EOS/EOW	30 mg/L [938 µmol/L]
	Methanol	67-56-1	Methanol	Creatinine in urine	EOS/EOW	20 mg/g [70.7 µmol/mmol]
	Phenol	108-95-2	Phenol	Creatinine in urine	End of shift	133.7 mg/g [160.7 µmol/mmol]
	Phenol	108-95-2	Phenol	Urine	End of shift	200 mg/L [2130 µmol/L]
Croatia	Methanol	67-56-1	Methanol	Creatinine in urine	End of shift.	7.0 mg/g (24.7 mmol/mol)
	Phenol	108-95-2	Phenol	Creatinine in urine	End of shift	120 mg/g [0.14 mol/mol]
Czech Republic	Methanol	67-56-1	Methanol	Urine	End of shift.	15 mg/L (0.47 mmol/l)
	Phenol	108-95-2	Phenol	Creatinine in urine	End of shift	300 mg/g (360 µmol/mmol)
France	Methanol	67-56-1	Méthanol	Urine	End of shift	15 mg/L
	Phenol	108-95-2	Total phenol	Creatinine in urine	End of shift	250 mg/g
Germany (TRGS 903)	Methanol	67-56-1	Methanol	Urine	EOW/EOS	15 mg/L
	Phenol	108-95-2	Phenol with hydrolysis	Creatinine in urine	End of shift	120 mg/g
Romania	Methanol	67-56-1	Methanol	Urine	End of shift.	6 mg/L

Safety Data Sheet

According to Regulation (EC) No. 1272/2008 (CLP), as amended by Commission Regulation (EU) 2019/521 and Commission Delegated Regulation (EU) 2020/217, and (EC) No. 1907/2006 (REACH), as amended by Commission Regulation (EU) 2020/878.

Initial preparation date: 2023-11-09

Page 11 of 24

Glucose Oxidase Liquid

Country (Legal Basis)	Substance	Identifier	Determinant	Specimen	Sampling time	Permissible limits
	Phenol	108-95-2	Total phenol	Urine	End of shift	120 mg/g
Slovenia	Methanol	67-56-1	Methanol	Urine	EOSLD	15 mg/L
	Phenol	108-95-2	Phenol with hydrolysis	Creatinine in urine	End of shift	120 mg/g
Hungary	Methanol	67-56-1	Methanol	Urine	End of shift	30 mg/L [940 µmol/L]
	Phenol	108-95-2	Phenol	Creatinine in urine	End of shift	120 mg/g [144 µmol/mmol]
European Union	Phenol	108-95-2	Phenol	Creatinine in urine	End of shift	120 mg/g
Finland	Phenol	108-95-2	Total phenol	Urine	End of shift	1.3 mmol/L
Bulgaria	Phenol	108-95-2	Phenol	Urine	End of shift	200 mg/L

Derived No Effect Level (DNEL):

Ingredient Name: Methanol

CAS #: 67-56-1

Workers - Systemic Effects	Acute - Oral	Not determined or not applicable.
	Acute - Inhalation	130 mg/m ³
	Acute - Dermal	20 mg/kg bw/day
	Chronic - Oral	Not determined or not applicable.
	Chronic - Inhalation	130 mg/m ³
	Chronic - Dermal	20 mg/kg bw/day
Workers - Local Effects	Acute - Oral	Not determined or not applicable.
	Acute - Inhalation	130 mg/m ³
	Acute - Dermal	No hazard identified
	Chronic - Oral	Not determined or not applicable.
	Chronic - Inhalation	130 mg/m ³
	Chronic - Dermal	No hazard identified
General Population - Systemic Effects	Acute - Oral	4 mg/kg bw/day
	Acute - Inhalation	26 mg/m ³
	Acute - Dermal	4 mg/kg bw/day
	Chronic - Oral	4 mg/kg bw/day
	Chronic - Inhalation	26 mg/m ³
	Chronic - Dermal	4 mg/kg bw/day
General Population - Local Effect	Acute - Oral	Not determined or not applicable.
	Acute - Inhalation	26 mg/m ³
	Acute - Dermal	No hazard identified
	Chronic - Oral	Not determined or not applicable.
	Chronic - Inhalation	26 mg/m ³
	Chronic - Dermal	No hazard identified

Ingredient Name: Phenol

CAS #: 108-95-2

Safety Data Sheet

According to Regulation (EC) No. 1272/2008 (CLP), as amended by Commission Regulation (EU) 2019/521 and Commission Delegated Regulation (EU) 2020/217, and (EC) No. 1907/2006 (REACH), as amended by Commission Regulation (EU) 2020/878.

Initial preparation date: 2023-11-09

Page 12 of 24

Glucose Oxidase Liquid

Workers - Systemic Effects	Acute - Oral	Not determined or not applicable.
	Acute - Inhalation	Hazard identified but no DNEL available
	Acute - Dermal	Hazard identified but no DNEL available
	Chronic - Oral	Not determined or not applicable.
	Chronic - Inhalation	8 mg/m ³
	Chronic - Dermal	1.23 mg/kg bw/day
Workers - Local Effects	Acute - Oral	Not determined or not applicable.
	Acute - Inhalation	16 mg/m ³
	Acute - Dermal	Hazard identified but no DNEL available
	Chronic - Oral	Not determined or not applicable.
	Chronic - Inhalation	Hazard identified but no DNEL available
General Population - Systemic Effects	Chronic - Dermal	Hazard identified but no DNEL available
	Acute - Oral	Exposure based waiving
	Acute - Inhalation	Exposure based waiving
	Acute - Dermal	Exposure based waiving
	Chronic - Oral	0.5 mg/kg bw/day
	Chronic - Inhalation	0.452 mg/m ³
General Population - Local Effect	Chronic - Dermal	0.5 mg/kg bw/day
	Acute - Oral	Not determined or not applicable.
	Acute - Inhalation	Exposure based waiving
	Acute - Dermal	Exposure based waiving
	Chronic - Oral	Not determined or not applicable.
	Chronic - Inhalation	No exposure expected
Chronic - Dermal	Hazard identified but no DNEL available	

Ingredient Name: Tetrapotassium pyrophosphate

CAS #: 7320-34-5

Workers - Systemic Effects	Acute - Oral	Not determined or not applicable.
	Acute - Inhalation	No hazard identified
	Acute - Dermal	No hazard identified
	Chronic - Oral	Not determined or not applicable.
	Chronic - Inhalation	17.63 mg/m ³
	Chronic - Dermal	No hazard identified
Workers - Local Effects	Acute - Oral	Not determined or not applicable.
	Acute - Inhalation	No hazard identified
	Acute - Dermal	No hazard identified
	Chronic - Oral	Not determined or not applicable.
	Chronic - Inhalation	No hazard identified
Chronic - Dermal	No hazard identified	

Safety Data Sheet

According to Regulation (EC) No. 1272/2008 (CLP), as amended by Commission Regulation (EU) 2019/521 and Commission Delegated Regulation (EU) 2020/217, and (EC) No. 1907/2006 (REACH), as amended by Commission Regulation (EU) 2020/878.

Initial preparation date: 2023-11-09

Page 13 of 24

Glucose Oxidase Liquid

General Population - Systemic Effects	Acute - Oral	No hazard identified
	Acute - Inhalation	No hazard identified
	Acute - Dermal	No hazard identified
	Chronic - Oral	No hazard identified
	Chronic - Inhalation	4.35 mg/m ³
	Chronic - Dermal	No hazard identified
General Population - Local Effect	Acute - Oral	Not determined or not applicable.
	Acute - Inhalation	No hazard identified
	Acute - Dermal	No hazard identified
	Chronic - Oral	Not determined or not applicable.
	Chronic - Inhalation	No hazard identified
	Chronic - Dermal	No hazard identified

Predicted No Effect Concentration (PNEC):

Ingredient Name: Methanol

CAS #: 67-56-1

Environmental Protection Target	PNEC
Fresh water	No hazard identified
Freshwater sediments	No hazard identified
Marine water	No hazard identified
Marine sediments	No hazard identified
Microorganisms in sewage treatment	No hazard identified
Soil (agricultural)	No hazard identified
Air	No hazard identified
Oral (Secondary Poisoning)	No exposure expected

Ingredient Name: Phenol

CAS #: 108-95-2

Environmental Protection Target	PNEC
Fresh water	0.008 mg/L
Freshwater sediments	0.091 mg/kg sediment dw
Marine water	0.001 mg/L
Marine sediments	0.009 mg/kg sediment dw
Microorganisms in sewage treatment	2.1 mg/L
Soil (agricultural)	0.136 mg/kg soil dw
Air	No hazard identified
Oral (Secondary Poisoning)	No exposure expected

Ingredient Name: Tetrapotassium pyrophosphate

CAS #: 7320-34-5

Environmental Protection Target	PNEC
Fresh water	No hazard identified
Freshwater sediments	No hazard identified
Marine water	No hazard identified
Marine sediments	No hazard identified
Microorganisms in sewage treatment	No hazard identified
Soil (agricultural)	No hazard identified

Safety Data Sheet

According to Regulation (EC) No. 1272/2008 (CLP), as amended by Commission Regulation (EU) 2019/521 and Commission Delegated Regulation (EU) 2020/217, and (EC) No. 1907/2006 (REACH), as amended by Commission Regulation (EU) 2020/878.

Initial preparation date: 2023-11-09

Page 14 of 24

Glucose Oxidase Liquid

Air	No hazard identified
Oral (Secondary Poisoning)	No exposure expected

Information on monitoring procedures:

Not determined or not applicable.

8.2 Exposure controls

Appropriate engineering controls:

Emergency eye wash stations and safety showers should be available in the immediate vicinity of use or handling. Provide adequate ventilation to maintain the airborne concentrations of vapor, mists, and/or dusts below the applicable workplace exposure limits, while observing recognized national standards (or equivalent).

Personal protection equipment

Eye and face protection:

Safety glasses or goggles. Use eye protection equipment that has been tested and approved by recognized national standards (or equivalent).

Skin and body protection:

Chemical resistant, impervious gloves approved by the appropriate standards. Gloves must be inspected prior to use. Avoid skin contact with used gloves. Appropriate techniques should be used to remove used gloves and contaminated clothing. Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. Ensure that all personal protective equipment is approved by recognized national standards (or equivalent).

Respiratory protection:

If engineering controls do not maintain airborne concentrations below the applicable workplace exposure limits, or to an acceptable level (if exposure limits have not been established), a respirator approved by recognized national standards (or equivalent) must be worn.

General hygienic measures:

When handling chemical products, do not eat, drink or smoke. Wash hands after handling, before breaks, and at the end of the workday. Avoid contact with skin, eyes and clothing. Wash contaminated clothing before reuse. Perform routine housekeeping.

Environmental exposure controls:

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation.

Product (substance / mixture) related measures to prevent exposure:	Not determined or not applicable.
Instruction measures to prevent exposure:	Not determined or not applicable.
Organisational measures to prevent exposure:	Not determined or not applicable.
Technical measures to prevent exposure:	Not determined or not applicable.

Risk management measures to control exposure:

Not determined or not applicable.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical State	Reagent is provided as a stable liquid.
Color	Reagent is a clear, colorless to slight yellow liquid.
Odor/Odor threshold	Not Available
pH	Reagent = 7.33
Melting point/freezing point	Not Available

Safety Data Sheet

According to Regulation (EC) No. 1272/2008 (CLP), as amended by Commission Regulation (EU) 2019/521 and Commission Delegated Regulation (EU) 2020/217, and (EC) No. 1907/2006 (REACH), as amended by Commission Regulation (EU) 2020/878.

Initial preparation date: 2023-11-09

Page 15 of 24

Glucose Oxidase Liquid

Initial boiling point/range	Not Available
Flash point (closed cup)	Not Available
Flammability	Not Available
Upper flammability/explosive limit	Not Available
Lower flammability/explosive limit	Not Available
Vapor pressure	Not Available
Relative vapor density	Not Available
Density	Not Available
Relative density	Not Available
Solubilities	Not Available
Partition coefficient (n-octanol/water)	Not Available
Auto/Self-ignition temperature	Not Available
Decomposition temperature	Not Available
Kinematic viscosity	Not Available
Particle characteristics	Not Available

9.2 Other information

9.2.1 Information with regard to physical hazard classes

Explosives	No data available/Not applicable
Flammable gases	No data available/Not applicable
Aerosols	No data available/Not applicable
Oxidizing gases	No data available/Not applicable
Gases under pressure	No data available/Not applicable
Flammable liquids	No data available/Not applicable
Flammable solids	No data available/Not applicable
Self-reactive substances and mixtures	No data available/Not applicable
Pyrophoric liquids	No data available/Not applicable
Pyrophoric solids	No data available/Not applicable
Self-heating substances and mixtures	No data available/Not applicable
Substances and mixtures, which emit flammable gases in contact with water	No data available/Not applicable
Oxidizing liquids	No data available/Not applicable
Oxidizing solids	No data available/Not applicable
Organic peroxides	No data available/Not applicable
Corrosive to metals	No data available/Not applicable
Desensitized explosives	No data available/Not applicable

9.2.2 Other safety characteristics

None.

SECTION 10: Stability and reactivity

10.1 Reactivity:

Not reactive under recommended handling and storage conditions.

Safety Data Sheet

According to Regulation (EC) No. 1272/2008 (CLP), as amended by Commission Regulation (EU) 2019/521 and Commission Delegated Regulation (EU) 2020/217, and (EC) No. 1907/2006 (REACH), as amended by Commission Regulation (EU) 2020/878.

Initial preparation date: 2023-11-09

Page 16 of 24

Glucose Oxidase Liquid

10.2 Chemical stability:

Stable under recommended handling and storage conditions.

10.3 Possibility of hazardous reactions:

Hazardous reactions are not anticipated under recommended conditions of handling and storage.

10.4 Conditions to avoid:

Extreme heat, open flames, hot surfaces, sparks, ignition sources and incompatible materials.

10.5 Incompatible materials:

None known.

10.6 Hazardous decomposition products:

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data:

Name	Route	Result
Chloramphenicol	oral	LD50 Rat: 2500 mg/kg
Methanol	Oral ATE	LD50 Rat: 100 mg/kg
	Dermal ATE	LD50 Rabbit: 300 mg/kg
	Inhalation ATE	LC50 Rat: 3 mg/L (4 hr [vapor])
Sodium cholate	oral	LD50 Mouse: 2400 mg/kg
Phenol	oral	LD50 Mouse: 270 mg/kg
	dermal	LD50 Rabbit: 630 mg/kg
	inhalation	LC50 Rat: 0.5 mg/L (4 hr [dust/mist])
Tetrapotassium pyrophosphate	dermal	LD50 Rabbit: > 2000 mg/kg
	oral	LD50 Rat: 2440 mg/kg
	inhalation	LC50 Rat: >1.1 mg/L (4 H [Dust])
4-amino-2,3-dimethyl-1-phenyl-3-pyrazolin-5-one	oral	LD50 Rat: 1700 mg/kg

Skin corrosion/irritation

Assessment: Based on available data, the classification criteria are not met.

Product data:

No data available.

Substance data:

Name	Result
Sodium cholate	Causes skin irritation.
Phenol	Causes severe skin burns.
4-amino-2,3-dimethyl-1-phenyl-3-pyrazolin-5-one	Causes skin irritation.

Serious eye damage/irritation

Assessment: Based on available data, the classification criteria are not met.

Product data:

Safety Data Sheet

According to Regulation (EC) No. 1272/2008 (CLP), as amended by Commission Regulation (EU) 2019/521 and Commission Delegated Regulation (EU) 2020/217, and (EC) No. 1907/2006 (REACH), as amended by Commission Regulation (EU) 2020/878.

Initial preparation date: 2023-11-09

Page 17 of 24

Glucose Oxidase Liquid

No data available.

Substance data:

Name	Result
Chloramphenicol	Causes serious eye damage.
Sodium cholate	Causes serious eye irritation.
Phenol	Causes serious eye damage.
Tetrapotassium pyrophosphate	Causes serious eye irritation.
4-amino-2,3-dimethyl-1-phenyl-3-pyrazolin-5-one	Causes serious eye irritation.

Respiratory or skin sensitization

Assessment: Based on available data, the classification criteria are not met.

Product data:

No data available.

Substance data: No data available.

Carcinogenicity

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data:

Name	Species	Result
Chloramphenicol		Suspected of causing cancer. Numerous case reports detail the occurrence of leukemia following chloramphenicol-induced aplastic anemia.

International Agency for Research on Cancer (IARC):

Name	Classification
Chloramphenicol	Group 2A
Methanol	Not Applicable
Sodium cholate	Not Applicable
Phenol	Group 3
Tetrapotassium pyrophosphate	Not Applicable
4-amino-2,3-dimethyl-1-phenyl-3-pyrazolin-5-one	Not Applicable

Germ cell mutagenicity

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data:

Name	Result
Phenol	Suspected of causing genetic defects.

Reproductive Toxicity

Assessment:

Suspected of damaging fertility or the unborn child.

Product data:

No data available.

Safety Data Sheet

According to Regulation (EC) No. 1272/2008 (CLP), as amended by Commission Regulation (EU) 2019/521 and Commission Delegated Regulation (EU) 2020/217, and (EC) No. 1907/2006 (REACH), as amended by Commission Regulation (EU) 2020/878.

Initial preparation date: 2023-11-09

Page 18 of 24

Glucose Oxidase Liquid

Substance data:

Name	Result
Chloramphenicol	Suspected of damaging fertility or the unborn child.

Specific target organ toxicity (single exposure)

Assessment:

May cause respiratory irritation.

Product data:

No data available.

Substance data:

Name	Result
Methanol	Causes damage to Optic nerve (nervus opticus), central nervous system.
Sodium cholate	May cause respiratory irritation.
4-amino-2,3-dimethyl-1-phenyl-3-pyrazolin-5-one	May cause respiratory irritation.

Specific target organ toxicity (repeated exposure)

Assessment: Based on available data, the classification criteria are not met.

Product data:

No data available.

Substance data:

Name	Result
Phenol	May cause damage to organs (kidney, liver, skin, nervous system) through prolonged or repeated exposure.

Aspiration toxicity

Assessment: Based on available data, the classification criteria are not met.

Product data:

No data available.

Substance data: No data available.

Information on likely routes of exposure:

No data available.

Symptoms related to the physical, chemical and toxicological characteristics:

No data available.

11.2 Information on other hazards

Endocrine disrupting properties:

Substance data: No data available.

Other information:

No data available.

SECTION 12: Ecological information

12.1 Toxicity

Acute (short-term) toxicity

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data:

Name	Result
Chloramphenicol	Aquatic Invertebrates EC50 <i>Penaeus stylirostris</i> : >100 mg/L (48 hr [Intoxication])

Safety Data Sheet

According to Regulation (EC) No. 1272/2008 (CLP), as amended by Commission Regulation (EU) 2019/521 and Commission Delegated Regulation (EU) 2020/217, and (EC) No. 1907/2006 (REACH), as amended by Commission Regulation (EU) 2020/878.

Initial preparation date: 2023-11-09

Page 19 of 24

Glucose Oxidase Liquid

Name	Result
Methanol	Fish LC50 <i>Lepomis macrochirus</i> : 15,400 mg/L (96 hr)
	Aquatic Invertebrates EC50 <i>Daphnia magna</i> : 18,260 mg/L (96 hr)
	Aquatic Plants EC50 <i>Selenastrum capricornutum</i> : 22,000 mg/L (96 hr [growth rate])
Sodium cholate	Aquatic Invertebrates EC50 <i>Daphnia magna</i> : 35.871 mg/L (48 hr [QSAR])
	Aquatic Plants EC50 <i>Pseudokirchneriella</i> s: 169.706 mg/L (72 hr [QSAR])
Phenol	Fish LC50 <i>Oreochromis mossambicus</i> : 28.49 mg/L (96 hr)
	Aquatic Invertebrates LC50 <i>Daphnia magna</i> : 12.9 mg/L (48 hr [mobility])
	Aquatic Plants EC50 Algae: 217.6 mg/L (72 hr [growth rate])
Tetrapotassium pyrophosphate	Fish LC50 <i>Oncorhynchus mykiss</i> : >100 mg/L (96 hr)
	Aquatic Invertebrates EC50 <i>Daphnia magna</i> : >100 mg/L (48 hr [immobilization])
	Aquatic Plants EC50 <i>Desmodesmus subspicatus</i> : >100 mg/L (72 hr [growth rate])
4-amino-2,3-dimethyl-1-phenyl-3-pyrazolin-5-one	Fish LC50 Not specified: 10.81 mg/L (96 hr [QSAR])
	Aquatic Invertebrates EC50 <i>Daphnia</i> : 80.9 mg/L (48 hr [QSAR])
	Aquatic Plants EC50 Green algae: 2.36 mg/L (96 hr [QSAR])

Chronic (long-term) toxicity

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data:

Name	Result
Methanol	Aquatic Invertebrates NOEC <i>Daphnia magna</i> : 122 mg/L (21 d [reproduction])
Phenol	Fish LC50 <i>Oncorhynchus mykiss</i> : 0.15 mg/L (27 d)
	Aquatic Invertebrates EC50 <i>Daphnia magna</i> : 0.48 mg/L (21 d [reproduction])

12.2 Persistence and degradability

Product data: No data available.

Substance data:

Name	Result
Methanol	The substance is readily biodegradable. 97% degradation after 20 days, measured by Oxygen consumption.
Sodium cholate	The substance is not readily biodegradable.
Phenol	The substance is readily biodegradable. 86% degradation, measured by O ₂ consumption, after 28 days.
Tetrapotassium pyrophosphate	Biodegradation studies are not applicable to inorganic substances.

12.3 Bioaccumulative potential

Product data: No data available.

Substance data:

Name	Result
Methanol	This substance does not significantly bioaccumulate in fish. Experimental BCFs of < 10 in fish species.

Safety Data Sheet

According to Regulation (EC) No. 1272/2008 (CLP), as amended by Commission Regulation (EU) 2019/521 and Commission Delegated Regulation (EU) 2020/217, and (EC) No. 1907/2006 (REACH), as amended by Commission Regulation (EU) 2020/878.

Initial preparation date: 2023-11-09

Page 20 of 24

Glucose Oxidase Liquid

Name	Result
Phenol	Bioaccumulation is not expected. BCF (aquatic species): 17.5 dimensionless
Tetrapotassium pyrophosphate	Bioaccumulation studies are not applicable to inorganic substances.

12.4 Mobility in soil

Product data: No data available.

Substance data:

Name	Result
Methanol	The substance is highly mobile with a very low potential for adsorption to soil and sediment. Koc: 0.13 - 1 dimensionless
Phenol	The substance is mobile in soil with a low potential for adsorption to soil and sediment. Koc at 20 °C: 82.8
Tetrapotassium pyrophosphate	Moderately Mobile (log Koc: 2.17)

12.5 Results of PBT and vPvB assessment

Product data:

PBT assessment: This product does not contain any substances that are assessed to be a PBT.

vPvB assessment: This product does not contain any substances that are assessed to be a vPvB.

Substance data:

PBT assessment:

Methanol	The substance is not PBT.
Phenol	The substance is not PBT.
Tetrapotassium pyrophosphate	PBT assessment does not apply to inorganic substances.

vPvB assessment:

Methanol	The substance is not vPvB.
Phenol	The substance is not vPvB.
Tetrapotassium pyrophosphate	vPvB assessment does not apply to inorganic substances.

12.6 Endocrine disrupting properties

Substance data: No data available.

12.7 Other adverse effects: No data available.

12.8 Hazard to the ozone layer

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data: No data available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

13.1.1 Product / Packaging disposal:

Dispose of contents to an approved waste disposal plant.

Waste codes / waste designations according to LoW: Not determined or not available.

13.1.2 Waste treatment-relevant information: Not determined or not available.

13.1.3 Sewage disposal-relevant information: Not determined or not available.

Safety Data Sheet

According to Regulation (EC) No. 1272/2008 (CLP), as amended by Commission Regulation (EU) 2019/521 and Commission Delegated Regulation (EU) 2020/217, and (EC) No. 1907/2006 (REACH), as amended by Commission Regulation (EU) 2020/878.

Initial preparation date: 2023-11-09

Page 21 of 24

Glucose Oxidase Liquid

13.1.4 Other disposal recommendations: It is the responsibility of the waste generator to properly characterize all waste materials according to applicable regulatory entities

SECTION 14: Transport information

International Carriage of Dangerous Goods by Road/Rail (ADR/RID)

UN number or ID number	Not regulated
UN proper shipping name	Not regulated
UN transport hazard class(es)	None
Packing group	None
Environmental hazards	None
Special precautions for user	None

International Carriage of Dangerous Goods by Inland Waterways (ADN)

UN number or ID number	Not regulated
UN proper shipping name	Not regulated
UN transport hazard class(es)	None
Packing group	None
Environmental hazards	None
Special precautions for user	None

International Maritime Dangerous Goods (IMDG)

UN number or ID number	Not regulated
UN proper shipping name	Not regulated
UN transport hazard class(es)	None
Packing group	None
Environmental hazards	None
Special precautions for user	None

International Air Transport Association Dangerous Goods Regulations (IATA-DGR)

UN number or ID number	Not regulated
UN proper shipping name	Not regulated
UN transport hazard class(es)	None
Packing group	None
Environmental hazards	None
Special precautions for user	None

Maritime Transport in Bulk according to IMO Instruments

Bulk Name	None
Ship type	None
Pollution category	None
IMO hazard class	None
Environmental hazards	None
Material hazardous only in bulk	None

Safety Data Sheet

According to Regulation (EC) No. 1272/2008 (CLP), as amended by Commission Regulation (EU) 2019/521 and Commission Delegated Regulation (EU) 2020/217, and (EC) No. 1907/2006 (REACH), as amended by Commission Regulation (EU) 2020/878.

Initial preparation date: 2023-11-09

Page 22 of 24

Glucose Oxidase Liquid

Cargo Group	None
-------------	------

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture.

European regulations

Inventory listing (EINECS): All ingredients are listed or exempt.

REACH SVHC candidate list: None of the ingredients are listed.

REACH SVHC Authorizations: None of the ingredients are listed.

REACH Restriction:

56-75-7	Chloramphenicol	Not Listed
67-56-1	Methanol	Listed
361-09-1	Sodium cholate	Not Listed
108-95-2	Phenol	Not Listed
7320-34-5	Tetrapotassium pyrophosphate	Not Listed
83-07-8	4-amino-2,3-dimethyl-1-phenyl-3-pyrazolin-5-one	Not Listed

Water hazard class (WGK) (Product): Not determined.

Water hazard class (WGK) (Substance):

Ingredient Name	CAS	Class
Methanol	67-56-1	Water hazard class 2: obviously hazardous to water
Phenol	108-95-2	Water hazard class 2: obviously hazardous to water
Tetrapotassium pyrophosphate	7320-34-5	Water hazard class 1: slightly hazardous to water
4-amino-2,3-dimethyl-1-phenyl-3-pyrazolin-5-one	83-07-8	Water hazard class 1: slightly hazardous to water

Other regulations

Germany TA Luft:

Ingredient Name	CAS	Class	Base Emission Rate	Max Concentration
Methanol	67-56-1	Class I	0.1 kg/h	20 mg/m ³
Phenol	108-95-2	Class I	0.1 kg/h	20 mg/m ³

Additional information: Not determined.

15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

SECTION 16: Other information

Abbreviations and Acronyms: None

Classification procedure:

Classification according to Regulation (EC) No. 1272/2008 (CLP)	Method Used
Reproductive toxicity, category 2	Expert judgement

Safety Data Sheet

According to Regulation (EC) No. 1272/2008 (CLP), as amended by Commission Regulation (EU) 2019/521 and Commission Delegated Regulation (EU) 2020/217, and (EC) No. 1907/2006 (REACH), as amended by Commission Regulation (EU) 2020/878.

Initial preparation date: 2023-11-09

Page 23 of 24

Glucose Oxidase Liquid

Classification according to Regulation (EC) No. 1272/2008 (CLP)	Method Used
Specific target organ toxicity - single exposure, category 3, respiratory tract irritation	Expert judgement

Summary of classification(s) in section 3:

Eye Irrit. 2	Eye Irritation, category 2
Skin Irrit. 2	Skin irritation, category 2
Aquatic Chronic 3	Chronic aquatic hazard, category 3
STOT SE 3 (RI)	Specific target organ toxicity - single exposure, category 3, respiratory tract irritation
Flam. Liq. 2	Flammable liquids, category 2
Acute Tox. 3 (Oral)	Acute toxicity (oral), category 3
Acute Tox. 3 (Dermal)	Acute toxicity (dermal), category 3
Acute Tox. 3 (Inh)	Acute toxicity (inhalation), category 3
STOT SE 1	Specific target organ toxicity - single exposure, category 1
Skin Corr. 1B	Skin corrosion, category 1B
STOT RE 2	Specific target organ toxicity - repeated exposure, category 2
Muta. 2	Germ cell mutagenicity, category 2
Eye Dam. 1	Serious eye damage, category 1
Carc. 2	Carcinogenicity, category 2
Repr. 2	Reproductive toxicity, category 2
Acute Tox. 4 (Oral)	Acute toxicity (oral), category 4

Summary of hazard statements in section 3:

H319	Causes serious eye irritation
H315	Causes skin irritation
H412	Harmful to aquatic life with long lasting effects
H335	May cause respiratory irritation
H225	Highly flammable liquid and vapour
H301	Toxic if swallowed
H311	Toxic in contact with skin
H331	Toxic if inhaled
H370	Causes damage to organs (or state all organs affected, if known) (state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard)
H314	Causes severe skin burns and eye damage
H373	May cause damage to organs (state all organs affected, if known) through prolonged or repeated exposure (state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard)
H341	Suspected of causing genetic defects (state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard)
H318	Causes serious eye damage
H351	Suspected of causing cancer (state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard)
H361	Suspected of damaging fertility or the unborn child (state specific effect if known) (state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard)

Safety Data Sheet

According to Regulation (EC) No. 1272/2008 (CLP), as amended by Commission Regulation (EU) 2019/521 and Commission Delegated Regulation (EU) 2020/217, and (EC) No. 1907/2006 (REACH), as amended by Commission Regulation (EU) 2020/878.

Initial preparation date: 2023-11-09

Page 24 of 24

Glucose Oxidase Liquid

H302	Harmful if swallowed
------	----------------------

Disclaimer:

This product has been classified in accordance with EC No. 1272/2008 (CLP), as amended by Commission Regulation (EU) 2019/521 and Commission Delegated Regulation (EU) 2020/217, and EC No. 1907/2006 (REACH), as amended by Commission Regulation (EU) 2020/878. The information provided in this SDS is correct, to the best of our knowledge, based on information available. The information given is designed only as a guidance for safe handling, use, storage, transportation, and disposal and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials, unless specified in the text. The responsibility to provide a safe workplace remains with the user.

Initial preparation date: 2023-11-09

End of Safety Data Sheet