Safety Data Sheet

According to Regulation (EC) No. 1272/2008 (CLP), as amended by Commission Regulation (EU) 2019/521 and Commission Delegated Regulation (EU) 2020/217, and (EC) No. 1907/2006 (REACH), as amended by Commission Regulation (EU) 2020/878.

Inorganic Phosphorus

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product Name: Inorganic Phosphorus
Product code: P7516

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: For the quantitative determination of Inorganic Phosphorus in serum.
Uses advised against: Not determined or not applicable.
Reasons why uses advised against: Not determined or not applicable.

1.3 Details of the manufacturer/supplier of the safety data sheet

Manufacturer:
United States
HORIBA Instruments Incorporated
5449 Research Drive
Canton, MI 48188
734-487-8300
horiba.com

1.4 Emergency telephone number:

United States
HORIBA Instruments Incorporated
1-800-445-9853 (24 hours per day)

France
Organisme de conseil/centre antipoison national
+33 1 45 42 59 59 (24 hours per day)

Portugal
Órgão consultor nacional/Centro Antivenenos
+351 800 250 250 (24 hours per day)

Spain
Centro de información toxicológica/organismo asesor nacional
+34 91 562 04 20 (24 hours per day)

Czech Republic
Národní poradní orgán/toxikologické středisko
+420 224 919 293 (24 hours per day)

Greece
Εθνικό συμβουλευτικό όργανο/Κέντρο Δηλητηριάσεων
+30 210 779 3777 (24 hours per day)

Italy
Organismo ufficiale di consultazione nazionale/Centro antiveleni
+39 06 305 4343 (24 hours per day)

Romania
Organism consultativ naţional/Centru pentru otrăviri
+40 21 3183606 (24 hours per day)

Poland
Krajowa instytucja doradcza/Ośrodek zatruć
+48 22 619 66 54 (24 hours per day)

SECTION 2: Hazard(s) identification

2.1 Classification of the substance or mixture:

Classification according to Regulation (EC) No. 1272/2008 (CLP):

Skin corrosion, category 1A
Serious eye damage, category 1
Specific target organ toxicity - single exposure, category 1
Specific target organ toxicity - repeated exposure, category 1

Hazard-determining components of labeling:

Sulfuric acid
Ammonium molybdate (VI) tetrahydrate

Additional Information: None

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP)

Hazard pictograms:

Signal Word: Danger

Hazard statements:

H314 Causes severe skin burns and eye damage
H318 Causes serious eye damage
H370 Causes damage to organs.
H372 Causes damage to organs through prolonged or repeated exposure.

Precautionary statements:

P260 Do not breathe dust/fume/gas/mist/vapours/spray
P264 Wash hands thoroughly after handling.
P280 Wear protective gloves, protective clothing and eye protection.
P270 Do not eat, drink or smoke when using this product
P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting
P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]
P363 Wash contaminated clothing before reuse
P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
P308+P311 IF exposed or concerned: Call a POISON CENTER or doctor/physician.
P314 Get medical advice/attention if you feel unwell.
P405 Store locked up
P501 Dispose of container in accordance with local regulations.

2.3 Other hazards: None known

SECTION 3: Composition/information on ingredients

3.1 Substance: Not applicable.

3.2 Mixture:

Identification	EU REACH Registration No.	Name	Classification according to Regulation (EC) No. 1272/2008 (CLP)	Weight %
CAS number: 7664-93-9 EC number: 231-639-5	–	Sulfuric acid	Skin Corr. 1A; H314 Eye Dam. 1; H318 Specific concentration limit(s): Skin Corr. 1A; H314: C ≥15% Skin Irrit. 2; H315: 5%≤ C <15% Eye Irrit. 2; H319: 5%≤ C <15%	1.17
CAS number: 12054-85-2 EC number: Not Applicable	–	Ammonium molybdate (VI) tetrahydrate	Acute Tox. 4 (Oral); H302 Skin Irrit. 2; H315 STOT SE 3 (RI); H335	0.06

Additional information: None
Full Text of H and EUH statements: See section 16

SECTION 4: First aid measures

4.1 Description of first aid measures

General notes:

Show this Safety Data Sheet to the doctor in attendance.

Following inhalation:

If inhaled, remove person to fresh air and place in a position comfortable for breathing. Keep person at rest. If breathing is difficult, administer oxygen. If breathing has stopped, provide artificial respiration. If experiencing respiratory symptoms, seek medical advice/attention.

Following skin contact:

Treatment is urgent. Seek emergency medical treatment. Remove contaminated clothing and shoes. Rinse skin with copious amounts of water [shower] for several minutes. Launder contaminated clothing before reuse.

Remove contaminated clothing and shoes. Rinse skin with copious amounts of water [shower] for several minutes. Launder contaminated clothing before reuse. If symptoms develop or persist, seek medical advice/attention.

Following eye contact:

Immediately rinse eyes with plenty of gently flowing lukewarm water for 15 minutes. Remove contact lenses if present and easy to do so. Protect unexposed eye. Seek immediate medical attention, preferably from an ophthalmologist.

Rinse eyes with plenty of water for several minutes. Remove contact lenses if present and easy to do so. Protect unexposed eye. If symptoms develop or persist, seek medical advice/attention.

Following ingestion:

If swallowed, DO NOT induce vomiting unless told to do so by a physician or poison control center. Rinse mouth with water. Never give anything by mouth to an unconscious person. If spontaneous vomiting occurs, place on the left side with head down to prevent aspiration of liquid into the lungs. Seek immediate medical attention.
If swallowed, DO NOT induce vomiting unless told to do so by a physician or poison control center. Rinse mouth with water. Never give anything by mouth to an unconscious person. If spontaneous vomiting occurs, place on the left side with head down to prevent aspiration of liquid into the lungs. If symptoms develop or persist, seek medical advice/attention.

Self-Protection of the first aider:

Not determined or not available.

4.2 Most important symptoms and effects, both acute and delayed

Acute symptoms and effects:

Exposure to skin may result in redness, pain, burning, inflammation and tissue damage. Exposure to eyes may result in irritation, redness, pain, inflammation, itching, burning, tearing, corneal damage and loss of vision. Exposure via inhalation may result in cough, sore throat, burning sensation and shortness of breath. Exposure via ingestion may result in burns of the mouth and throat, abdominal pain, burning sensation in the throat and chest, nausea, vomiting, shock or collapse.
Eye contact may result in irritation, redness, pain, inflammation, itching, burning, tearing, corneal damage and loss of vision.
Causes damage to organs. Effects are dependent on exposure (dose, concentration, contact time).

Delayed symptoms and effects:

Effects are dependent on exposure (dose, concentration, contact time).
Causes damage to organs through prolonged or repeated exposure. Effects are dependent on exposure (dose, concentration, contact time).

4.3 Indication of any immediate medical attention and special treatment needed

Specific treatment:

In case of eye contact, seek prompt medical attention while rinsing is continued.
In case of skin contact, seek prompt medical attention while rinsing is continued.
In case of ingestion, seek prompt medical attention.
If exhibiting symptoms of exposure, seek prompt medical attention.

Notes for the doctor:

Treat symptomatically.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media:

Water mist/fog, carbon dioxide, dry chemical or alcohol resistant foam.

Unsuitable extinguishing media:

Do not use water jet.

5.2 Special hazards arising from the substance or mixture:

Thermal decomposition may produce irritating/toxic fumes/gases.

5.3 Advice for firefighters

Personal protection equipment:

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full-face piece operated in positive pressure mode.

Special precautions:

Avoid contact with skin, eyes, hair and clothing. Do not breathe fumes/gas/mists/aerosols/vapors/dusts. Move containers from fire area if safe to do so. Use water spray/fog for cooling fire exposed containers. Avoid unnecessary run-off of extinguishing media which may cause pollution.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures:

Evacuate unnecessary personnel. Ventilate area. Extinguish any sources of ignition. Wear recommended personal protective equipment (see Section 8). Avoid contact with skin, eyes and clothing. Avoid breathing mist, vapor, dust, fume and spray. Do not walk through spilled material. Wash thoroughly after handling.

6.2 Environmental precautions:

Prevent further leakage or spillage if safe to do so. Prevent from reaching drains, sewers and waterways. Discharge into the environment must be avoided.

6.3 Methods and material for containment and cleaning up:

Do not touch damaged containers or spilled material unless wearing appropriate personal protective clothing. Stop leak if you can do it without risk. Contain and collect spillage and place in suitable container for future disposal. Dispose of in accordance with all applicable regulations (see Section 13).

6.4 Reference to other sections:

For personal protective equipment see Section 8. For disposal see Section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling:

Use appropriate personal protective equipment (see Section 8). Prevent skin contact. Do not get in eyes. Use only with adequate ventilation. Do not add water to the corrosive product. If it is necessary to mix a corrosive product with water, do so slowly adding the corrosive to cold water, in small amounts, and stir frequently. Avoid breathing mist/vapor/spray/dust. Do not eat, drink, smoke, or use personal products when handling chemical substances. Wash affected areas thoroughly after handling. Keep away from incompatible materials (See Section 10). Keep containers tightly closed when not in use. Keep only in original packaging.

7.2 Conditions for safe storage, including any incompatibilities:

Store in cool, dry, well-ventilated location out of direct sunlight and away from exit paths. Store in a corrosion-resistant container with a resistant inner liner. Inspect containers and storage area regularly for signs of leak and damage. Store containers at a convenient height for handling, below eye level if possible. High shelving increases the risk of dropping containers, personal injury and exposure. Ensure that appropriate fire fighting and spill-clean up equipment is readily available. Keep away from food and beverages. Protect from freezing and physical damage. Store away from heat, open flames and other sources of ignition. Store separately. Keep container tightly sealed. Store away from incompatible materials (See Section 10).

Store between +2°C and +8°C.

7.3 Specific end use(s):

Refer to Section 1 (Recommended Use).

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Only those substances with limit values have been included below.

Occupational Exposure limit values:

Country (Legal Basis)	Substance	Identifier	Permissible concentration
Bulgaria	Sulfuric acid	7664-93-9	TWA: 0.05 mg/m³ (Aerosols)
	Ammonium molybdate (VI) tetrahydrate	12054-85-2	TWA: 10 mg/m³ (Molybdenum and its compounds, as Mo)

Inorganic Phosphorus

Country (Legal Basis)	Substance	Identifier	Permissible concentration
Croatia	Sulfuric acid	7664-93-9	8-Hour TWA: 0.05 mg/m³
	Ammonium molybdate (VI) tetrahydrate	12054-85-2	TWA: 5 mg/m³ (Soluble Molybdenum compounds, as Mo)
	Ammonium molybdate (VI) tetrahydrate	12054-85-2	15-Minute STEL: 10 mg/m³ (Soluble Molybdenum compounds, as Mo)
Czech Republic	Sulfuric acid	7664-93-9	8-Hour TWA: 0.05 mg/m³ (Concentrated acid mist, thoracic fraction)
	Sulfuric acid	7664-93-9	8-Hour TWA: 1 mg/m³ (as SO3, thoracic fraction)
	Sulfuric acid	7664-93-9	Ceiling Limit: 2 mg/m³ (as SO3, thoracic fraction)
	Ammonium molybdate (VI) tetrahydrate	12054-85-2	8-Hour TWA: 5 mg/m³ (Molybdenum compounds, as Mo)
	Ammonium molybdate (VI) tetrahydrate	12054-85-2	Ceiling Limit: 25 mg/m³ (Molybdenum compounds, as Mo)
Estonia	Sulfuric acid	7664-93-9	8-Hour TWA: 0.05 mg/m³
	Ammonium molybdate (VI) tetrahydrate	12054-85-2	8-Hour TWA: 5 mg/m³ (Molybdenum, soluble compounds, as Mo)
Hungary	Sulfuric acid	7664-93-9	8-Hour TWA: 0.05 mg/m³
	Ammonium molybdate (VI) tetrahydrate	12054-85-2	8-Hour TWA: 5 mg/m³ (Molybdenum compounds, soluble, as Mo)
Latvia	Sulfuric acid	7664-93-9	8-Hour TWA: 0.05 mg/m³
Lithuania	Sulfuric acid	7664-93-9	8-Hour TWA: 0.05 mg/m³ (Mist)
	Sulfuric acid	7664-93-9	15-Minute STEL: 3 mg/m³ (Mist)
	Ammonium molybdate (VI) tetrahydrate	12054-85-2	8-Hour TWA: 5 mg/m³ (Molybdenum and its highly soluble compounds)
Poland	Sulfuric acid	7664-93-9	8-Hour TWA: 0.05 mg/m³ (Thoracic fraction)
	Ammonium molybdate (VI) tetrahydrate	12054-85-2	8-Hour TWA: 4 mg/m³ (Molybdenum and compounds, as Mo)
	Ammonium molybdate (VI) tetrahydrate	12054-85-2	15-Minute STEL: 10 mg/m³ (Molybdenum and compounds, as Mo)
Romania	Sulfuric acid	7664-93-9	8-Hour TWA: 0.05 mg/m³ (Thoracic fraction)
	Ammonium molybdate (VI) tetrahydrate	12054-85-2	8-Hour TWA: 2 mg/m³ (Molybdenum, soluble compounds, as Mo)
	Ammonium molybdate (VI) tetrahydrate	12054-85-2	15-Minute STEL: 5 mg/m³ (Molybdenum, soluble compounds, as Mo)
Slovakia	Sulfuric acid	7664-93-9	8-Hour TWA: 0.05 mg/m³

Inorganic Phosphorus

Country (Legal Basis)	Substance	Identifier	Permissible concentration
	Ammonium molybdate (VI) tetrahydrate	12054-85-2	8-Hour TWA: 5 mg/m³ (Molybdenum and soluble compounds, as Mo)
Slovenia	Sulfuric acid	7664-93-9	8-Hour TWA: 0.05 mg/m³ (Inhalable fraction)
	Sulfuric acid	7664-93-9	15-Minute STEL: 0.05 mg/m³ (Inhalable fraction)
Austria	Sulfuric acid	7664-93-9	TWA: 0.1 mg/m³ (inhalable fraction)
	Sulfuric acid	7664-93-9	Ceiling Limit: 0.2 mg/m³ (Inhalable fraction)
	Ammonium molybdate (VI) tetrahydrate	12054-85-2	8-Hour TWA: 5 mg/m³ (Molybdenum compounds, soluble, as Mo, inhalable fraction)
	Ammonium molybdate (VI) tetrahydrate	12054-85-2	STEL: 10 mg/m³ (Molybdenum compounds, soluble, as Mo, inhalable fraction [4 x 15 min])
Belgium	Sulfuric acid	7664-93-9	8-Hour TWA: 0.2 mg/m³ (Mist)
	Ammonium molybdate (VI) tetrahydrate	12054-85-2	8-Hour TWA: 0.5 mg/m³ (Molybdenum, soluble compounds, as Mo, respirable fraction)
Denmark	Sulfuric acid	7664-93-9	TWA: 0.05 mg/m³ (Thoracic fraction)
	Ammonium molybdate (VI) tetrahydrate	12054-85-2	8-Hour TWA: 5 mg/m³ (Molybdenum compounds, soluble, as Mo)
	Ammonium molybdate (VI) tetrahydrate	12054-85-2	STEL: 10 mg/m³ (Molybdenum compounds, soluble, as Mo)
Finland	Sulfuric acid	7664-93-9	8-Hour TWA: 0.05 mg/m³ (Thoracic fraction)
	Sulfuric acid	7664-93-9	15-Minute STEL: 0.1 mg/m³ (Thoracic fraction)
	Ammonium molybdate (VI) tetrahydrate	12054-85-2	8-Hour TWA: 0.5 mg/m³ (Molybdenum and soluble compounds, as Mo)
France	Sulfuric acid	7664-93-9	TWA: 0.05 mg/m³ (Thoracic fraction)
	Sulfuric acid	7664-93-9	15-Minute STEL: 3 mg/m³ (Indicative)
	Ammonium molybdate (VI) tetrahydrate	12054-85-2	8-Hour TWA: 5 mg/m³ (Molybdenum compounds, soluble, as Mo)
	Ammonium molybdate (VI) tetrahydrate	12054-85-2	15-Minute STEL: 10 mg/m³ (Molybdenum compounds, soluble, as Mo)
Germany (TRGS 900)	Sulfuric acid	7664-93-9	Limit Value: 0.1 mg/m³ (Inhalable fraction)
Greece	Sulfuric acid	7664-93-9	8-Hour TWA: 0.05 mg/m³ (Mist)

Inorganic Phosphorus

Country (Legal Basis)	Substance	Identifier	Permissible concentration
	Ammonium molybdate (VI) tetrahydrate	12054-85-2	8-Hour TWA: 5 mg/m³ (Molybdenum compounds, soluble, as Mo)
Ireland	Sulfuric acid	7664-93-9	8-Hour TWA: 0.05 mg/m³
	Ammonium molybdate (VI) tetrahydrate	12054-85-2	8-Hour TWA: 10 mg/m³ (Molybdenum compounds, soluble, as Mo, inhalable fraction)
Italy	Sulfuric acid	7664-93-9	8-Hour TWA: 0.05 mg/m³ (Mist)
	Ammonium molybdate (VI) tetrahydrate	12054-85-2	8-Hour TWA: 0.5 mg/m³ (Molybdenum compounds, soluble, as Mo, respirable fraction)
Luxembourg	Sulfuric acid	7664-93-9	TWA: 0.05 mg/m³ (Thoracic fraction)
The Netherlands	Sulfuric acid	7664-93-9	8-Hour TWA: 0.05 mg/m³ (Thoracic fraction)
Portugal	Sulfuric acid	7664-93-9	8-Hour TWA: 0.2 mg/m³ (Thoracic fraction; [NP-1796-2014])
	Sulfuric acid	7664-93-9	8-Hour TWA: 0.05 mg/m³ (Respirable and inhalable mist; [Decree-Law No. 24/2012])
	Ammonium molybdate (VI) tetrahydrate	12054-85-2	8-Hour TWA: 0.5 mg/m³ (Molybdenum compounds, soluble, as Mo, respirable fraction)
Spain	Sulfuric acid	7664-93-9	8-Hour TWA: 0.05 mg/m³ (Mist)
	Ammonium molybdate (VI) tetrahydrate	12054-85-2	8-Hour TWA: 0.5 mg/m³ (Molybdenum compounds, soluble, as Mo, respirable fraction)
Sweden	Sulfuric acid	7664-93-9	Level Limit Value: 0.1 mg/m³ (Inhalable dust)
	Sulfuric acid	7664-93-9	Short Term Limit Value: 0.2 mg/m³ (Inhalable dust)
	Ammonium molybdate (VI) tetrahydrate	12054-85-2	8-Hour TWA: 5 mg/m³ (Molybdenum compounds, soluble, as Mo)
United Kingdom	Sulfuric acid	7664-93-9	8-Hour TWA: 0.05 mg/m³ (Mist, as thoracic fraction)
	Ammonium molybdate (VI) tetrahydrate	12054-85-2	8-Hour TWA: 5 mg/m³ (Molybdenum compounds, soluble, as Mo)
	Ammonium molybdate (VI) tetrahydrate	12054-85-2	15-Minute STEL: 10 mg/m³ (Molybdenum compounds, soluble, as Mo)
Germany (MAK)	Sulfuric acid	7664-93-9	8-Hour TWA: 0.1 mg/m³ (Inhalable fraction)
Cyprus	Sulfuric acid	7664-93-9	TWA Exposure Limit Value: 0.05 mg/m³

Inorganic Phosphorus

Country (Legal Basis)	Substance	Identifier	Permissible concentration
European Union	Sulfuric acid	7664-93-9	Threshold Limit Value (TLV): 0.05 mg/m³ (IOEL)
	Sulfuric acid	7664-93-9	8-Hour TWA: 0.05 mg/m³ (SCOEL)
Malta	Sulfuric acid	7664-93-9	TWA: 0.05 mg/m³ (Mist)

Biological limit values:

No biological exposure limits noted for the ingredient(s).

Derived No Effect Level (DNEL):

Ingredient Name: Sulfuric acid

CAS #: 7664-93-9

Workers - Systemic Effects	Acute - Oral	Not determined or not applicable.
	Acute - Inhalation	No hazard identified
	Acute - Dermal	No hazard identified
	Chronic - Oral	Not determined or not applicable.
	Chronic - Inhalation	No hazard identified
	Chronic - Dermal	No hazard identified
Workers - Local Effects	Acute - Oral	Not determined or not applicable.
	Acute - Inhalation	0.1 mg/m³
	Acute - Dermal	Hazard identified but no DNEL available
	Chronic - Oral	Not determined or not applicable.
	Chronic - Inhalation	0.05 mg/m³
	Chronic - Dermal	Hazard identified but no DNEL available
General Population - Systemic Effects	Acute - Oral	No hazard identified
	Acute - Inhalation	No hazard identified
	Acute - Dermal	Hazard identified but no DNEL available
	Chronic - Oral	No hazard identified
	Chronic - Inhalation	No hazard identified
	Chronic - Dermal	Hazard identified but no DNEL available
General Population - Local Effect	Acute - Oral	Not determined or not applicable.
	Acute - Inhalation	Hazard identified but no DNEL available
	Acute - Dermal	Hazard identified but no DNEL available
	Chronic - Oral	Not determined or not applicable.
	Chronic - Inhalation	Hazard identified but no DNEL available
	Chronic - Dermal	Hazard identified but no DNEL available

Predicted No Effect Concentration (PNEC):

Ingredient Name: Sulfuric acid

CAS #: 7664-93-9

Environmental Protection Target	PNEC
Fresh water	No hazard identified
Freshwater sediments	No hazard identified
Marine water	No hazard identified
Marine sediments	No hazard identified

Microorganisms in sewage treatment	Not determined or not available.
Soil (agricultural)	No hazard identified
Air	No hazard identified
Oral (Secondary Poisoning)	No hazard identified

Information on monitoring procedures:

Not determined or not applicable.

8.2 Exposure controls

Appropriate engineering controls:

Emergency eye wash stations and safety showers should be available in the immediate vicinity of use or handling. Provide adequate ventilation to maintain the airborne concentrations of vapor, mists, and/or dusts below the applicable workplace exposure limits, while observing recognized national standards (or equivalent).

Personal protection equipment

Eye and face protection:

Use safety glasses with side shields or goggles. Consider the use of a face shield for splash protection. Use eye protection equipment that has been tested and approved by recognized national standards (or equivalent).

Safety glasses or goggles. Use eye protection equipment that has been tested and approved by recognized national standards (or equivalent).

Skin and body protection:

Chemical resistant, impervious gloves approved by the appropriate standards. Gloves must be inspected prior to use. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated. Avoid skin contact with used gloves. Appropriate techniques should be used to remove used gloves and contaminated clothing. Full body protection should be worn. Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. Ensure that all personal protective equipment is approved by recognized national standards (or equivalent).

Chemical resistant, impervious gloves approved by the appropriate standards. Gloves must be inspected prior to use. Avoid skin contact with used gloves. Appropriate techniques should be used to remove used gloves and contaminated clothing. Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. Ensure that all personal protective equipment is approved by recognized national standards (or equivalent).

Respiratory protection:

If engineering controls do not maintain airborne concentrations below the applicable workplace exposure limits, or to an acceptable level (if exposure limits have not been established), a respirator approved by recognized national standards (or equivalent) must be worn.

General hygienic measures:

When handling chemical products, do not eat, drink or smoke. Wash hands after handling, before breaks, and at the end of the workday. Avoid contact with skin, eyes and clothing. Wash contaminated clothing before reuse. Perform routine housekeeping.

Environmental exposure controls:

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation.

Product (substance / mixture) related measures to prevent exposure:	Not determined or not applicable.

Instruction measures to prevent exposure:	Not determined or not applicable.
Organisational measures to prevent exposure:	Not determined or not applicable.
Technical measures to prevent exposure:	Not determined or not applicable.

Risk management measures to control exposure:
Not determined or not applicable.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical State	Reagent provided as a stable liquid.
Color	Clear and colorless.
Odor/Odor threshold	Not Available
pH	Reagent = 1.00
Melting point/freezing point	Not Available
Initial boiling point/range	Not Available
Flash point (closed cup)	Not Available
Flammability	Not Available
Upper flammability/explosive limit	Not Available
Lower flammability/explosive limit	Not Available
Vapor pressure	Not Available
Relative vapor density	Not Available
Density	Not Available
Relative density	Not Available
Solubilities	Not Available
Partition coefficient (n-octanol/water)	Not Available
Auto/Self-ignition temperature	Not Available
Decomposition temperature	Not determined or not available.
Kinematic viscosity	Not determined or not available.
Particle characteristics	Not determined or not available.

9.2 Other information

9.2.1 Information with regard to physical hazard classes

Explosives	No data available/Not applicable
Flammable gases	No data available/Not applicable
Aerosols	No data available/Not applicable
Oxidizing gases	No data available/Not applicable
Gases under pressure	No data available/Not applicable
Flammable liquids	No data available/Not applicable
Flammable solids	No data available/Not applicable
Self-reactive substances and mixtures	No data available/Not applicable
Pyrophoric liquids	No data available/Not applicable
Pyrophoric solids	No data available/Not applicable
Self-heating substances and mixtures	No data available/Not applicable

Substances and mixtures, which emit flammable gases in contact with water	No data available/Not applicable
Oxidizing liquids	No data available/Not applicable
Oxidizing solids	No data available/Not applicable
Organic peroxides	No data available/Not applicable
Corrosive to metals	No data available/Not applicable
Desensitized explosives	No data available/Not applicable

9.2.2 Other safety characteristics

None.

SECTION 10: Stability and reactivity

10.1 Reactivity:

Not reactive under recommended handling and storage conditions.

10.2 Chemical stability:

Stable under recommended handling and storage conditions.

10.3 Possibility of hazardous reactions:

Hazardous reactions are not anticipated under recommended conditions of handling and storage.

10.4 Conditions to avoid:

Avoid generation of aerosols and mists, extreme heat, open flames, hot surfaces, sparks, ignition sources and incompatible materials.
Extreme heat, open flames, hot surfaces, sparks, ignition sources and incompatible materials.

10.5 Incompatible materials:

None known.

10.6 Hazardous decomposition products:

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data:

Name	Route	Result
Sulfuric acid	oral	LD50 Rat: 2140 mg/kg
Ammonium molybdate (VI) tetrahydrate	oral	LD50 Rat: 333 mg/kg

Skin corrosion/irritation

Assessment:

Causes severe skin burns and eye damage.

Product data:

No data available.

Substance data:

Name	Result

Name	Result
Sulfuric acid	Causes severe skin burns.
Ammonium molybdate (VI) tetrahydrate	Causes skin irritation.

Serious eye damage/irritation

Assessment:

Causes serious eye damage.

Product data:

No data available.

Substance data:

Name	Result
Sulfuric acid	Causes serious eye damage.
Ammonium molybdate (VI) tetrahydrate	Causes serious eye irritation.

Respiratory or skin sensitization

Assessment: Based on available data, the classification criteria are not met.

Product data:

No data available.

Substance data: No data available.

Carcinogenicity

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data: No data available.

International Agency for Research on Cancer (IARC):

Name	Classification
Sulfuric acid	Group 1
Ammonium molybdate (VI) tetrahydrate	Not Applicable

Germ cell mutagenicity

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data: No data available.

Reproductive Toxicity

Assessment: Based on available data, the classification criteria are not met.

Product data:

No data available.

Substance data: No data available.

Specific target organ toxicity (single exposure)

Assessment:

Causes damage to organs.

Product data:

No data available.

Substance data:

Name	Result
Ammonium molybdate (VI) tetrahydrate	May cause respiratory irritation.

Specific target organ toxicity (repeated exposure)

Assessment:

Causes damage to organs through prolonged or repeated exposure.

Product data:

No data available.

Substance data:

Name	Result
Sulfuric acid	Repeated or prolonged inhalation may damage the lungs. Risk of tooth erosion upon repeated or prolonged exposure to an aerosol of this substance.

Aspiration toxicity

Assessment: Based on available data, the classification criteria are not met.

Product data:

No data available.

Substance data: No data available.

Information on likely routes of exposure:

No data available.

Symptoms related to the physical, chemical and toxicological characteristics:

No data available.

11.2 Information on other hazards

Endocrine disrupting properties:

Substance data: No data available.

Other information:

No data available.

SECTION 12: Ecological information

12.1 Toxicity

Acute (short-term) toxicity

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data:

Name	Result
Sulfuric acid	Aquatic Plants EC50 Algae: >100 mg/L (72 hr [growth rate])
	Fish EC50 Lepomis macrochirus: >16 - <28 mg/L (96 hr)
	Aquatic Invertebrates EC50 Daphnia magna: >100 mg/L (48 hr [mobility])
Ammonium molybdate (VI) tetrahydrate	Fish LC50 Barbus barbus: 550 mg/L (96 hr [read-across])
	Aquatic Invertebrates LC50 Eupagurus bernhardus: > 191 - < 254 mg/L (48 hr [read-across])

Chronic (long-term) toxicity

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data: No data available.

12.2 Persistence and degradability

Product data: No data available.

Substance data:

Name	Result
Ammonium molybdate (VI) tetrahydrate	Biodegradability studies are not applicable to inorganic substances.

12.3 Bioaccumulative potential

Product data: No data available.

Substance data: No data available.

12.4 Mobility in soil

Product data: No data available.

Substance data: No data available.

12.5 Results of PBT and vPvB assessment

Product data:

PBT assessment: This product does not contain any substances that are assessed to be a PBT.
vPvB assessment: This product does not contain any substances that are assessed to be a vPvB.

Substance data:

PBT assessment:

Sulfuric acid	PBT assessment does not apply to inorganic substances.
Ammonium molybdate (VI) tetrahydrate	PBT assessment does not apply to inorganic substances.

vPvB assessment:

Sulfuric acid	vPvB assessment does not apply to inorganic substances.
Ammonium molybdate (VI) tetrahydrate	vPvB assessment does not apply to inorganic substances.

12.6 Endocrine disrupting properties

Substance data: No data available.

12.7 Other adverse effects: No data available.

12.8 Hazard to the ozone layer

Assessment: Based on available data, the classification criteria are not met.
Product data: No data available.
Substance data: No data available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

13.1.1 Product / Packaging disposal:

Dilute with large volumes of water and dispose of into sewer system, in accordance with local regulations.

Waste codes / waste designations according to LoW: Not determined or not available.

13.1.2 Waste treatment-relevant information: Not determined or not available.

13.1.3 Sewage disposal-relevant information: Not determined or not available.

13.1.4 Other disposal recommendations: It is the responsibility of the waste generator to properly characterize all waste materials according to applicable regulatory entities

SECTION 14: Transport information

International Carriage of Dangerous Goods by Road/Rail (ADR/RID)

Inorganic Phosphorus

UN number or ID number	Not regulated
UN proper shipping name	Not regulated
UN transport hazard class(es)	None
Packing group	None
Environmental hazards	None
Special precautions for user	None

International Carriage of Dangerous Goods by Inland Waterways (ADN)

UN number or ID number	Not regulated
UN proper shipping name	Not regulated
UN transport hazard class(es)	None
Packing group	None
Environmental hazards	None
Special precautions for user	None

International Maritime Dangerous Goods (IMDG)

UN number or ID number	Not regulated
UN proper shipping name	Not regulated
UN transport hazard class(es)	None
Packing group	None
Environmental hazards	None
Special precautions for user	None

International Air Transport Association Dangerous Goods Regulations (IATA-DGR)

UN number or ID number	Not regulated
UN proper shipping name	Not regulated
UN transport hazard class(es)	None
Packing group	None
Environmental hazards	None
Special precautions for user	None

Maritime Transport in Bulk according to IMO Instruments

Bulk Name	None
Ship type	None
Pollution category	None
IMO hazard class	None
Environmental hazards	None
Material hazardous only in bulk	None
Cargo Group	None

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture.

European regulations

Inventory listing (EINECS):

7664-93-9	Sulfuric acid	Listed
12054-85-2	Ammonium molybdate (VI) tetrahydrate	Not Listed

REACH SVHC candidate list: None of the ingredients are listed.

REACH SVHC Authorizations: None of the ingredients are listed.

REACH Restriction: All ingredients are listed or exempt.

Water hazard class (WGK) (Product): Not determined.

Water hazard class (WGK) (Substance):

Ingredient Name	CAS	Class
Sulfuric acid	7664-93-9	Water hazard class 1: slightly hazardous to water
Ammonium molybdate (VI) tetrahydrate	12054-85-2	Water hazard class 1: slightly hazardous to water

Other regulations

Germany TA Luft: None of the ingredients are listed.

Additional information: Not determined.

15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

SECTION 16: Other information

Abbreviations and Acronyms: None

Classification procedure:

Classification according to Regulation (EC) No. 1272/2008 (CLP)	Method Used
Skin corrosion, category 1A	Expert judgement
Serious eye damage, category 1	Expert judgement
Specific target organ toxicity - single exposure, category 1	Expert judgement
Specific target organ toxicity - repeated exposure, category 1	Expert judgement

Summary of classification(s) in section 3:

Skin Corr. 1A	Skin corrosion, category 1A
Eye Dam. 1	Serious eye damage, category 1
Acute Tox. 4 (Oral)	Acute toxicity (oral), category 4
Skin Irrit. 2	Skin irritation, category 2
STOT SE 3 (RI)	Specific target organ toxicity - single exposure, category 3, respiratory tract irritation

Summary of hazard statements in section 3:

H314	Causes severe skin burns and eye damage
H318	Causes serious eye damage
H302	Harmful if swallowed
H315	Causes skin irritation
H335	May cause respiratory irritation

Disclaimer:

This product has been classified in accordance with EC No. 1272/2008 (CLP), as amended by Commission Regulation (EU) 2019/521 and Commission Delegated Regulation (EU) 2020/217, and EC No. 1907/2006 (REACH), as amended by Commission Regulation (EU) 2020/878. The information provided in this SDS is correct, to the best of our knowledge, based on information available. The information given is designed

only as a guidance for safe handling, use, storage, transportation, and disposal and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials, unless specified in the text. The responsibility to provide a safe workplace remains with the user.

Initial preparation date: 2023-11-09

End of Safety Data Sheet