


LOT PX 439
Rev 1

CONTROL

 (Exp.) 2023-03-05
(YYYY - MM - DD)

PARAMETRES PARAMETERS		UNITES UNITS	Lysebio									
			CONTROL		L	CONTROL		N	CONTROL		H	TOLERANCES TOLERANCE
			YUMIZEN		TOLERANCES TOLERANCE	YUMIZEN		TOLERANCES TOLERANCE	YUMIZEN		TOLERANCES TOLERANCE	
			H1500	H2500		H1500	H2500		H1500	H2500		
GB WBC	10 ⁹ /mm ³ ; 10 ⁹ /l	2.45	2.45	± 0.40	7.25	7.25	± 1.00	17.70	17.70	± 2.20		
GR RBC	10 ⁶ /mm ³ ; 10 ¹² /l	2.43	2.43	± 0.16	4.62	4.62	± 0.20	5.20	5.20	± 0.25		
HB HGB	g/dl	6.2	6.2	± 0.4	13.8	13.8	± 0.5	16.6	16.6	± 0.6		
	g/l	62	62	± 4	138	138	± 5	166	166	± 6		
	mmol/l	3.85	3.85	± 0.25	8.57	8.57	± 0.31	10.31	10.31	± 0.37		
HT HCT	%	18.5	18.5	± 1.5	40.2	40.2	± 2.0	48.6	48.6	± 2.5		
	l/l	0.185	0.185	± 0.015	0.402	0.402	± 0.020	0.486	0.486	± 0.025		
VGM MCV	µm ³ ; fl	76.0	76.0	± 5.0	87.0	87.0	± 5.0	93.5	93.5	± 5.0		
TGMH MCH	pg	25.5	25.5	± 2.0	29.9	29.9	± 2.0	31.9	31.9	± 2.5		
	fmol	1.58	1.58	± 0.12	1.85	1.85	± 0.12	1.98	1.98	± 0.16		
CCMH MCHC	g/dl	33.6	33.6	± 3.0	34.3	34.3	± 3.0	34.1	34.1	± 3.0		
	g/l	336	336	± 30	343	343	± 30	341	341	± 30		
	mmol/l	20.85	20.85	± 1.86	21.32	21.32	± 1.86	21.20	21.20	± 1.86		
IDR-CV RDW-CV	%	14.0	14.0	± 4.0	12.0	12.0	± 4.0	11.5	11.5	± 4.0		
PLAQ. PLTS	10 ³ /mm ³ ; 10 ⁹ /l	73	73	± 20	260	260	± 30	510	510	± 50		
VPM MPV	µm ³ ; fl	8.5	8.5	± 2.0	8.6	8.6	± 2.0	9.1	9.1	± 2.0		
NEUT	#	1.27	1.27	± 0.35	3.80	3.80	± 0.90	12.78	12.78	± 1.90		
	%	51.7	51.7	± 10.0	52.4	52.4	± 10.0	72.2	72.2	± 10.0		
LYMPHO	#	0.73	0.73	± 0.33	2.43	2.43	± 0.70	2.57	2.57	± 1.50		
	%	29.6	29.6	± 12.0	33.5	33.5	± 8.0	14.5	14.5	± 8.0		
MONO	#	0.21	0.21	± 0.21	0.46	0.46	± 0.41	0.85	0.85	± 0.77		
	%	8.4	8.4	± 8.4	6.3	6.3	± 5.7	4.8	4.8	± 4.3		
EOS	#	0.15	0.15	± 0.15	0.27	0.27	± 0.27	0.71	0.71	± 0.71		
	%	6.1	6.1	± 6.1	3.7	3.7	± 3.7	4.0	4.0	± 4.0		
BASO	#	0.10	0.10	± 0.10	0.30	0.30	± 0.20	0.80	0.80	± 0.40		
	%	4.2	4.2	± 2.5	4.1	4.1	± 3.0	4.5	4.5	± 2.5		
IDR-SD RDW-SD	fl	41.0	41.0	± 4.0	40.0	40.0	± 4.0	40.5	40.5	± 4.0		
ERB NRBC	#	0.42	0.42	± 0.13	1.41	1.41	± 0.30	1.13	1.13	± 0.25		
	%	17.2	17.2	± 4.0	19.5	19.5	± 5.0	6.4	6.4	± 1.5		
PLTS OPT	10 ³ /mm ³ ; 10 ⁹ /l	N/A	77	± 30	N/A	247	± 40	N/A	482	± 50		

1300105209
BACK / VERSO
Ref: TEMP-0821 Rev.47