

# ABX Minocal



**LOT**

**CX 495**

**CAL**



**(Exp.) 2024-07-05**

Rev 1

(YYYY - MM - DD)

PARAMETRES PARAMETERS	UNITES UNITS	WHITEDIFF								TOLERANCES TOLERANCE	
		YUMIZEN V1.0 to V2.x				YUMIZEN since V3					
		H550	H500 OT H500 CT			H500 OT	H500 CT H550				
GB WBC	10 <sup>3</sup> /mm <sup>3</sup> ;10 <sup>9</sup> /l	<b>8.90</b>	<b>8.90</b>			<b>8.90</b>	<b>8.90</b>				± 0.20
GR RBC	10 <sup>6</sup> /mm <sup>3</sup> ;10 <sup>12</sup> /l	<b>4.50</b>	<b>4.50</b>			<b>4.47</b>	<b>4.47</b>				± 0.06
HB HGB	g/dl	<b>12.9</b>	<b>12.9</b>			<b>13.0</b>	<b>13.0</b>				± 0.2
	g/l	<b>129</b>	<b>129</b>			<b>130</b>	<b>130</b>				± 2
	mmol/l	<b>8.01</b>	<b>8.01</b>			<b>8.07</b>	<b>8.07</b>				± 0.12
HT HCT	%	<b>37.4</b>	<b>37.4</b>			<b>36.6</b>	<b>35.2</b>				± 1.0
	l/l	<b>0.374</b>	<b>0.374</b>			<b>0.366</b>	<b>0.352</b>				± 0.010
PLA PLT	10 <sup>3</sup> /mm <sup>3</sup> ;10 <sup>9</sup> /l	<b>242</b>	<b>242</b>			<b>244</b>	<b>257</b>				± 10
VMP MPV	μm <sup>3</sup> ; fl	<b>9.8</b>	<b>9.8</b>			N/A	N/A				± 0.5

Ref: TEMP-0387 Rev.51 BACK / VERSO 1300113555