

LOT

CX 518

CAL



(Exp.) 2026-06-05

(YYYY - MM - DD)

Rev 1

PARAMETRES PARAMETERS	UNITES UNITS	WHITEDIFF									TOLERANCES TOLERANCE
		YUMIZEN	YUMIZEN	YUMIZEN	YUMIZEN	YUMIZEN	YUMIZEN	YUMIZEN	YUMIZEN	YUMIZEN	
		H500 OT H500 CT H550 v1.0 to v2.x	H500 OT v3.x Only	H500 CT H550 v3.0 to v3.3	H560 v3.0 to v3.3	H500 OT H500E OT Since v4.x	H500 CT H500E CT H550 H550E Since v4.x	H500 CRP v3.0 to v3.3	H560 v3.0 to v3.3	H560 Since v3.4	
GB WBC	10 ³ /mm ³ ;10 ⁹ /l	8.80		8.80	8.80	8.80	8.85	8.85	8.85	8.85	± 0.20
GR RBC	10 ⁶ /mm ³ ;10 ¹² /l	4.50		4.48	4.48	4.48	4.56	4.56	4.56	4.56	± 0.06
HB HGB	g/dl	13.1		13.1	13.1	13.1	13.1	13.1	13.1	13.1	± 0.2
	g/l	131		131	131	131	131	131	131	131	± 2
	mmol/l	8.14		8.14	8.14	8.14	8.14	8.14	8.14	8.14	± 0.12
HT HCT	%	38.0		35.6	35.4	35.4	37.6	38.9	38.9	38.9	± 1.0
	l/l	0.380		0.356	0.354	0.354	0.376	0.389	0.389	0.389	± 0.010
PLA PLT	10 ³ /mm ³ ;10 ⁹ /l	233		236	251	251	249	233	233	233	± 10
VMP MPV	µm ³ ; fl	10.1		N/A	N/A	N/A	N/A	N/A	N/A	N/A	± 0.5

Ref: TEMP-0387 Rev.53