

**LOT**

**CX 519**

**CAL**



**(Exp.) 2026-07-05**

(YYYY - MM - DD)

Rev 1

PARAMETRES PARAMETERS	UNITES UNITS	WHITEDIFF									TOLERANCES TOLERANCE
		YUMIZEN	YUMIZEN	YUMIZEN	YUMIZEN	YUMIZEN	YUMIZEN	YUMIZEN	YUMIZEN	YUMIZEN	
		H500 OT H500 CT H550  v1.0 to v2.x	H500 OT   v3.x Only	H500 CT H550  v3.0 to v3.3	H560   Since v4.x	H500 OT H500E OT	H500 CT H500E CT H550 H550E	H500 CRP	H560  Since v3.4		
GB WBC	10 <sup>3</sup> /mm <sup>3</sup> ;10 <sup>9</sup> /l	8.85		8.75	8.75	8.75	8.85	8.85	8.85	8.85	± 0.20
GR RBC	10 <sup>6</sup> /mm <sup>3</sup> ;10 <sup>12</sup> /l	4.34		4.30	4.30	4.30	4.36	4.36	4.36	4.36	± 0.06
HB HGB	g/dl	12.4		12.5	12.5	12.5	12.3	12.3	12.3	12.3	± 0.2
	g/l	124		125	125	125	123	123	123	123	± 2
	mmol/l	7.70		7.76	7.76	7.76	7.64	7.64	7.64	7.64	± 0.12
HT HCT	%	35.8		33.8	33.3	33.3	35.5	35.3	35.3	35.3	± 1.0
	l/l	0.358		0.338	0.333	0.333	0.355	0.353	0.353	0.353	± 0.010
PLA PLT	10 <sup>3</sup> /mm <sup>3</sup> ;10 <sup>9</sup> /l	239		240	257	257	243	246	246	246	± 10
VMP MPV	µm <sup>3</sup> ; fl	9.9		N/A	N/A	N/A	N/A	N/A	N/A	N/A	± 0.5

Ref: TEMP-0387 Rev.53