

LOT

CX 520

CAL



(Exp.) 2026-08-05

(YYYY - MM - DD)

Rev 1

PARAMETRES PARAMETERS	UNITES UNITS	WHITEDIFF										TOLERANCES TOLERANCE
		YUMIZEN		YUMIZEN	YUMIZEN	YUMIZEN	YUMIZEN	YUMIZEN	YUMIZEN	YUMIZEN	YUMIZEN	
		H500 OT H500 CT H550		H500 OT	H500 CT H550	H560	H500 OT H500E OT	H500 CT H500E CT H550 H550E	H500 CRP	H560		
		v1.0 to v2.x		v3.x Only		v3.0 to v3.3		Since v4.x		Since v3.4		
GB WBC	10 ³ /mm ³ ;10 ⁹ /l	8.60		8.50	8.50	8.50	8.50	8.50	8.50	8.50	8.50	± 0.20
GR RBC	10 ⁶ /mm ³ ;10 ¹² /l	4.51		4.48	4.48	4.48	4.48	4.52	4.52	4.52	4.52	± 0.06
HB HGB	g/dl	12.9		12.9	12.9	12.9	12.9	12.8	12.8	12.8	12.8	± 0.2
	g/l	129		129	129	129	129	128	128	128	128	± 2
	mmol/l	8.01		8.01	8.01	8.01	8.01	7.95	7.95	7.95	7.95	± 0.12
HT HCT	%	37.2		35.6	34.7	34.7	34.7	36.8	36.4	36.4	36.4	± 1.0
	l/l	0.372		0.356	0.347	0.347	0.347	0.368	0.364	0.364	0.364	± 0.010
PLA PLT	10 ³ /mm ³ ;10 ⁹ /l	232		232	246	246	246	241	235	235	235	± 10
VMP MPV	µm ³ ; fl	9.7		N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	± 0.5

Ref: TEMP-0387 Rev.53