

Hematology Devices (for in vitro diagnostic use)

## ABX Basolyse

### Exclusive use:

Argos/Helios (5diff)  
Micros  
Micros CRP  
Pentra 60  
Pentra 60 C+  
Pentra 80  
Pentra XL 80  
Pentra 120  
Pentra 120 Retic  
Pentra DX 120  
Slide Preparation System

15/01/05  
A95A00001B

**REF** 0204050 (5L)

**REAGENT** 5L

**IVD** 



**HORIBA ABX**  
BP 7290 - 34184 Montpellier  
cedex 4 - France

## 1. Functions

Solution for the differentiation of leucocytes subpopulations on HORIBA ABX blood cell counters <sup>a</sup>.

### Measurement procedure to be followed in using the device:

Principle of the method, specific analytical performance characteristics, analytical sensitivity, diagnostic sensitivity, analytical specificity, diagnostic specificity, accuracy, repeatability, reproducibility, limits of detection, limitations of the method and information about the use of available reference measurement procedures and materials by the user: see «Section: Specifications» in the instrument User Manual.

## 2. Conservation & expiration

**Storage conditions:** Room temperature between 18°C (65°F) to 25°C (77°F).

**Expiration date:** refer to «expiration date» reagent packaging label.

## 3. Measurements, principles & results

**Directions for use:** see «Section: Maintenance & Troubleshooting / Reagent Location and connection» in the instrument User Manual.

This reagent is for professional *in-vitro* diagnostic use only.

**Measuring Principles :** see «Section: Description & technology» in the instrument User Manual.

**Results:** see «Section: Workflow» in the instrument User Manual

**Performance data:** see «Section: Specifications» in the instrument User Manual.

Note: if performance changes, call your HORIBA ABX representative.

## 4. Composition & handling precautions

### Composition:

Hydrochloric Acid.. .....<0.001 %

Phtalic Acid..... 0.09 %

Sodium Dodecyl Sulfate ....0.02 %

**pH:** 2,7 +/- 0,2 (T = 20°C)

**Resistivity:** 720 +/- 20 Ω (T = 20°C)

**Description:** Transparent liquid in transparent plastic 5L cubitainer.

**Handling Precautions:** Avoid contact with eyes, skin and clothing. Wear laboratory gloves when handling the product. The product may be harmful if ingested or inhaled. Keep the bottle closed when not in use. Avoid contact with products which contains cyanide. Please refer to the MSDS associated with the reagent.

**Specimen Collection and Mixing:** see «Section: Workflow» in the instrument User Manual.

## 5. Limitations & waste disposal

**Limitations:** see «Section: Specifications» in the instrument User Manual.

**Safe Waste Disposal:** see «Section: Specifications» in the instrument User Manual. Please refer to the MSDS associated with the reagent.

