

HORIBA ABX SAS
 Parc Euromédecine - Rue du Caducée
 B.P. 7290
 34184 Montpellier Cedex 4
 FRANCE
 www.horiba.com

    L: 19360

 : A11A01928

04710819C

 2017/03/31

(FR) Constituant (EN) Constituent (DE) Bestandteil (ES) Componente (IT) Componente (PT) Componente (DA) Bestanddel (SV) Konstituent (EL) συστατικό (PL) Składnik (NO) Bestanddel	ABX Pentra 400	Pentra C400	Pentra C200	Unité	Valeur titrée	Intervalle de confiance	
				Unit Einheit Unidad Unità Unidade Enhed Enhet Μονάδα Jednostka Enhet	Assigned value Deklariertes Wert Valor asignado Valori assegnati Valor determinado Tildelt værdi Tilldelat värde Αναγραφόμενη τιμή Wartość przypisana Tildelt verd	Confidence range Vertrauensintervalle Intervalos de confianza Livelli di fiducia Intervalo de confiança Konfidensområde Konfidensintervall Εύρος εμπιστοσύνης Zakres ufności Konfidensspekter	
C				U	\oplus	→ ±3 SD ←	1 SD
IgA ABX Pentra IgA CP (Ref. A11A01923)	•			g/L mg/dL	1.19 119	0.90 – 1.48 90 - 148	0.097 9.7
		•		g/L mg/dL	1.19 119	0.90 – 1.48 90 - 148	0.097 9.7
			•	g/L mg/dL	1.19 119	0.90 – 1.48 90 - 148	0.097 9.7
IgG ABX Pentra IgG CP (Ref. A11A01924)	•			g/L mg/dL	6.77 677	5.42 – 8.12 542 - 812	0.450 45.0
		•		g/L mg/dL	6.77 677	5.42 – 8.12 542 - 812	0.450 45.0
			•	g/L mg/dL	6.77 677	5.42 – 8.12 542 - 812	0.450 45.0
IgM ABX Pentra IgM CP (Ref. A11A01925)	•			g/L mg/dL	0.86 86	0.62 – 1.10 62 - 110	0.080 8.0
		•		g/L mg/dL	0.86 86	0.62 – 1.10 62 - 110	0.080 8.0
			•	g/L mg/dL	0.86 86	0.62 – 1.10 62 - 110	0.080 8.0
Transferrin ABX Pentra Transferrin CP (Ref. A11A01926)	•			g/L mg/dL	1.18 118	0.94 – 1.42 94 - 142	0.080 8.0
		•		g/L mg/dL	1.18 118	0.94 – 1.42 94 - 142	0.080 8.0
			•	g/L mg/dL	1.18 118	0.94 – 1.42 94 - 142	0.080 8.0