

HORIBA ABX SAS
 Parc Euromédecine - Rue du Caducée
 B.P. 7290
 34184 Montpellier Cedex 4
 FRANCE
 www.horiba.com

    L: 21448

 : A11A01928

04710819C

 2018/07/31

(FR) Constituant (EN) Constituent (DE) Bestandteil (ES) Componente (IT) Componente (PT) Componente (DA) Bestanddel (SV) Konstituent (EL) συστατικό (PL) Składnik (NO) Bestanddel	ABX Pentra 400	Pentra C400	Pentra C200	Unité Unit Einheit Unidad Unità Unidade Enhed Enhet Μονάδα Jednostka Enhet	Valeur titrée Assigned value Deklariertes Wert Valor asignado Valori assegnati Valor determinado Tildelt værdi Tilldelat värde Αναγραφόμενη τιμή Wartość przypisana Tildelt verd	Intervalle de confiance Confidence range Vertrauensintervalle Intervalos de confianza Livelli di fiducia Intervalo de confiança Konfidensområde Konfidensintervall Εύρος εμπιστοσύνης Zakres ufności Konfidensspekter	
C				U	\oplus	→ ±3 SD ←	1 SD
IgA ABX Pentra IgA CP (Ref. A11A01923)	•			g/L mg/dL	1.30 130	0.99 – 1.61 99 - 161	0.103 10.3
		•		g/L mg/dL	1.30 130	0.99 – 1.61 99 - 161	0.103 10.3
			•	g/L mg/dL	1.30 130	0.99 – 1.61 99 - 161	0.103 10.3
IgG ABX Pentra IgG CP (Ref. A11A01924)	•			g/L mg/dL	7.33 733	5.86 – 8.80 586 - 880	0.490 49.0
		•		g/L mg/dL	7.33 733	5.86 – 8.80 586 - 880	0.490 49.0
			•	g/L mg/dL	7.33 733	5.86 – 8.80 586 - 880	0.490 49.0
IgM ABX Pentra IgM CP (Ref. A11A01925)	•			g/L mg/dL	1.02 102	0.73 – 1.31 73 - 131	0.097 9.7
		•		g/L mg/dL	1.02 102	0.73 – 1.31 73 - 131	0.097 9.7
			•	g/L mg/dL	1.02 102	0.73 – 1.31 73 - 131	0.097 9.7
Transferrin ABX Pentra Transferrin CP (Ref. A11A01926)	•			g/L mg/dL	1.28 128	1.02 – 1.54 102 - 154	0.087 8.7
		•		g/L mg/dL	1.28 128	1.02 – 1.54 102 - 154	0.087 8.7
			•	g/L mg/dL	1.28 128	1.02 – 1.54 102 - 154	0.087 8.7