

LOT MX 410 L
Rev 1

CONTROL L

 (Exp.)

2018-06-05
(YYYY-MM-DD)

PARAMETRES PARAMETERS	UNITES UNITS	ABX Lyse								TOLERANCES TOLERANCE	
		MICROS	MICROS	MICROS	MICROS	MICROS	ARGOS - HELIOS	PENTRA	PENTRA		PENTRA
		ES60 Care ST	CRP CRP 200	8P	18P	60 8P - 60 18P ADVIA 60					
GB WBC	10 ⁹ /mm ³ ; 10 ⁹ /l	2.0	2.0	2.0	2.0	2.0					± 0.4
GR RBC	10 ⁶ /mm ³ ; 10 ¹² /l	2.28	2.25	2.30	2.27	2.28					± 0.15
HB HGB	g/dl	6.1	6.0	6.0	5.9	6.1					± 0.4
	g/l	61	60	60	59	61					± 4
	mmol/l	3.79	3.73	3.73	3.66	3.79					± 0.25
HT HCT	%	16.2	16.0	16.3	16.1	16.2					± 2.0
	l/l	0.162	0.160	0.163	0.161	0.162					± 0.020
VGM MCV	µm ³ ; fl	71	71	71	71	71					± 4
TGMH MCH	pg	26.8	26.7	26.1	26.0	26.8					± 2.0
	fmol	1.66	1.66	1.62	1.61	1.66					± 0.12
CCMH MCHC	g/dl	37.7	37.6	36.7	36.6	37.7					± 3.0
	g/l	377	376	367	366	377					± 30
	mmol/l	23.40	23.32	22.82	22.73	23.40					± 1.86
IDR RDW	%	14.5	13.5	N/A	14.0	13.5					± 3.0
PLAQ. PLTS	10 ³ /mm ³ ; 10 ⁹ /l	83	78	73	80	80					± 20
VPM MPV	µm ³ ; fl	8.5	8.5	N/A	9.0	8.3					± 2.0
LYMPHO	#	1.31	1.32	N/A	1.08	1.28					± 0.40
	%	65.5	66.0	N/A	54.0	64.0					± 8.0
MONO	#	0.20	0.20	N/A	0.28	0.20					± 0.20
	%	8.5	9.0	N/A	14.0	10.0					± 6.0
GRANULO	#	0.52	0.50	N/A	0.64	0.52					± 0.40
	%	26.0	25.0	N/A	32.0	26.0					± 7.0



HORIBA ABX SAS

HORIBA ABX SAS
 Parc Euromédecine
 Rue du Caducée - BP 7290
 34184 MONTPELLIER Cedex 4
 FRANCE
 Tél.: 33 (0) 4 67 14 15 16
 Fax.: 33 (0) 4 67 14 15 17

ABX Minotrol 16



LOT

MX 410 N

CONTROL N



2018-06-05
 (YYYY - MM - DD)

Rev 1

PARAMETRES PARAMETERS	UNITES UNITS	ABX Lyse								TOLERANCES TOLERANCE	
		MICROS	MICROS	MICROS	MICROS	MICROS	ARGOS - HELIOS	PENTRA	PENTRA		PENTRA
		ES60 Care ST	CRP CRP 200	8P	18P	60 8P - 60 18P ADVIA 60					
GB WBC	10 ⁹ /mm ³ ; 10 ⁹ /l	7.7	7.7	7.5	7.6	7.8					± 0.8
GR RBC	10 ⁶ /mm ³ ; 10 ¹² /l	4.58	4.55	4.62	4.56	4.61					± 0.18
HB HGB	g/dl	13.4	13.4	13.5	13.4	13.5					± 0.5
	g/l	134	134	135	134	135					± 5
	mmol/l	8.32	8.32	8.38	8.32	8.38					± 0.31
HT HCT	%	37.1	36.9	37.4	36.9	37.3					± 2.5
	l/l	0.371	0.369	0.374	0.369	0.373					± 0.025
VGM MCV	µm ³ ; fl	81	81	81	81	81					± 4
TGMH MCH	pg	29.3	29.5	29.2	29.4	29.3					± 2.0
	fmol	1.82	1.83	1.81	1.82	1.82					± 0.12
CCMH MCHC	g/dl	36.1	36.4	36.1	36.3	36.2					± 3.0
	g/l	361	364	361	363	362					± 30
	mmol/l	22.43	22.58	22.40	22.53	22.45					± 1.86
IDR RDW	%	14.5	13.5	N/A	14.5	13.0					± 3.0
PLAQ. PLTS	10 ³ /mm ³ ; 10 ⁹ /l	263	256	252	260	258					± 40
VPM MPV	µm ³ ; fl	8.2	8.2	N/A	8.7	7.8					± 2.0
LYMPHO	#	2.70	2.66	N/A	2.20	2.65					± 0.40
	%	35.0	34.5	N/A	29.0	34.0					± 5.0
MONO	#	0.58	0.62	N/A	0.65	0.62					± 0.30
	%	7.5	8.0	N/A	8.5	8.0					± 4.0
GRANULO	#	4.43	4.43	N/A	4.75	4.52					± 0.60
	%	57.5	57.5	N/A	62.5	58.0					± 6.0

Ref: TEMP-0830 Rev.36 FRONT / RECTO 1219930084-B

LOT

MX 410 H
Rev 1

CONTROL H

(Exp.)

2018-06-05
(YYYY - MM - DD)

PARAMETRES PARAMETERS	UNITES UNITS	ABX Lyse								TOLERANCES TOLERANCE	
		MICROS	MICROS	MICROS	MICROS	MICROS	ARGOS - HELIOS	PENTRA	PENTRA		PENTRA
		ES60 Care ST	CRP CRP 200	8P	18P	60 8P - 60 18P ADVIA 60					
GB WBC	10 ⁹ /mm ³ ; 10 ⁹ /l	20.4	20.3	20.1	20.3	20.5					± 1.6
GR RBC	10 ⁶ /mm ³ ; 10 ¹² /l	5.69	5.63	5.75	5.65	5.70					± 0.20
HB HGB	g/dl	18.0	17.9	18.0	18.0	18.0					± 0.6
	g/l	180	179	180	180	180					± 6
	mmol/l	11.18	11.12	11.18	11.18	11.18					± 0.37
HT HCT	%	50.1	49.5	50.6	49.7	50.2					± 3.0
	l/l	0.501	0.495	0.506	0.497	0.502					± 0.030
VGM MCV	µm ³ ; fl	88	88	88	88	88					± 4
TGMH MCH	pg	31.6	31.8	31.3	31.9	31.6					± 2.0
	fmol	1.96	1.97	1.94	1.98	1.96					± 0.12
CCMH MCHC	g/dl	35.9	36.1	35.6	36.2	35.9					± 3.0
	g/l	359	361	356	362	359					± 30
	mmol/l	22.32	22.44	22.09	22.48	22.28					± 1.86
IDR RDW	%	14.0	13.0	N/A	13.5	12.5					± 3.0
PLAQ. PLTS	10 ³ /mm ³ ; 10 ⁹ /l	505	495	505	500	498					± 45
VPM MPV	µm ³ ; fl	8.2	8.3	N/A	9.0	8.0					± 2.0
LYMPHO	#	3.26	3.15	N/A	2.64	3.18					± 1.00
	%	16.0	15.5	N/A	13.0	15.5					± 5.0
MONO	#	0.92	0.91	N/A	0.81	0.92					± 0.80
	%	4.5	4.5	N/A	4.0	4.5					± 4.0
GRANULO	#	16.22	16.24	N/A	16.85	16.40					± 1.40
	%	79.5	80.0	N/A	83.0	80.0					± 7.0