

LOT MX 442 L
Rev 1

CONTROL L

 (Exp.)

2023-10-05
(YYYY-MM-DD)

PARAMETRES PARAMETERS	UNITES UNITS	ABX Lyse								TOLERANCES TOLERANCE	
		MICROS	MICROS	MICROS	MICROS	MICROS	ARGOS - HELIOS	PENTRA	PENTRA		PENTRA
		ES60 Care ST	CRP 200			60 8P - 60 18P ADVIA 60					
GB WBC	10 ⁹ /mm ³ ; 10 ⁹ /l	2.0	1.9			2.0					± 0.4
GR RBC	10 ⁶ /mm ³ ; 10 ¹² /l	2.27	2.25			2.24					± 0.17
HB HGB	g/dl	6.0	5.9			6.0					± 0.5
	g/l	60	59			60					± 5
	mmol/l	3.73	3.66			3.73					± 0.31
HT HCT	%	16.1	15.8			15.9					± 2.0
	l/l	0.161	0.158			0.159					± 0.020
VGM MCV	µm ³ ; fl	71	70			71					± 4
TGMH MCH	pg	26.4	26.2			26.8					± 2.0
	fmol	1.64	1.63			1.66					± 0.12
CCMH MCHC	g/dl	37.2	37.5			37.7					± 3.0
	g/l	372	375			377					± 30
	mmol/l	23.12	23.26			23.43					± 1.86
IDR RDW	%	15.0	14.0			14.0					± 3.0
PLAQ. PLTS	10 ³ /mm ³ ; 10 ⁹ /l	80	79			80					± 22
VPM MPV	µm ³ ; fl	8.2	8.2			7.5					± 2.0
LYMPHO	#	1.26	1.21			1.26					± 0.40
	%	64.0	64.5			64.0					± 8.0
MONO	#	0.20	0.20			0.20					± 0.20
	%	9.0	9.5			9.0					± 6.0
GRANULO	#	0.54	0.49			0.54					± 0.40
	%	27.0	26.0			27.0					± 7.0



HORIBA ABX SAS

HORIBA ABX SAS
 Parc Euromédecine
 Rue du Caducée - BP 7290
 34184 MONTPELLIER Cedex 4
 FRANCE
 Tél.: 33 (0) 4 67 14 15 16
 Fax.: 33 (0) 4 67 14 15 17

ABX Minotrol 16



LOT MX 442 N
 Rev 1

CONTROL N



2023-10-05
 (YYYY-MM-DD)

PARAMETRES PARAMETERS	UNITES UNITS	ABX Lyse								TOLERANCES TOLERANCE	
		MICROS	MICROS	MICROS	MICROS	MICROS	ARGOS - HELIOS	PENTRA	PENTRA		PENTRA
		ES60 Care ST	CRP 200			60 8P - 60 18P ADVIA 60					
GB WBC	10 ⁹ /mm ³ ; 10 ⁹ /l	7.3	7.2			7.3					± 0.8
GR RBC	10 ⁶ /mm ³ ; 10 ¹² /l	4.62	4.65			4.64					± 0.26
HB HGB	g/dl	13.6	13.5			13.6					± 0.7
	g/l	136	135			136					± 7
	mmol/l	8.45	8.38			8.45					± 0.43
HT HCT	%	37.4	37.2			37.6					± 2.7
	l/l	0.374	0.372			0.376					± 0.027
VGM MCV	µm ³ ; fl	81	80			81					± 4
TGMH MCH	pg	29.4	29.0			29.3					± 2.0
	fmol	1.83	1.80			1.82					± 0.12
CCMH MCHC	g/dl	36.3	36.3			36.2					± 3.0
	g/l	363	363			362					± 30
	mmol/l	22.57	22.54			22.47					± 1.86
IDR RDW	%	15.5	14.5			14.5					± 3.0
PLAQ. PLTS	10 ³ /mm ³ ; 10 ⁹ /l	264	260			260					± 40
VPM MPV	µm ³ ; fl	7.8	7.8			7.1					± 2.0
LYMPHO	#	2.56	2.59			2.56					± 0.40
	%	35.0	36.0			35.0					± 5.0
MONO	#	0.58	0.61			0.58					± 0.30
	%	8.0	8.5			8.0					± 4.0
GRANULO	#	4.16	4.00			4.16					± 0.60
	%	57.0	55.5			57.0					± 6.0

Ref: TEMP-0830 Rev.42 FRONT / RECTO 1300104144



LOT

MX 442 H
 Rev 1

CONTROL H

(Exp.)

2023-10-05
 (YYYY - MM - DD)

PARAMETRES PARAMETERS	UNITES UNITS	ABX Lyse								TOLERANCES TOLERANCE	
		MICROS	MICROS	MICROS	MICROS	MICROS	ARGOS - HELIOS	PENTRA	PENTRA		PENTRA
		ES60 Care ST	CRP 200			60 8P - 60 18P ADVIA 60					
GB WBC	10 ⁹ /mm ³ ; 10 ⁹ /l	20.0	19.7			20.0					± 1.7
GR RBC	10 ⁶ /mm ³ ; 10 ¹² /l	5.67	5.68			5.70					± 0.32
HB HGB	g/dl	18.2	18.0			18.2					± 0.9
	g/l	182	180			182					± 9
	mmol/l	11.30	11.18			11.30					± 0.56
HT HCT	%	50.5	50.0			50.7					± 3.4
	l/l	0.505	0.500			0.507					± 0.034
VGM MCV	µm ³ ; fl	89	88			89					± 4
TGMH MCH	pg	32.1	31.7			31.9					± 2.0
	fmol	1.99	1.97			1.98					± 0.12
CCMH MCHC	g/dl	36.1	36.0			35.9					± 3.0
	g/l	361	360			359					± 30
	mmol/l	22.40	22.36			22.28					± 1.86
IDR RDW	%	14.0	14.0			13.5					± 3.0
PLAQ. PLTS	10 ³ /mm ³ ; 10 ⁹ /l	564	560			559					± 65
VPM MPV	µm ³ ; fl	7.7	7.5			7.2					± 2.0
LYMPHO	#	3.30	3.35			3.20					± 1.00
	%	16.5	17.0			16.0					± 5.0
MONO	#	1.10	1.38			1.10					± 0.80
	%	5.5	7.0			5.5					± 4.0
GRANULO	#	15.60	14.97			15.70					± 1.40
	%	78.0	76.0			78.5					± 7.0