

LOT

MX 444 L  
Rev 1

CONTROL L

 (Exp.)

2024-02-05  
(YYYY - MM - DD)

PARAMETRES PARAMETERS	UNITES UNITS	ABX Lyse								TOLERANCES TOLERANCE	
		MICROS	MICROS	MICROS	MICROS	MICROS	ARGOS - HELIOS	PENTRA	PENTRA		PENTRA
		ES60 Care ST	CRP 200			60 8P - 60 18P ADVIA 60					
GB WBC	10 <sup>9</sup> /mm <sup>3</sup> ; 10 <sup>9</sup> /l	2.0	1.9			2.0					± 0.4
GR RBC	10 <sup>6</sup> /mm <sup>3</sup> ; 10 <sup>12</sup> /l	2.23	2.23			2.23					± 0.17
HB HGB	g/dl	5.8	5.8			5.9					± 0.5
	g/l	58	58			59					± 5
	mmol/l	3.60	3.60			3.66					± 0.31
HT HCT	%	15.8	15.6			15.8					± 2.0
	l/l	0.158	0.156			0.158					± 0.020
VGM MCV	µm <sup>3</sup> ; fl	71	70			71					± 4
TGMH MCH	pg	26.0	26.0			26.5					± 2.0
	fmol	1.62	1.62			1.64					± 0.12
CCMH MCHC	g/dl	36.6	37.2			37.3					± 3.0
	g/l	366	372			373					± 30
	mmol/l	22.75	23.07			23.14					± 1.86
IDR RDW	%	15.0	13.5			14.0					± 3.0
PLAQ. PLTS	10 <sup>3</sup> /mm <sup>3</sup> ; 10 <sup>9</sup> /l	75	74			77					± 22
VPM MPV	µm <sup>3</sup> ; fl	8.8	8.5			7.9					± 2.0
LYMPHO	#	1.28	1.22			1.28					± 0.40
	%	66.0	65.5			65.5					± 8.0
MONO	#	0.20	0.20			0.20					± 0.20
	%	8.0	9.0			8.5					± 6.0
GRANULO	#	0.52	0.48			0.52					± 0.40
	%	26.0	25.5			26.0					± 7.0



**HORIBA ABX SAS**

HORIBA ABX SAS  
 Parc Euromédecine  
 Rue du Caducée - BP 7290  
 34184 MONTPELLIER Cedex 4  
 FRANCE  
 Tél.: 33 (0) 4 67 14 15 16  
 Fax.: 33 (0) 4 67 14 15 17

## ABX Minotrol 16



**LOT**

**MX 444 N**

**CONTROL**

**N**



**2024-02-05**  
 (YYYY - MM - DD)

Rev 1

PARAMETRES PARAMETERS	UNITES UNITS	ABX Lyse								TOLERANCES TOLERANCE	
		MICROS	MICROS	MICROS	MICROS	MICROS	ARGOS - HELIOS	PENTRA	PENTRA		PENTRA
		ES60 Care ST	CRP 200			60 8P - 60 18P ADVIA 60					
GB WBC	10 <sup>9</sup> /mm <sup>3</sup> ; 10 <sup>9</sup> /l	7.4	7.2			7.4					± 0.8
GR RBC	10 <sup>6</sup> /mm <sup>3</sup> ; 10 <sup>12</sup> /l	4.53	4.51			4.56					± 0.26
HB HGB	g/dl	13.3	13.3			13.5					± 0.7
	g/l	133	133			135					± 7
	mmol/l	8.26	8.26			8.38					± 0.43
HT HCT	%	36.7	36.5			36.9					± 2.7
	l/l	0.367	0.365			0.369					± 0.027
VGM MCV	µm <sup>3</sup> ; fl	81	81			81					± 4
TGMH MCH	pg	29.4	29.5			29.6					± 2.0
	fmol	1.82	1.83			1.84					± 0.12
CCMH MCHC	g/dl	36.2	36.4			36.5					± 3.0
	g/l	362	364			365					± 30
	mmol/l	22.51	22.61			22.70					± 1.86
IDR RDW	%	14.5	13.5			13.0					± 3.0
PLAQ. PLTS	10 <sup>3</sup> /mm <sup>3</sup> ; 10 <sup>9</sup> /l	254	249			256					± 40
VPM MPV	µm <sup>3</sup> ; fl	8.0	7.9			7.3					± 2.0
LYMPHO	#	2.52	2.41			2.52					± 0.40
	%	34.0	33.5			34.0					± 5.0
MONO	#	0.52	0.58			0.52					± 0.30
	%	7.0	8.0			7.0					± 4.0
GRANULO	#	4.37	4.21			4.37					± 0.60
	%	59.0	58.5			59.0					± 6.0

Ref: TEMP-0830 Rev.42 FRONT / RECTO 1300104144

**LOT** MX 444 H  
 Rev 1

**CONTROL** H

(Exp.)

**2024-02-05**  
 (YYYY - MM - DD)

PARAMETRES PARAMETERS	UNITES UNITS	ABX Lyse								TOLERANCES TOLERANCE	
		MICROS	MICROS	MICROS	MICROS	MICROS	ARGOS - HELIOS	PENTRA	PENTRA		PENTRA
		ES60 Care ST	CRP 200			60 8P - 60 18P ADVIA 60					
GB WBC	10 <sup>9</sup> /mm <sup>3</sup> ; 10 <sup>9</sup> /l	19.8	19.4			20.1					± 1.7
GR RBC	10 <sup>6</sup> /mm <sup>3</sup> ; 10 <sup>12</sup> /l	5.60	5.62			5.67					± 0.32
HB HGB	g/dl	17.8	17.8			18.1					± 0.9
	g/l	178	178			181					± 9
	mmol/l	11.05	11.05			11.24					± 0.56
HT HCT	%	49.8	49.5			50.5					± 3.4
	l/l	0.498	0.495			0.505					± 0.034
VGM MCV	µm <sup>3</sup> ; fl	89	88			89					± 4
TGMH MCH	pg	31.8	31.7			31.9					± 2.0
	fmol	1.97	1.97			1.98					± 0.12
CCMH MCHC	g/dl	35.7	36.0			35.9					± 3.0
	g/l	357	360			359					± 30
	mmol/l	22.18	22.35			22.27					± 1.86
IDR RDW	%	14.0	13.5			13.0					± 3.0
PLAQ. PLTS	10 <sup>3</sup> /mm <sup>3</sup> ; 10 <sup>9</sup> /l	528	516			518					± 65
VPM MPV	µm <sup>3</sup> ; fl	8.0	7.8			7.4					± 2.0
LYMPHO	#	3.07	3.10			3.12					± 1.00
	%	15.5	16.0			15.5					± 5.0
MONO	#	1.09	1.26			1.01					± 0.80
	%	5.5	6.5			5.0					± 4.0
GRANULO	#	15.64	15.04			15.98					± 1.40
	%	79.0	77.5			79.5					± 7.0